

# SAFETY DATA SHEET

**Date Printed:** 05/05/2024 **Date Revised:** 01/15/2022

### **SECTION 1. IDENTIFICATION**

Product Identifier: (5N) 99.999% Barium Hydride

Product Code: BA-HID-05

**CAS Number:** 13477-09-3

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture

GHS02 Flame

Water-react. 1 H260 In contact with water releases flammable gases, which may ignite spontaneously.

GHS07

Acute Tox. 4

H302 Harmful if swallowed.

Acute Tox. 4

H332 Harmful if inhaled.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS02 GHS07 Signal word Danger

Hazard-determining components of labeling: barium dihydride

Hazard statements

H260

In contact with water releases flammable gases, which may ignite spontaneously.

H302+H332 Harmful if swallowed or if inhaled.

Precautionary statements

P231+P232

Handle under inert gas. Protect from moisture.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233

Store in a well-ventilated place. Keep container tightly closed.

P422

Store contents under inert gas.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system: NFPA ratings (scale 0 - 4)

Health = 3

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 2

Fire = 0

Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

CAS # / Substance Name 13477-09-3 barium dihydride

Identification number(s) EC number: 236-763-3 Index number: 056-002-00-7

#### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

In case of skin contact:

Immediately rinse with water.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents:

Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water

Special hazards arising from the substance or mixture

No data available

Advice for firefighters

Protective equipment:

Mouth respiratory protective device.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Inform respective authorities in case of see page into water courses, or sewage systems.

Methods and materials for containment and cleanup:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7. HANDLING AND STORAGE**

Handling:

Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s)
No data available

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

13477-09-3 barium dihydride

PEL Long-term value: 0.5 mg/m³ as Ba

REL Long-term value: 0.5 mg/m³ as Ba TLV Long-term value: 0.5 mg/m³ as Ba

Additional information:

The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form: Crystalline

Color: Grey Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 675 dec °C (1247 dec °F)

Boiling point/Boiling range: No data available.

Flash point: N/A

Flammability (solid, gas): Product is not flammable.

Ignition temperature: No data available.

Decomposition temperature: No data available.

Autoignition: No data available.

Danger of explosion: No data available. Explosion limits: No data available.

Lower: No data available. Upper: No data available. Vapor pressure: no data hPa

Density at 20 °C (68 °F): 4.21 g/cm<sup>3</sup> (35.132 lbs/gal)

Relative density: No data available.

Vapor density: N/A Evaporation rate: N/A

Solubility in Water (H<sub>2</sub>O): Insoluble.

Partition coefficient (n-octanol/water): No data available.

Viscosity: No data available.

Dynamic: N/A Kinematic: N/A

Solvent content: No data available.

Organic solvents: 0.0 %

VOC content: 0.0 g/l / 0.00 lb/gl

Solids content: 100.0 %

Other information: No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

No data available

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

Conditions to avoid No data available

Incompatible materials: No data available

Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin:

No irritant effect.

on the eye:

No irritating effect.

Sensitization:

No sensitizing effects known.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Behavior in environmental systems:

Bioaccumulative potential

No data available

Mobility in soil

No data available

Additional ecological information:

Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

Other adverse effects
No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to enter drains, sewage systems, or other water courses system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

### **SECTION 14. TRANSPORT INFORMATION**

UN-Number DOT, IMDG, IATA UN3134 UN proper shipping name DOT, IATA Water-reactive solid, toxic, n.o.s. **IMDG** WATER-REACTIVE SOLID, TOXIC, N.O.S. Transport hazard class(es) DOT Class 4.3 Substances which, in contact with water, emit flammable gases Label 4.3. 6.1 **IMDG** Class 4.3 Substances which, in contact with water, emit flammable gases Label 4.3/6.1 IATA Class 4.3 Substances which, in contact with water, emit flammable gases Label 4.3 (6.1) Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: No Special precautions for user N/A Danger code (Kemler): 423 EMS Number: F-G.S-N **Stowage Category** D Handling Code H1 Keep as dry as reasonably practicable Segregation Code SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A Transport/Additional information: DOT **Quantity limitations** On passenger aircraft/rail: Forbidden On cargo aircraft only: 15 kg **IMDG** 

Limited quantities (LQ)

Excepted quantities (EQ)

Code: E0

Not permitted as Excepted Quantity

UN "Model Regulation":

UN 3134 WATER-REACTIVE SOLID, TOXIC, N.O.S., 4.3 (6.1), I

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

13477-09-3 barium dihydride

D, CBD(inh), NL(oral)

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

GHS02

GHS07

Signal word

Danger

Hazard-determining components of labeling: barium dihydride

Hazard statements

H260

In contact with water releases flammable gases, which may ignite spontaneously.

H302+H332 Harmful if swallowed or if inhaled.

Precautionary statements

P231+P232

Handle under inert gas. Protect from moisture.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233

Store in a well-ventilated place. Keep container tightly closed.

P422

Store contents under inert gas.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment:

### 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.