

# SAFETY DATA SHEET

Date Printed: 05/04/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (5N) 99.999% Bismuth Fluoride

**Product Code:** BI5-F-05

**CAS Number:** 7787-62-4

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 2), H272

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS Label elements, including precautionary statements



Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe dusts or mists.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 +  
P310  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P363 Wash contaminated clothing before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
P405 Store locked up.  
P501 Dispose of contents/ container to an approved waste disposal plant.  
Hazards not otherwise classified (HNOC) or not covered by GHS  
Strong hydrogen fluoride-releaser

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

Formula : BiF<sub>5</sub>

Molecular weight : 303.97 g/mol

CAS-No. : 7787-62-4

EC-No. : 232-125-3

Component

Bismuth pentafluoride

Classification

Ox. Sol. 2; Skin Corr. 1B;

Eye Dam. 1; H272, H314,  
H318

Concentration

<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

### **SECTION 4. FIRST AID MEASURES**

Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased

pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician. First treatment with calcium gluconate paste.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Hydrogen fluoride

Bismuth oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

---

## SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Avoid formation of dust and aerosols.

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition. Normal measures for preventive fire protection.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Do not store in glass

Storage class

Storage class (TRGS 510): 5.1A: Strongly oxidizing hazardous materials

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Ingredients with workplace control parameters

Component

Bismuth pentafluoride

CAS-No.

7787-62-4

Value

TWA

Control

parameters

2.5 mg/m<sup>3</sup>

Basis

USA. Occupational Exposure

Limits (OSHA) - Table Z-1

Limits for Air Contaminants

USA. ACGIH Threshold Limit

Values (TLV)

Remarks

Not classifiable as a human carcinogen

PEL

2.5 mg/m<sup>3</sup>

California permissible exposure

limits for chemical

contaminants (Title 8, Article

107)

Biological occupational exposure limits

Bismuth pentafluoride

CAS-No.  
7787-62-4  
Parameters  
Fluoride  
Value  
2 mg/l  
3 mg/l  
Biological specimen  
Urine  
Basis  
ACGIH -Biological Exposure Indices (BEI)  
End of shift (As soon as possible after exposure ceases)  
Remarks  
Prior to shift (16 hours after exposure ceases)  
Exposure controls  
Appropriate engineering controls  
Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.  
Personal protective equipment  
Eye/face protection  
Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).  
Skin protection  
Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.  
Body Protection  
Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Respiratory protection  
Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).  
Control of environmental exposure  
Do not let product enter drains.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

- a) Appearance Form: crystalline  
Color: white
- b) Odor No data available
- c) Odor Threshold No data available
- d) pH No data available
- e) Melting  
point/freezing point  
Melting point/range: 550 °C (1022 °F)

f) Initial boiling point  
and boiling range  
550 °C 1022 °F at 1013 hPa  
g) Flash point ( )Not applicable  
h) Evaporation rate No data available  
i) Flammability (solid,  
gas)  
No data available  
j) Upper/lower  
flammability or  
explosive limits  
No data available  
k) Vapor pressure No data available  
l) Vapor density No data available  
m) Density No data available  
Relative density No data available  
n) Water solubility No data available  
o) Partition coefficient:  
n-octanol/water  
No data available  
p) Autoignition  
temperature  
No data available  
q) Decomposition  
temperature  
No data available  
r) Viscosity No data available  
s) Explosive properties No data available  
t) Oxidizing properties The substance or mixture is classified as oxidizing with the  
category 2.  
Other safety information  
No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
No data available  
Chemical stability  
Stable under recommended storage conditions.  
Possibility of hazardous reactions  
No data available  
Conditions to avoid  
Reacts dangerously with glass.  
Incompatible materials  
Strong oxidizing agents, Strong acids, Reacts violently with water.glass  
Hazardous decomposition products  
In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Acute toxicity  
Oral: No data available  
Inhalation: No data available  
Dermal: No data available  
No data available  
Skin corrosion/irritation  
No data available  
Serious eye damage/eye irritation  
No data available  
Respiratory or skin sensitization  
No data available  
Germ cell mutagenicity  
No data available  
Carcinogenicity  
IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.  
Reproductive toxicity  
No data available  
No data available  
Specific target organ toxicity - single exposure  
No data available  
Specific target organ toxicity - repeated exposure  
No data available  
Aspiration hazard  
Additional Information  
Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.  
Cough, Shortness of breath, Headache, Nausea, Vomiting

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
No data available  
Persistence and degradability  
No data available  
Bioaccumulative potential  
No data available  
Mobility in soil  
No data available  
Results of PBT and vPvB assessment  
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted  
Other adverse effects  
No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

## Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3084 Class: 8 (5.1) Packing group: I

Proper shipping name: Corrosive solids, oxidizing, n.o.s. (Bismuth pentafluoride)

Poison Inhalation Hazard: No

IMDG

UN number: 3084 Class: 8 (5.1) Packing group: I EMS-No: F-A, S-Q

Proper shipping name: CORROSIVE SOLID, OXIDIZING, N.O.S. (Bismuth pentafluoride)

IATA

UN number: 3084 Class: 8 (5.1) Packing group: I

Proper shipping name: Corrosive solid, oxidizing, n.o.s. (Bismuth pentafluoride)

---

## SECTION 15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Bismuth pentafluoride CAS-No.

7787-62-4

Revision Date

2008-06-01

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED



GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.