

# SAFETY DATA SHEET

Date Printed: 04/27/2024 Date Revised: 01/15/2022

# **SECTION 1. IDENTIFICATION**

Product Identifier: (5N) 99.999% Sodium (meta)arsenite

Product Code: NA-MASIT-05

**CAS Number:** 7784-46-5

Relevant identified uses of the substance: Scientific research and development

Supplier details:

**American Elements** 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

# **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Acute toxicity, Oral(Category 2), H300 Acute toxicity, Inhalation(Category 3), H331 Acute toxicity, Dermal(Category 2), H310 Carcinogenicity(Category 1A), H350 Acute aquatic toxicity(Category 1), H400 Chronic aquatic toxicity(Category 1), H410 GHS Label elements, including precautionary statements **Pictogram** 







Signal word Danger Hazard statement(s) H300 + H310 Fatal if swallowed or in contact with skin H331 Toxic if inhaled.

H350

May cause cancer.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been read and understood.

P261

Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.

P262

Do not get in eyes, on skin, or on clothing.

P264

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P310 + P330

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.

P302 + P350 + P310

IF ON SKIN: Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/ physician.

P304 + P340 + P311

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

P362

Take off contaminated clothing and wash before reuse.

P391

Collect spillage.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS-none

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

Synonyms: Sodium dioxoarsenate

Formula: AsNaO2

Molecular weight: 129.91 g/mol

CAS-No.: 7784-46-5 EC-No.: 232-070-5

# **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

No data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

# **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Air sensitive.

Store under inert gas.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection** 

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance

Form: solid

Odor

No data available

Odor Threshold

No data available

pΗ

No data available

Melting point/freezing point

No data available

Initial boiling point and boiling range

No data available

Flash point

N/A

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Upper/lower flammability or explosive limits

No data available

Vapor pressure

No data available

Vapor density

No data available

Relative density

1.870 g/cm3

Water solubility

No data available

Partition coefficient: n-octanol/water

No data available

Auto-ignition temperature

No data available

Decomposition temperature

No data available

Viscosity

No data available

Explosive properties

No data available

Oxidizing properties

No data available

Other safety information

No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Avoid moisture.

Incompatible materials

Strong oxidizing agents, Strong acids

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions.-

Sodium oxides, Arsenic oxides

Other decomposition products-

In the event of fire: see section 5

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

LD50 Oral-Rat-41 mg/kg

Inhalation: No data available

LD50 Dermal-Rat-150 mg/kg

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Human carcinogen.

IARC:

1-Group 1: Carcinogenic to humans(Sodium dioxoarsenate)

IARC:

1-Group 1: Carcinogenic to humans(Sodium dioxoarsenate)

NTP:

Known to be human carcinogen(Sodium dioxoarsenate)

NTP:

Known to be human carcinogen(Sodium dioxoarsenate)

OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity -single exposure

No data available

Specific target organ toxicity -repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Exposure to arsenic compounds can cause:, Gastrointestinal disturbance, Cardiovascular effects.,

Neurological disorders

# **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

Toxicity to daphnia and other aquatic invertebrates

EC50-Daphnia magna (Water flea)-1.54 mg/l-48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a licensed professional waste disposal service to dispose of this material.

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

# **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number: 2027

Class: 6.1

Packing group: II

Proper shipping name: Sodium arsenite, solid

Reportable Quantity(RQ): 1 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 2027

Class: 6.1

Packing group: II EMS-No: F-A, S-A

Proper shipping name: SODIUM ARSENITE, SOLID

Marine pollutant: yes

IATA

UN number: 2027

Class: 6.1

Packing group: II

Proper shipping name: Sodium arsenite, solid

### **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302: Sodium dioxoarsenate

CAS-No.

7784-46-5

**Revision Date** 

2007-07-01

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Sodium dioxoarsenate

CAS-No.

7784-46-5

**Revision Date** 

2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Sodium dioxoarsenate

CAS-No.

7784-46-5

**Revision Date** 

2007-07-01

Pennsylvania Right To Know Components

Sodium dioxoarsenate

CAS-No.

7784-46-5

**Revision Date** 

2007-07-01

New Jersey Right To Know Components

Sodium dioxoarsenate

CAS-No.

7784-46-5

**Revision Date** 

2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Sodium dioxoarsenate

CAS-No.

7784-46-5

**Revision Date** 

2007-09-28

WARNING! This product contains a chemical known to the State of California to cause cancer.

Sodium dioxoarsenate

CAS-No.

7784-46-5

**Revision Date** 

2007-09-28

# 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the

properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.