

# SAFETY DATA SHEET

Date Printed: 05/03/2024 Date Revised: 01/15/2022

#### **SECTION 1. IDENTIFICATION**

Product Identifier: (6N) 99.9999% Mercury Liquid

Product Code: HG-M-06-LIQ

CAS Number: 7439-97-6

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

## **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS06 Skull and crossbones Acute Tox. 2 H330 Fatal if inhaled. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn child. STOT RE 1 H372 Causes damage to the central nervous system, the kidneys, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Oral, Inhalation. Hazards not otherwise classified No data available GHS label elements GHS label elements, including precautionary statements Hazard pictograms



GHS06 GHS08 Signal word Danger Hazard statements H330 Fatal if inhaled. H360 May damage fertility or the unborn child. H372 Causes damage to the central nervous system, the kidneys, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Oral, Inhalation. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P284 [In case of inadequate ventilation] wear respiratory protection. P201 Obtain special instructions before use. P280 Wear protective gloves/protective clothing/eye protection/face protection. P320 Specific treatment is urgent (see on this label). P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a POISON CENTER/doctor. P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D1A - Very toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects E - Corrosive material Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 3Flammability = 0Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: N/A vPvB: N/A

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances CAS No. / Substance Name: 7439-97-6 Mercury Identification number(s): EC number: 231-106-7 Index number: 080-001-00-0

## **SECTION 4. FIRST AID MEASURES**

Description of first aid measures General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. If inhaled: Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Fatal if inhaled. May damage fertility or the unborn child. Causes damage to the central nervous system, the kidneys, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Oral, Inhalation. Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Mercury oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to enter drains, sewage systems, or other water courses. Methods and materials for containment and cleanup: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 0.15 mg/m3 PAC-2: 1.7 mg/m3 PAC-3: 8.9 mg/m3

#### **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from halogens. Store away from metals. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed containers. Specific end use(s) No data available

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 7439-97-6 Mercury (100.0%) PEL (USA) Long-term value: 0.1 mg/m<sup>3</sup> as Hg; see OSHA standard interpretation memo REL (USA) Long-term value: 0.05\* mg/m<sup>3</sup>

Ceiling limit value: 0.1 mg/m<sup>3</sup> as Hg; \*Vapor; Skin

TLV (USA) Long-term value: 0.025 mg/m<sup>3</sup> as Hg; Skin; BEI EL (Canada) Long-term value: 0.025 mg/m<sup>3</sup> Skin: R EV (Canada) Long-term value: 0.025 mg/m<sup>3</sup> as Hg, Skin Ingredients with biological limit values: 7439-97-6 Mercury (100.0%) BEI (USA) 35 μg/g creatinine Medium: urine Time: prior to shift Parameter: Total inorganic mercury (background 15 μg/L Medium: blood Time: end of shift at end of workweek Parameter: Total inorganic mercury (background) Additional information: No data Exposure controls Personal protective equipment Follow typical protective and hygienic practices for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Maintain an ergonomically appropriate working environment. Breathing equipment: Use self-contained respiratory protective device in emergency situations. Recommended filter device for short term use: Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands: Impervious gloves Inspect aloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm Eye protection: Safety glasses Body protection: Protective work clothing.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties Appearance: Form: Liquid Odor: Odorless Odor threshold: Not determined. pH: Not determined. Melting point/Melting range: -38.87 °C (-38 °F) Boiling point/Boiling range: 356.73 °C (674 °F) Sublimation temperature / start: Not determined Flammability (solid, gas) Not determined. Ignition temperature: Not determined Decomposition temperature: Not determined Autoignition: Not determined. Danger of explosion: Not determined. **Explosion limits:** Lower: Not determined Upper: Not determined Vapor pressure at 20 °C (68 °F): 0.00163 hPa Density at 20 °C (68 °F): 13.534 g/cm<sup>3</sup> (112.941 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in Water (H<sub>2</sub>O): Not miscible or difficult to mix Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Other information No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No data available Incompatible materials: Halogens Metals Hazardous decomposition products: Mercury oxide

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: Fatal if inhaled. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eve irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Carcinogenicity: EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available. IARC-3: Not classifiable as to carcinogenicity to humans. ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals. The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. Reproductive toxicity: May damage fertility or the unborn child. The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. Specific target organ system toxicity - repeated exposure: Causes damage to the central nervous system, the kidneys, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Oral, Inhalation. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

## SECTION 12. ECOLOGICAL INFORMATION

Toxicity Aquatic toxicity: No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: Do not allow product to reach groundwater, water courses, or sewage systems, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT: N/A vPvB: N/A Other adverse effects No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods Recommendation Consult official regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

UN-Number DOT, IMDG, IATA UN2809 UN proper shipping name DOT Mercury ADR 2809 Mercury IMDG, IATA MERCURY Transport hazard class(es) DOT Class 8 Corrosive substances Label 8, 6.1 ADR Class 8 (CT1) Corrosive substances Label 8+6.1 IMDG Class 8 Corrosive substances Label 8/6.1 IATA Class 8 Corrosive substances Label 8 (6.1) Packing group DOT, ADR, IMDG, IATA Ш Environmental hazards: N/A Special precautions for user Warning: Corrosive substances EMS Number: F-A,S-B Segregation groups Heavy metals and their salts (including their organometallic compounds), mercury and mercury compounds Stowage Category В Stowage Code SW2 Clear of living guarters. Segregation Code SG24 Stow "away from" azides Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A Transport/Additional information: DOT **Quantity limitations** On passenger aircraft/rail: 35 kg On cargo aircraft only: 35 kg Hazardous substance: 1 lbs, 0.454 kg Marine Pollutant (DOT): No IMDG Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity UN "Model Regulation": UN 2809 MERCURY, 8 (6.1), III

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS GHS label elements, including precautionary statements Hazard pictograms GHS06 GHS08 Signal word Danger Hazard statements H330 Fatal if inhaled. H360 May damage fertility or the unborn child. H372 Causes damage to the central nervous system, the kidneys, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Oral, Inhalation. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P284 [In case of inadequate ventilation] wear respiratory protection. P201 Obtain special instructions before use. P280 Wear protective gloves/protective clothing/eye protection/face protection. P320 Specific treatment is urgent (see on this label). P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a POISON CENTER/doctor. P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) 7439-97-6 Mercury California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity 7439-97-6 Mercury Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. This substance is subject to a Significant New Use Rule (SNUR) promulgated under Section 5(a)(2) of the Toxic Substances Control Act (TSCA). See 40 CFR 721.

This product is being sold for research and development use.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.