

# SAFETY DATA SHEET

Date Printed: 05/27/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (4N) 99.99% Aluminum tert-Butoxide

**Product Code:** AL-TBOX-04

**CAS Number:** 556-91-2

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS02 Flame

Flam. Sol. 2 H228 Flammable solid.

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Hazards not otherwise classified No data available

GHS label elements, including precautionary statements

Hazard pictograms



GHS02 GHS05

Signal word Danger

Hazard statements

H228 Flammable solid.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B4 - Flammable solid

D2B - Toxic material causing other toxic effects

E - Corrosive material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

2

2

1

Health (acute effects) = 2

Flammability = 2

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

556-91-2 Aluminum tert-butoxide

Identification number(s):

EC number: 209-146-1

---

## SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed  
Causes severe skin burns.  
Causes serious eye damage.  
Indication of any immediate medical attention and special treatment needed:  
No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media  
Suitable extinguishing agents CO<sub>2</sub>, sand, extinguishing powder. Do not use water.  
Special hazards arising from the substance or mixture  
If this product is involved in a fire, the following can be released:  
Carbon monoxide and carbon dioxide  
Metal oxide fume  
Advice for firefighters  
Protective equipment:  
Wear self-contained respirator.  
Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures  
Use personal protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Keep away from ignition sources  
Environmental precautions: Do not allow material to be released to the environment without official permits.  
Methods and materials for containment and cleanup:  
Keep away from ignition sources.  
Use neutralizing agent.  
Dispose of contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Prevention of secondary hazards: Keep away from ignition sources.  
Reference to other sections  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling  
Precautions for safe handling  
Handle under dry protective gas.  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.  
Information about protection against explosions and fires: Protect against electrostatic charges.  
Conditions for safe storage, including any incompatibilities  
Requirements to be met by storerooms and receptacles: Store in a cool location.  
Information about storage in one common storage facility:

Store away from oxidizing agents.  
Store away from water/moisture.  
Further information about storage conditions:  
Store under dry inert gas.  
This product is moisture sensitive.  
Keep container tightly sealed.  
Store in cool, dry conditions in well-sealed containers.  
Protect from humidity and water.  
Specific end use(s) No data available

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.  
Control parameters  
Components with limit values that require monitoring at the workplace:  
556-91-2 Aluminum tert-butoxide (100.0%)  
REL (USA) Long-term value: 2 mg/m<sup>3</sup>  
as Al  
TLV (USA) Long-term value: 1\* mg/m<sup>3</sup>  
as Al;\*as respirable fraction  
Additional information: No data  
Exposure controls  
Personal protective equipment  
Follow typical protective and hygienic practices for handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Remove all soiled and contaminated clothing immediately.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Maintain an ergonomically appropriate working environment.  
Breathing equipment: Use suitable respirator when high concentrations are present.  
Protection of hands:  
Impervious gloves  
Inspect gloves prior to use.  
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.  
Eye protection:  
Tightly sealed goggles  
Full face protection  
Body protection: Protective work clothing.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties  
Appearance:  
Form: Powder  
Color: White  
Odor: Alcohol-like  
Odor threshold: No data available.  
pH: N/A

Melting point/Melting range: 200-202 °C (392-396 °F)  
Boiling point/Boiling range: No data available  
Sublimation temperature / start: No data available  
Flash point: N/A  
Flammability (solid, gas) Highly flammable.  
Ignition temperature: No data available  
Decomposition temperature: No data available  
Autoignition: No data available.  
Danger of explosion: No data available.  
Explosion limits:  
Lower: No data available  
Upper: No data available  
Vapor pressure: N/A  
Density at 20 °C (68 °F): 1.0251 g/cm<sup>3</sup> (8.554 lbs/gal)  
Relative density No data available.  
Vapor density N/A  
Evaporation rate N/A  
Solubility in / Miscibility with  
Water: Hydrolyzes  
Partition coefficient (n-octanol/water): No data available.  
Viscosity:  
Dynamic: N/A  
Kinematic: N/A  
Other information No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Stability and reactivity  
Reactivity No data available  
Chemical stability Stable under recommended storage conditions.  
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.  
Possibility of hazardous reactions Reacts with water  
Conditions to avoid No data available  
Incompatible materials:  
Oxidizing agents  
Water/moisture  
Hazardous decomposition products:  
Carbon monoxide and carbon dioxide  
Metal oxide fume

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects  
Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.  
LD/LC50 values that are relevant for classification: No data  
Skin irritation or corrosion: Causes severe skin burns.  
Eye irritation or corrosion: Causes serious eye damage.  
Sensitization: No sensitizing effects known.  
Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: Aluminum may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause pulmonary disease.

Subacute to chronic toxicity: No effects known.

Subacute to chronic toxicity:

t-Butyl alcohol, if present or generated, may cause abdominal pain, vomiting, headache, muscle weakness, giddiness, ataxia, confusion, delirium, diarrhea, coma and death from respiratory failure. May damage lungs, liver, kidneys and heart.

Aluminum may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause pulmonary disease.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

---

## SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

Additional ecological information:

Do not allow material to be released to the environment without proper governmental permit

Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

Other adverse effects No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

---

## SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA UN2925

UN proper shipping name

DOT Flammable solids, corrosive, organic, n.o.s. (Aluminum tert-butoxide)

IMDG, IATA FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S. (Aluminum tert-butoxide)

Transport hazard class(es)

DOT

Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives.

Label 4.1+8

Class 4.1 (FC1) Flammable solids, self-reactive substances and solid desensitised explosives

Label 4.1+8

IMDG, IATA

Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives.

Label 4.1+8

Packing group

DOT, IMDG, IATA III

Environmental hazards: N/A

Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised explosives

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A

Transport/Additional information:

DOT

Marine Pollutant (DOT): No

UN "Model Regulation": UN2925, Flammable solids, corrosive, organic, n.o.s. (Aluminum tert-butoxide), 4.1 (8), III

---

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS label elements, including precautionary statements

Hazard pictograms

GHS02 GHS05

Signal word Danger

Hazard statements

H228 Flammable solid.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

(Contd. on page 5)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.