

# SAFETY DATA SHEET

Date Printed: 05/30/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (3N) 99.9% Boron Trifluoride Diethyl Etherate

**Product Code:** BO-TDE-03

**CAS Number:** 109-63-7

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids(Category 3), H226

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 2), H330

Skin corrosion(Category 1A), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity -repeated exposure, Inhalation (Category 1), H372

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H226

Flammable liquid and vapor.

H302

Harmful if swallowed.

H314

Causes severe skin burns and eye damage.

H318

Causes serious eye damage.

H330

Fatal if inhaled.

H372

Causes damage to organs through prolonged or repeated exposure if inhaled.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233

Keep container tightly closed.

P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242

Use only non-sparking tools.

P243

Take precautionary measures against static discharge.

P260

Do not breathe dust/ fume/ gas/ mist/ Vapors/ spray.

P264

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P271

Use only outdoors or in a well-ventilated area.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284

Wear respiratory protection.

P301 + P312 + P330

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

P301 + P330 + P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P314

Get medical advice/ attention if you feel unwell.

P363

Wash contaminated clothing before reuse.

P370 + P378

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P403 + P235

Store in a well-ventilated place. Keep cool.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water.

---

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

Synonyms: Boron trifluoride ethyl etherate

Formula:  $\text{BF}_3 \cdot \text{C}_4\text{H}_{10}\text{O}$

Molecular weight: 141.93 g/mol

CAS-No.: 109-63-7

EC-No.: 203-689-8

---

## **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Dry powder

Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen fluoride, Borane/boron oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition. Evacuate personnel to safe areas. Beware of Vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

For personal protection see section 8

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water.

Reference to other sections

For disposal see section 13

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of Vapor or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2

Conditions for safe storage, including any incompatibilities

Store under nitrogen.

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Keep away from water. Never allow product to get in contact with water during storage.

Recommended storage temperature

2 - 8 °C

Store under inert gas.

Storage class (TRGS 510): Flammable liquids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

#### Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

##### a) Appearance

Form: liquid

##### b) Odor

No data available

##### c) Odor Threshold

No data available

##### d) pH

No data available

##### e) Melting point/freezing point

Melting point/range: -58 °C (-72 °F)

##### f) Initial boiling point and boiling range

126 -129 °C (259 -264 °F)

##### g) Flash point

48 °C (118 °F) - closed cup

##### h) Evaporation rate

No data available

##### i) Flammability (solid, gas)

No data available

##### j) Upper/lower flammability or explosive limits

Upper explosion limit: 36 %(V)

Lower explosion limit: 1.9 %(V)

##### k) Vapor pressure

5.6 hPa (4.2 mmHg) at 20 °C (68 °F)

##### l) Vapor density

4.90-(Air = 1.0)

##### m) Relative density

1.15 g/mL

##### n) Water solubility

No data available  
o) Partition coefficient: n-octanol/water  
No data available  
p) Auto-ignition temperature  
No data available  
q) Decomposition temperature  
No data available  
r) Viscosity  
No data available  
s) Explosive properties  
No data available  
t) Oxidizing properties  
No data available  
Other safety information  
Relative Vapor density  
4.90 - (Air = 1.0)

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
No data available  
Chemical stability  
Stable under recommended storage conditions  
Possibility of hazardous reactions  
Reacts violently with water.  
Conditions to avoid  
Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas. Do not allow water to enter container because of violent reaction.  
Heat, flames and sparks. Exposure to moisture.  
Incompatible materials  
Metals, acids, Bases, Alcohols, Alkali metals, Oxidizing agents, Water  
Hazardous decomposition products  
Other decomposition products - No data available  
In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity  
No data available  
LC50 Inhalation - Rat - 4 h - 1.2 mg/l  
Dermal: No data available  
No data available  
Skin corrosion/irritation  
Serious eye damage/eye irritation  
Eyes - Rabbit  
Result: Corrosive to eyes  
Respiratory or skin sensitisation  
No data available  
Germ cell mutagenicity

No data available

Carcinogenicity

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

---

## SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish field study LC50 - *Leuciscus idus* (Golden orfe) - 22 - 46 mg/l

Persistence and degradability

Biodegradability

Result: - Partially biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number: 2604

Class: 8(3)

Packing group: I

Proper shipping name: Boron trifluoride diethyl etherate

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 2604

Class: 8(3)

Packing group: I

EMS-No: F-E, S-C

Proper shipping name: BORON TRIFLUORIDE DIETHYL ETHERATE

IATA

UN number: 2604

Class: 8(3)

Packing group: I

Proper shipping name: Boron trifluoride diethyl etherate

---

## **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts/Pennsylvania/New Jersey Right To Know Components

Diethyl ether-boron trifluoride

CAS-No.109-63-7

Revision Date

1993-04-24

California Prop. 65 Component

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is

believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.