

# SAFETY DATA SHEET

Date Printed: 05/27/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (4N5) 99.995% Hexakis(ethylamino)disilane

**Product Code:** HEMA-SILAN2-045-LIQ

**CAS Number:** 532980-53-3

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).



Hazard pictograms

GHS02d GHS05 GHS07

Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapor.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P231+P232 Handle under inert gas. Protect from moisture.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

3

0

0

W-

Health = 3

Fire = 0

Reactivity = 0

The substance demonstrates unusual reactivity with water.

HMIS-ratings (scale 0 - 4)

HEALTH

FIRE

REACTIVITY

3

0

0

Health = 3

Fire = 0

Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS # / Substance Name

532980-53-3 Hexakis(ethylamino)disilane

---

## SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least

48 hours

after the accident.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

In case of skin contact: Immediately wash with soap and water; rinse thoroughly.

In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

No data available

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents:

Sand. Do not use water.

CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No data available

Advice for firefighters

Protective equipment: Mouth respiratory protective device.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Environmental precautions: Do not allow to enter sewers/ surface or groundwater.

Methods and materials for containment and cleanup:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling: Handle under inert gas.

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Information about protection against explosions and fires:  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Conditions for safe storage, including any incompatibilities: Store contents under inert gas.  
Requirements to be met by storerooms and receptacles: Store in a cool location.  
Information about storage in one common storage facility: Not required.  
Further information about storage conditions:  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Specific end use(s) No data available

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems: No further data; see item 7.  
Control parameters  
Components with limit values that require monitoring at the workplace: Not required.  
Additional information: The lists that were valid during the creation were used as basis.  
Exposure controls  
Personal protective equipment:  
General protective and hygienic measures:  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.  
Breathing equipment:  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use  
respiratory protective device that is independent of circulating air.  
Protection of hands:  
SProtective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
Material of gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.  
Penetration time of glove material  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.  
Eye protection:  
RTightly sealed goggles

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Liquid

Color: Colorless

Odor: undistinguishable

Odor threshold: No data available.

pH: No data available.

Melting point/Melting range: -7 °C (19 °F)

Boiling point/Boiling range: 257 °C (495 °F)

Flash point: N/A

Flammability (solid, gas): N/A

Ignition temperature:

Decomposition temperature: No data available.

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available.

Upper: No data available.

Vapor pressure: No data available.

Density at 20 °C (68 °F): 1 g/cm<sup>3</sup> (8.345 lbs/gal)

Relative density No data available.

Vapor density No data available.

Evaporation rate No data available.

Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: No data available.

Kinematic: No data available.

Solvent content:

Organic solvents: 0.0 %

VOC content: 0.0 g/l / 0.00 lb/gl

Solids content: 100.0 %

Other information No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No data available

Incompatible materials: No data available

Hazardous decomposition products: No dangerous decomposition products known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:  
Primary irritant effect:  
on the skin: Strong caustic effect on skin and mucous membranes.  
on the eye:  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.  
Sensitization: No sensitizing effects known.  
Additional toxicological information:  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.  
Carcinogenic categories  
IARC (International Agency for Research on Cancer)  
Substance is not listed.  
NTP (National Toxicology Program)  
Substance is not listed.  
OSHA-Ca (Occupational Safety & Health Administration)  
Substance is not listed.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
Aquatic toxicity: No data available  
Persistence and degradability No data available  
Behavior in environmental systems:  
Bioaccumulative potential No data available  
Mobility in soil No data available  
Additional ecological information:  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach groundwater, water courses, or sewage systems.  
Must not reach bodies of water or drainage ditch undiluted or unneutralized.  
Results of PBT and vPvB assessment  
PBT: N/A  
vPvB: N/A  
Other adverse effects No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Recommendation:  
Must not be disposed of together with household garbage. Do not allow product to enter drains, sewage systems, or other water courses system.  
Uncleaned packagings:  
Recommendation: Disposal must be made according to official regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number  
DOT, IMDG, IATA UN2924

UN proper shipping name  
DOT, IATA Flammable liquids, corrosive, n.o.s.  
IMDG FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
Transport hazard class(es)  
DOT  
Class 3 Flammable liquids  
Label 3, 8  
IMDG  
Class 3 Flammable liquids  
Label 3/8  
IATA  
Class 3 Flammable liquids  
Label 3 (8)  
Packing group  
DOT, IMDG, IATA II  
Environmental hazards:  
Marine pollutant: No  
Special precautions for user Warning: Flammable liquids  
EMS Number: F-E, S-C  
Stowage Category B  
Stowage Code SW2 Clear of living quarters.  
Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code N/A  
Transport/Additional information:  
DOT  
Quantity limitations On passenger aircraft/rail: 1 L  
On cargo aircraft only: 5 L  
IMDG  
Limited quantities (LQ) 0  
Excepted quantities (EQ) Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml  
UN "Model Regulation": UN 2924 FLAMMABLE LIQUIDS, CORROSIVE, N.O.S., 3 (8), II

---

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture  
Sara  
Section 355 (extremely hazardous substances):  
Substance is not listed.  
Section 313 (Specific toxic chemical listings):  
Substance is not listed.  
TSCA (Toxic Substances Control Act):  
Substance is not listed.  
Proposition 65  
Chemicals known to cause cancer:  
Substance is not listed.  
Chemicals known to cause reproductive toxicity for females:  
Substance is not listed.  
Chemicals known to cause reproductive toxicity for males:  
Substance is not listed.  
Chemicals known to cause developmental toxicity:  
Substance is not listed.

Carcinogenic categories  
EPA (Environmental Protection Agency)  
Substance is not listed.  
TLV (Threshold Limit Value established by ACGIH)  
Substance is not listed.  
NIOSH-Ca (National Institute for Occupational Safety and Health)  
Substance is not listed.  
GHS label elements  
The substance is classified and labeled according to the Globally Harmonized System (GHS).  
Hazard pictograms  
GHS02 GHS05 GHS07  
Signal word Danger  
Hazard statements  
H225 Highly flammable liquid and vapor.  
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.  
H314 Causes severe skin burns and eye damage.  
Precautionary statements  
P231+P232 Handle under inert gas. Protect from moisture.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/  
shower.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present  
and easy to do. Continue rinsing.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P422 Store contents under inert gas.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.  
National regulations:  
Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.  
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.