

# SAFETY DATA SHEET

Date Printed: 05/16/2024 Date Revised: 01/15/2022

## **SECTION 1. IDENTIFICATION**

Product Identifier: (3N) 99.9% Rubidium Dihydrogenarsenate

Product Code: RB-ASOH2-03

CAS Number: 13464-57-8

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

# **SECTION 2. HAZARDS IDENTIFICATION**



Hazard Statements Toxic if swallowed or if inhaled May cause cancer Very toxic to aquatic life with long lasting effects

Precautionary Phrases Do not handle until all safety precautions have been read and understood Avoid breathing dust/fume/gas/mist/vapors/spray. Wash skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release into the environment Use personal protective equipment as required. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container to an approved waste disposal plant. HMIS CLASSIFICATION: Health: 2 Fire: 0 Reactivity Hazard: 0

NFPA RATING: Health: 2 Flammability: 0 Reactivity Hazard: 0

EYE CONTACT: Risk of serious damage to eyes.

SKIN CONTACT: Harmful if in contact with skin.

INHALATION: Harmful by inhalation

INGESTION: Toxic if swallowed.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Formula: RbH2AsO4

Molecular Weight: 226.40

# **SECTION 4. FIRST AID MEASURES**

EYE EXPOSURE: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

SKIN EXPOSURE: Rinse immediately with plenty of water and seek medical advice.

INHALATION: Remove to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention if necessary.

INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention if necessary.

# **SECTION 5. FIREFIGHTING MEASURES**

FLASH POINT: Not available

AUTO IGNITION TEMPERATURE: Not available

EXPLOSION LIMITS: Not available

EXTINGUISHING MEDIUM: Use dry chemical, carbon dioxide, water spray, or alcohol-resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: Arsenic oxides and rubidium oxide

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS: Wear all appropriate equipment when using this material. Ensure adequate ventilation.

ENVIRONMENTAL PRECAUTIONS: Prevent spillage from entering drains or allowing to be released into the environment.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Without creating dust, sweep up and shovel, and place in a suitable container for proper disposal.

#### SECTION 7. HANDLING AND STORAGE

#### PRECAUTIONS FOR SAFE HANDLING:

Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of dusts and aerosols.

#### CONDITIONS FOR SAFE STORAGE:

Store in cool, dry, and well-ventilated area. Keep away from oxidizing and spontaneously flammable products.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure Controls Component: Rubidium dihydrogen arsenate

Exposure Limits: 0.01 mg/m3

Basis: TLV

Entity: ACGIH EYE PROTECTION: Wear chemical safety glasses or goggles and face shield

SKIN PROTECTION: Wear nitrile or rubber gloves, and a complete suit protecting against chemicals

VENTILATION: Provide local exhaust, preferably mechanical.

RESPIRATOR: Use an approved respirator

ADDITIONAL PROTECTION: Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

COLOR AND FORM: White solid ODOR: No data available MOLECULAR WEIGHT: 226.40 BOILING POINT: No data available MELTING POINT: 268° C SPECIFIC GRAVITY: No data available VAPOR DENSITY: No data available SOLUBILITY: Insoluble

# SECTION 10. STABILITY AND REACTIVITY

STABILITY: Stable HAZARDOUS POLYMERIZATION: Will not occur CONDITIONS TO AVOID: Exposure to air or moisture over prolonged periods INCOMPATIBILITY: Strong oxidizing agents and metals. DECOMPOSITION PRODUCTS: Arsenic oxides and rubidium oxide

# SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not available CARCINOGENIC EFFECTS: This product is a known carcinogen to humans according to IARC and NTP. MUTAGENIC EFFECTS: Not available TETRATOGENIC EFFECTS: Not available

# **SECTION 12. ECOLOGICAL INFORMATION**

May cause long-term effects in aquatic environment.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Dispose of in according to local, state, and federal regulations

## **SECTION 14. TRANSPORT INFORMATION**

DOT: UN1557 Arsenic compounds, solid, n.o.s. (Rubidium dihydrogen arsenate) CLASS 6.1 PG II

IATA: UN1557 Arsenic compounds, solid, n.o.s. (Rubidium dihydrogen arsenate) CLASS 6.1 PG II

#### **SECTION 15. REGULATORY INFORMATION**

TSCA: Listed in the TSCA inventory DSCL (EEC): Listed on the DSCL inventory SARA 302/304: Not Listed SARA 311/312: Acute Health Hazard, Chronic Health Hazard SARA (TITLE 313): Rubidium dihydrogen arsenate CALIFORNIA PROP. 65: Rubidium dihydrogen arsenate

MASSACHUSETTS RIGHT TO KNOW COMPONENTS: Rubidium dihydrogen arsenate NEW JERSEY RIGHT TO KNOW COMPONENTS: Rubidium dihydrogen arsenate PENNSYLVANIA RIGHT TO KNOW COMPONENTS: Rubidium dihydrogen arsenate"

#### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.