

# SAFETY DATA SHEET

Date Printed: 05/18/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (3N5) 99.95% Magnesium Neodymium Alloy

**Product Code:** MG-ND-035

**CAS Number:** N/A

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS02 Flame Flam. Sol. 1 H228 Flammable solid. Self-heat. 1 H251 Self-heating: may catch fire. Water-react. 2 H261 In contact with water releases flammable gas. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS02 Signal word Danger Hazard statements H228 Flammable solid. H251 Self-heating: may catch fire. H261 In contact with water releases flammable gas. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P231+P232 Handle under inert gas. Protect from moisture. P280 Wear protective gloves/protective clothing/eye protection/face protection. P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder. P420 Store away from other materials. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification B4 - Flammable solid B6 - Reactive flammable material Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 1 Flammability = 2 Physical Hazard = 2 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Substances CAS# Description: 7439-95-4 Magnesium 7440-00-8 Neodymium

---

## SECTION 4. FIRST AID MEASURES

Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

---

## SECTION 5. FIREFIGHTING MEASURES

Extinguishing media Suitable extinguishing agents Special powder for metal fires. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Magnesium oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

---

## SECTION 7. HANDLING AND STORAGE

Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Reacts violently with water Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from oxidizing agents. Store away from air. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. Do not use nitrogen with this product. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm Eye protection: Safety glasses Full face protection Body protection: Protective work clothing

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties General Information Appearance: Form: Solid in various forms Odor: Odorless Odor threshold: Not determined. pH-value: Not applicable. Change in condition Melting point/Melting range: Not determined. Boiling point/Boiling range: Not determined. Sublimation temperature / start: Not determined Flammability (solid, gaseous) Highly flammable. Contact with water liberates extremely flammable gases. Ignition temperature: Not determined Decomposition temperature: Not determined Auto igniting: Not determined. Danger of explosion: Not determined. Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure at 621 °C (1150 °F): Not determined. Density at 20 °C (68 °F): Not determined. Relative density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Contact with water releases flammable gases Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not applicable. kinematic: Not applicable. Other information No further relevant information available.

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity In contact with water releases flammable gases which may ignite spontaneously. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Contact with water releases flammable gases Conditions to avoid No further relevant information available. Incompatible materials: Air Nitrogen Water/moisture Hazardous decomposition products: Magnesium oxide

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and

chronic toxicity of this substance is not fully known. Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number DOT, IMDG, IATA UN1869 UN proper shipping name DOT Magnesium IMDG, IATA MAGNESIUM Transport hazard class(es) DOT Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Label 4.1 Class 4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosives Label 4.1 IMDG, IATA Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Label 4.1 Packing group DOT, IMDG, IATA III Environmental hazards: Not applicable. Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised explosives Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1869, Magnesium, 4.1, III

---

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS02 Signal word Danger Hazard statements H228 Flammable solid. H251 Self-heating: may catch fire. H261 In contact with water releases flammable gas. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P231+P232 Handle under inert gas. Protect from moisture. P280 Wear protective gloves/protective clothing/eye protection/face protection. P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder. P420 Store away from other materials. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use)  
Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.