

# SAFETY DATA SHEET

Date Accessed: 09/21/2024

Date Revised: 01/15/2022

---

## SECTION 1. IDENTIFICATION

**Product Name:** 3% Yttria Stabilized Zirconia

**Product Number:** All applicable American Elements product codes, e.g. ZRO-Y03-02 , ZRO-Y03-03 , ZRO-Y03-04 , ZRO-Y03-05

**CAS #:** 113482-02-3

**Relevant identified uses of the substance:** Scientific research and development

**Supplier details:**

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

**Emergency telephone number:**

+1 800-424-9300

---

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified as haz

ardous to health or the environment according to the CLP regulation.

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

N/A

Hazard pictograms

N/A

Signal word

N/A

Hazard statements

N/A

WHMIS classification

Not controlled

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

1

0

0

Health (acute effects) = 1

Flammability = 0

Physical Hazard = 0

Other hazards

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical characterization: Mixtures

Synonyms : YSZ

Formula : O5Y2Zr

Molecular weight : 349.03 g/mol

CAS-No. : 113482-02-3

Dangerous components:

1314-36-9 Yttrium(III) oxide

Eye Irrit. 2A, H319

1-5.0%

Additional information

Zirconium is routinely found with a low level of hafnium since separation of the two elements is difficult.

Non-Hazardous Ingredients

1314-23-4 Zirconium(IV) oxide

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Zirconium oxide

Yttrium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Methods and materials for containment and cleanup:

Pick up mechanically

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information

on personal protection equipment.

See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions  
in well-sealed containers.  
Specific end use(s)  
No data available

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

1314-23-4 Zirconium(IV) oxide (92.0%)

PEL (USA) Long-term value: 5 mg/m<sup>3</sup> as Zr

REL (USA) Short-term value: 10 mg/m<sup>3</sup>

Long-term value: 5 mg/m<sup>3</sup> as Zr

TLV (USA) Short-term value: 10 mg/m<sup>3</sup>

Long-term value: 5 mg/m<sup>3</sup> as Zr

EL (Canada) Short-term value: 10 mg/m<sup>3</sup>

Long-term value: 5 mg/m<sup>3</sup> as Zr

1314-36-9 Yttrium(III) oxide (8.0%)

PEL (USA) Long-term value: 1 mg/m<sup>3</sup> as Y

REL (USA) Long-term value: 1 mg/m<sup>3</sup> as Y

TLV (USA) Long-term value: 1 mg/m<sup>3</sup> as Y

EL (Canada) Long-term value: 1 mg/m<sup>3</sup> as Y

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls.

Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480

Glove thickness

0.11 mm  
Eye protection:  
Safety glasses  
Body protection:  
Protective work clothing

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form:

Powder or solid in various forms

Color:

White

Odor:

Odorless

Odor threshold:

No data available.

pH:

N/A

Melting point/Melting range:

No data available

Boiling point/Boiling range:

No data available

Sublimation temperature / start:

No data available

Flammability (solid, gas)

No data available.

Ignition temperature:

No data available

Decomposition temperature:

No data available

Autoignition:

Product is not selfigniting.

Danger of explosion:

No data available.

Explosion limits:

Lower:

No data available

Upper:

No data available

Vapor pressure:

N/A

Density:

No data available

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in / Miscibility with

Water:

Insoluble  
Partition coefficient (n-octanol/water):  
No data available.  
Viscosity:  
Dynamic:  
N/A  
Kinematic:  
N/A  
Solvent content:  
Organic solvents:  
0.0 %  
Solids content:  
100.0 %  
Other information  
No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
No data available  
Chemical stability  
Stable under recommended storage conditions.  
Thermal decomposition / conditions to be avoided:  
Decomposition will not occur if used and stored according to specifications.  
Possibility of hazardous reactions  
Reacts with strong oxidizing agents  
Conditions to avoid  
No data available  
Incompatible materials:  
Acids  
Oxidizing agents  
Hazardous decomposition products:  
Zirconium oxide  
Yttrium oxide

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity:  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.  
LD/LC50 values that are relevant for classification:  
No data  
Skin irritation or corrosion:  
May cause irritation  
Eye irritation or corrosion:  
May cause irritation  
Sensitization:  
No sensitizing effects known.  
Germ cell mutagenicity:  
No effects known.

Carcinogenicity:

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

The product is not subject to classification according to internally approved calculation methods for preparations.

Carcinogenic categories

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Additional ecological information:

Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

Other adverse effects

No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:  
Disposal must be made according to official regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number  
DOT, ADN, IMDG, IATA  
N/A  
UN proper shipping name  
DOT, ADN, IMDG, IATA  
N/A  
Transport hazard class(es)  
DOT, ADR, ADN, IMDG, IATA  
Class  
N/A  
Packing group  
DOT, IMDG, IATA  
N/A  
Environmental hazards:  
Marine pollutant (IMDG):  
No  
Special precautions for user  
N/A  
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
N/A  
Transport/Additional information:  
DOT  
Marine Pollutant (DOT):  
No

---

## **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components  
No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.  
SARA 313 Components  
This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.  
SARA 311/312 Hazards  
Acute Health Hazard  
Massachusetts Right To Know Components  
No components are subject to the Massachusetts Right to Know Act.  
Aldrich - 572322 Page 7 of 7  
Pennsylvania Right To Know Components  
Zirconium (IV) oxide, yttria stabilized  
CAS-No.  
113482-02-3  
Revision Date  
Yttrium oxide 1314-36-9  
New Jersey Right To Know Components  
Zirconium (IV) oxide, yttria stabilized



CAS-No.

113482-02-3

Revision Date

Yttrium oxide 1314-36-9

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.