

# SAFETY DATA SHEET

Date Accessed: 04/24/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Name:** Barium Ring

**Product Number:** All applicable American Elements product codes, e.g. BA-M-02-RNG , BA-M-03-RNG , BA-M-04-RNG , BA-M-05-RNG

**CAS #:** 7440-39-3

**Relevant identified uses of the substance:** Scientific research and development

**Supplier details:**

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

**Emergency telephone number:**

+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

Water-react. 2 H261 In contact with water releases flammable gas.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

F; Highly flammable

R11-14/15: Highly flammable. Reacts violently with water, liberating extremely flammable gases.

Information concerning particular hazards for human and environment:

N/A

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS02

Signal word

Danger

Hazard statements

H228 Flammable solid.

H261 In contact with water releases flammable gas.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/  
national/international regulations.

WHMIS classification

B6 - Reactive flammable material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

1

3

2

Health (acute effects) = 1

Flammability = 3

Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

7440-39-3 Barium

Identification number(s):

EC number:

231-149-1

---

## SECTION 4. FIRST AID MEASURES

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.  
Seek immediate medical advice.  
In case of eye contact:  
Rinse opened eye for several minutes under running water. Consult a physician.  
If swallowed:  
Seek medical treatment.  
Information for doctor  
Most important symptoms and effects, both acute and delayed  
No data available  
Indication of any immediate medical attention and special treatment needed  
No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media  
Suitable extinguishing agents  
In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.  
For safety reasons unsuitable extinguishing agents  
Water  
Special hazards arising from the substance or mixture  
Reacts violently with water  
If this product is involved in a fire, the following can be released:  
Barium oxide  
Advice for firefighters  
Protective equipment:  
Wear self-contained respirator.  
Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures  
Use personal protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Keep away from ignition sources  
Environmental precautions:  
Do not allow product to enter drains, sewage systems, or other water courses.  
Do not allow material to penetrate the ground or soil.  
Methods and materials for containment and cleanup:  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents  
Prevention of secondary hazards:  
Keep away from ignition sources.  
Reference to other sections  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling  
Handle under dry protective gas.  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.  
Reacts violently with water  
Information about protection against explosions and fires:  
Protect against electrostatic charges.  
Conditions for safe storage, including any incompatibilities  
Requirements to be met by storerooms and receptacles:  
Store in a cool location.  
Information about storage in one common storage facility:  
Store away from water/moisture.  
Store away from air.  
Further information about storage conditions:  
Store under dry inert gas.  
Protect from humidity and water.  
Keep container tightly sealed.  
Store in cool, dry conditions in well-sealed containers.  
Specific end use(s)  
No data available

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.  
Control parameters  
Components with limit values that require monitoring at the workplace:  
7440-39-3 Barium (100.0%)  
PEL (USA) Long-term value:  $0.5 \text{ mg/m}^3$   
as Ba  
REL (USA) Long-term value:  $0.5 \text{ mg/m}^3$   
and soluble compounds, as Ba  
TLV (USA) Long-term value:  $0.5 \text{ mg/m}^3$   
as Ba  
EL (Canada) Long-term value:  $0.5 \text{ mg/m}^3$   
as Ba  
EV (Canada) Long-term value:  $0.5 \text{ mg/m}^3$   
as Ba  
Additional information:  
No data  
Exposure controls  
Personal protective equipment  
Follow typical protective and hygienic practices for handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Remove all soiled and contaminated clothing immediately.  
Wash hands before breaks and at the end of work.  
Maintain an ergonomically appropriate working environment.  
Breathing equipment:  
Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

480

Glove thickness

0.11 mm

Eye protection:

Safety glasses

Full face protection

Body protection:

Protective work clothing.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Solid in various forms

Color: Silver grey

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 727 °C (1341 °F)

Boiling point/Boiling range: 1640 °C (2984 °F)

Sublimation temperature / start: No data available

Flammability (solid, gas)

Highly flammable.

Contact with water liberates extremely flammable gases.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure at 547 °C (1017 °F): 0.0013 hPa

Density at 20 °C (68 °F): 3.62 g/cm<sup>3</sup> (30.209 lbs/gal)

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in Water (H<sub>2</sub>O): Reacts violently

Contact with water releases flammable gases

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity

Reacts violently with water.

In contact with water releases flammable gases which may ignite spontaneously.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Contact with water releases flammable gases

Reacts violently with water

Conditions to avoid

No data available

Incompatible materials:

Air

Water/moisture

Hazardous decomposition products:

Barium oxide

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

No data

Skin irritation or corrosion:

May cause irritation

Eye irritation or corrosion:

May cause irritation

Sensitization:

No sensitizing effects known.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

EPA-CBD: Carginogenic potential cannot be determined.

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Additional ecological information:

Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

Other adverse effects

No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number

DOT, IMDG, IATA

UN1400

UN proper shipping name  
DOT  
Barium  
IMDG, IATA  
BARIUM  
Transport hazard class(es)  
DOT  
Class  
4.3 Substances which, in contact with water, emit flammable gases.  
Label  
4.3  
Class  
4.3 (W2) Substances which, in contact with water, emit flammable gases  
Label  
4.3  
IMDG, IATA  
Class  
4.3 Substances which, in contact with water, emit flammable gases.  
Label  
4.3  
Packing group  
DOT, IMDG, IATA  
II  
Environmental hazards: N/A  
Special precautions for user  
Warning: Substances which, in contact with water, emit flammable gases  
EMS Number: F-G,S-O  
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
N/A  
Transport/Additional information: DOT  
Marine Pollutant (DOT): No  
UN "Model Regulation": UN1400, Barium, 4.3, II

---

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

7440-39-3 Barium

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.



Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.