

SAFETY DATA SHEET

Date Accessed: 04/16/2024 Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Name: Barium Rotatable Sputtering Target

Product Number: All applicable American Elements product codes, e.g. BA-M-02-STR , BA-M-025-STR , BA-M-03-STR , BA-M-035-STR , BA-M-04-STR , BA-M-05-STR

CAS #: 7440-39-3

Relevant identified uses of the substance: Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 Flame Flam, Sol. 1 H228 Flammable solid, Water-react. 2 H261 In contact with water releases flammable gas. Classification according to Directive 67/548/EEC or Directive 1999/45/EC F; Highly flammable R11-14/15: Highly flammable. Reacts violently with water, liberating extremely flammable gases. Information concerning particular hazards for human and environment: N/A Hazards not otherwise classified No data available Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation. Hazard pictograms



GHS02 Signal word Danger Hazard statements H228 Flammable solid. H261 In contact with water releases flammable gas. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P231+P232 Handle under inert gas. Protect from moisture. P280 Wear protective gloves/protective clothing/eye protection/face protection. P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder. P402+P404 Store in a dry place. Store in a closed container. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. WHMIS classification B6 - Reactive flammable material Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH FIRE REACTIVITY 1 3 2 Health (acute effects) = 1Flammability = 3Physical Hazard = 2 Other hazards Results of PBT and vPvB assessment PBT: N/A vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances CAS No. / Substance Name: 7440-39-3 Barium Identification number(s): EC number: 231-149-1

SECTION 4. FIRST AID MEASURES

Description of first aid measures If inhaled: Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No data available Indication of any immediate medical attention and special treatment needed No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture Reacts violently with water If this product is involved in a fire, the following can be released: Barium oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow product to enter drains, sewage systems, or other water courses. Do not allow material to penetrate the ground or soil. Methods and materials for containment and cleanup: Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Reacts violently with water Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from water/moisture. Store away from air. Further information about storage conditions: Store under dry inert gas. Protect from humidity and water. Keep container tightly sealed. Store in cool, dry conditions in well-sealed containers. Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7440-39-3 Barium (100.0%)

PEL (USA) Long-term value: 0.5 mg/m³ as Ba

REL (USA) Long-term value: 0.5 mg/m³ and soluble compounds, as Ba

TLV (USA) Long-term value: 0.5 mg/m³ as Ba

EL (Canada) Long-term value: 0.5 mg/m 3 as Ba

EV (Canada) Long-term value: 0.5 $\textrm{mg/m}^{\textrm{3}}$

as Ba

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm Eye protection: Safety glasses Full face protection Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance: Form: Solid in various forms Color: Silver grey Odor: Odorless Odor threshold: No data available. pH: N/A Melting point/Melting range: 727 °C (1341 °F) Boiling point/Boiling range: 1640 °C (2984 °F) Sublimation temperature / start: No data available Flammability (solid, gas) Highly flammable. Contact with water liberates extremely flammable gases. Ignition temperature: No data available Decomposition temperature: No data available Autoignition: No data available. Danger of explosion: No data available. **Explosion limits:** Lower: No data available Upper: No data available Vapor pressure at 547 °C (1017 °F): 0.0013 hPa Density at 20 °C (68 °F): 3.62 g/cm³ (30.209 lbs/gal) Relative densitv No data available. Vapor density N/A Evaporation rate N/A Solubility in Water (H₂O): Reacts violently Contact with water releases flammable gases

Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity Reacts violently with water. In contact with water releases flammable gases which may ignite spontaneously. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Contact with water releases flammable gases Reacts violently with water Conditions to avoid No data available Incompatible materials: Air Water/moisture Hazardous decomposition products: Barium oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: EPA-CBD: Carginogenic potential cannot be determined. ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity Aquatic toxicity: No data available Persistence and degradability No data available **Bioaccumulative potential** No data available Mobility in soil No data available Additional ecological information: Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: N/A vPvB: N/A Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Recommendation Consult official regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number DOT, IMDG, IATA UN1400

UN proper shipping name DOT Barium IMDG, IATA BARIUM Transport hazard class(es) DOT Class 4.3 Substances which, in contact with water, emit flammable gases. Label 4.3 Class 4.3 (W2) Substances which, in contact with water, emit flammable gases Label 4.3 IMDG, IATA Class 4.3 Substances which, in contact with water, emit flammable gases. Label 4.3 Packing group DOT, IMDG, IATA Ш Environmental hazards: N/A Special precautions for user Warning: Substances which, in contact with water, emit flammable gases EMS Number: F-G,S-O Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1400, Barium, 4.3, II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) 7440-39-3 Barium California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. REACH - Pre-registered substances Substance is listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.