



Niobium Chloride Solution		Pricing >
Niobium(V) Chloride		Pricing >
Linear Formula	NbCl ₅	
Pubchem CID	24818	
MDL Number	MFCD00011127	
EC No.	233-059-8	
IUPAC Name	pentachloroniobium	
Beilstein/Reaxys No.	N/A	
SMILES	Cl[Nb](Cl)(Cl)(Cl)Cl	
Inchl Identifier	InChI=1S/5ClH.Nb/h5*1H;/q;;;;;+5/p-5	
Inchl Key	YHBDIEWMOMLKO-UHFFFAOYSA-I	
Signal Word	Danger	
Hazard Statements	H302 + H312 + H332-H314	
Hazard Codes	C	
Precautionary Statements	P280-P305 + P351 + P338-P310	
Flash Point	Not applicable	
Risk Codes	20/21/22-34	
Safety Statements	26-27-28-36/37/39	
RTECS Number	QU0350000	
Transport Information	UN 3260 8 / PGII	
WGK Germany	3	
GHS Pictograms	<p><u>GHS05</u> <u>Corrosive</u></p>  <p><u>GHS07</u> <u>Exclamation Point</u></p> 	

SAFETY DATA SHEET

Date Accessed: 04/29/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #10026-12-7

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
GHS05 Corrosion
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Acute Tox. 4 H302 Harmful if swallowed.
GHS label elements
The substance is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictograms



GHS05 GHS07
Signal word Danger
Hazard-determining components of labeling:
niobium pentachloride
Hazard statements
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
Precautionary statements
P101 If medical advice is needed, have product

container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P231 Handle under inert gas.
P303+P361+P353 IF ON SKIN (or hair):
Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P422 Store contents under inert gas.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)
3
0
0
Health = 3
Fire = 0
Reactivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH
FIRE
REACTIVITY
4
0
0
Health = 4
Fire = 0
Reactivity = 0
Other hazards
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances
CAS # / Substance Name
10026-12-7 niobium pentachloride
Identification number(s)
EC number: 233-059-8

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours

after the accident.

If inhaled: In case of unconsciousness place patient stably in side position for transportation.

In case of skin contact: Immediately wash with soap and water; rinse thoroughly.

In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air.

Immediately call a doctor.

Most important symptoms and effects, both acute and delayed:

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

No data available

Advice for firefighters

Protective equipment: No special measures required.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Environmental precautions: No special measures required.

Methods and materials for containment and cleanup:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Thorough dedusting.
Information about protection against explosions and fires: No special measures required.
Conditions for safe storage, including any incompatibilities:
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility: Not required.
Further information about storage conditions: Keep receptacle tightly sealed.
Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see item 7.
Control parameters
Components with limit values that require monitoring at the workplace: Not required.
Additional information: The lists that were valid during the creation were used as basis.
Exposure controls
Personal protective equipment:
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
Breathing equipment: Not required.
Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and

varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be

observed.

Eye protection:

Tightly sealed goggles

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Crystalline

Color: Yellow

Odor: Pungent

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 204-206 °C (399-403 °F)

Boiling point/Boiling range: 254 °C (489 °F)

Flash point: N/A

Flammability (solid, gas): Product is not flammable.

Ignition temperature:

Decomposition temperature: No data available.

Autoignition: No data available.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: No data available.

Upper: No data available.

Vapor pressure: sublimes hPa

Density at 20 °C (68 °F): 2.75 g/cm³ (22.949 lbs/gal)

Relative density No data available.

Vapor density N/A

Evaporation rate N/A

Solubility in / Miscibility with

Water: Insoluble.

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Organic solvents: 0.0 %

Solids content: 100.0 %

Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No data available

Incompatible materials: No data available

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

10026-12-7 niobium pentachloride

Oral LD50 1400 mg/kg (rat)

Primary irritant effect:

on the skin: Strong caustic effect on skin and mucous membranes.

on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Sensitization: No sensitizing effects known.

Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

Additional ecological information: Must not reach

bodies of water or drainage ditch undiluted or unneutralized.

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to enter drains, sewage systems, or other water courses system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA UN3260

UN proper shipping name

DOT Corrosive solid, acidic, inorganic, n.o.s.

IMDG, IATA CORROSIVE SOLID, ACIDIC,
INORGANIC, N.O.S.

Transport hazard class(es)

DOT

Class 8 Corrosive substances

Label 8

IMDG, IATA

Class 8 Corrosive substances

Label 8

Packing group

DOT, IMDG, IATA II

Environmental hazards:

Marine pollutant: No

Special precautions for user Warning: Corrosive
substances

EMS Number: F-A,S-B

Segregation groups Acids

Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code N/A

Transport/Additional information:

DOT

Quantity limitations On passenger aircraft/rail: 15 kg

On cargo aircraft only: 50 kg

IMDG

Limited quantities (LQ) 1 kg

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 500 g
UN "Model Regulation": UN3260, Corrosive solid,
acidic, inorganic, n.o.s., 8, II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental
regulations/legislation specific for the substance or
mixture

Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for
females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for
males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety
and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to
the Globally Harmonized System (GHS).

Hazard pictograms

GHS05 GHS07

Signal word Danger

Hazard-determining components of labeling:

niobium pentachloride

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P101 If medical advice is needed, have product
container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P231 Handle under inert gas.
P303+P361+P353 IF ON SKIN (or hair):
Remove/Take off immediately all contaminated
clothing. Rinse skin
with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with
water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep
container tightly closed.
P422 Store contents under inert gas.
P501 Dispose of contents/container in accordance
with local/regional/national/international
regulations.
Chemical safety assessment: A Chemical Safety
Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
