




Cerium Nitrate Solution		Pricing >
Cerium(III) Nitrate Hexahydrate		Pricing >
Linear Formula	Ce(NO ₃) ₃	
Pubchem CID	16211466	
MDL Number	MFCD00149631	
EC No.	233-297-2	
IUPAC Name	cerium(+3) cation trinitrate	
Beilstein/Reaxys No.	N/A	
SMILES	[Ce+3].[O-][N+](=[O-])[O-].[O-][N+](=[O-])=O.[O-][N+](=[O-])=O	
InchI Identifier	InChI=1S/Ce.3NO3/c;3*2-1(3)4/q+3;3*-1	
InchI Key	HSJPMRKMPBAUUAU-UHFFFAOYSA-N	
Signal Word	Danger	
Hazard Statements	H272-H315-H318-H335	
Hazard Codes	O, C, Xi	
Precautionary Statements	P210-P220-P221-P305+P351+P338-P405-P501	
Risk Codes	8-41	
Safety Statements	17-26-39	
RTECS Number	FK6300000	
Transport Information	UN 1477 5.1/PG II	
WGK Germany	2	
GHS Pictograms	GHS03 Oxidizer  GHS05 Corrosive  GHS07 Exclamation Point 	

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 04/26/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #10294-41-4

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
GHS03 Flame over circle
Ox. Sol. 2 H272 May intensify fire; oxidizer.
GHS05 Corrosion
Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Skin Irrit. 2 H315 Causes skin irritation.
STOT SE 3 H335 May cause respiratory irritation.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC
Xi; Irritant
R37/38-41: Irritating to respiratory system and skin.
Risk of serious damage to eyes.
O; Oxidizing
R8: Contact with combustible material may cause fire.
Information concerning particular hazards for human and environment:
N/A
Hazards not otherwise classified
No data available
Label elements
Labelling according to Regulation (EC) No 1272/2008
The substance is classified and labeled according to the CLP regulation.
Hazard pictograms



GHS03 GHS05 GHS07

Signal word: Danger
Hazard statements
H272 May intensify fire; oxidizer.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
Precautionary statements
P221 Take any precaution to avoid mixing with combustibles.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P220 Keep/Store away from clothing/combustible materials.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
C - Oxidizing materials
D2B - Toxic material causing other toxic effects
Classification system
HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)
HEALTH
FIRE
REACTIVITY
2
0
3
Health (acute effects) = 2
Flammability = 0
Physical Hazard = 3
Other hazards
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances
CAS No. / Substance Name:
10294-41-4 Cerium(III) nitrate hexahydrate
Identification number(s):
EC number: 233-297-2

SECTION 4. FIRST AID MEASURES

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray.

Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents

Halocarbon extinguisher

Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

If this product is involved in a fire, the following can be released:

Nitrogen oxides (NO_x)

Cerium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Ensure adequate ventilation.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats

Keep away from combustible material.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Do not store with organic materials.

Store away from metal powders.

Store away from water/moisture.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from humidity and water.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

480

Glove thickness

0.11 mm

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL

PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Crystalline aggregates

Color: White

Odor: Odorless

Odor threshold: No data available.

pH (200 g/l) at 20 °C (68 °F): 3

Melting point/Melting range: No data available

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas)

Contact with combustible material may cause fire.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density: No data available

Bulk density at 20 °C (68 °F): 1050 kg/m³

Relative density: No data available.

Vapor density: N/A

Evaporation rate: N/A

Solubility in / Miscibility with Water at 25 °C (77 °F):
1754 g/l

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

May intensify fire; oxidizer.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with reducing agents

Reacts with flammable substances

Conditions to avoid

No data available

Incompatible materials:

Flammable substances

Reducing agents
Water/moisture
Organic materials
Metal powders
Hazardous decomposition products:
Nitrogen oxides
Cerium oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 4200 mg/kg (rat)

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

EPA-I: Data are inadequate for an assessment of human carcinogenic potential.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Additional ecological information:

Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage

systems.
Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A
Other adverse effects
No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods
Recommendation
Consult official regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation:
Disposal must be made according to official
regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number
DOT, IMDG, IATA
UN1477
UN proper shipping name
DOT
Nitrates, inorganic, n.o.s. (Cerium(III) nitrate
hexahydrate)
IMDG, IATA
NITRATES, INORGANIC, N.O.S. (Cerium(III) nitrate
hexahydrate)
Transport hazard class(es)
DOT
Class
5.1 Oxidising substances.
Label
5.1
Class
5.1 (O2) Oxidizing substances
Label
5.1
IMDG, IATA
Class
5.1 Oxidising substances.
Label
5.1
Packing group
DOT, IMDG, IATA
II
Environmental hazards:
N/A

Special precautions for user
Warning: Oxidizing substances
EMS Number:
F-A,S-Q
Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code
N/A
Transport/Additional information:
DOT
Marine Pollutant (DOT):
No
UN "Model Regulation":
UN1477, Nitrates, inorganic, n.o.s. (Cerium(III) nitrate
hexahydrate), 5.1, II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental
regulations/legislation specific for the substance or
mixture
National regulations
All components of this product are listed in the U.S.
Environmental Protection Agency Toxic Substances
Control Act Chemical substance Inventory.
All components of this product are listed on the
Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings)
Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer
Substance is not listed.
Prop 65 - Developmental toxicity
Substance is not listed.
Prop 65 - Developmental toxicity, female
Substance is not listed.
Prop 65 - Developmental toxicity, male
Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
Other regulations, limitations and prohibitive
regulations
Substance of Very High Concern (SVHC) according to
the REACH Regulations (EC) No. 1907/2006.
Substance is not listed.
The conditions of restrictions according to Article 67
and Annex XVII of the Regulation (EC) No 1907/2006
(REACH) for the manufacturing, placing on the market
and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring
Authorisation for use)
Substance is not listed.

REACH - Pre-registered substances
Substance is listed
Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- Synthesis, characterization and dielectric behavior of (ES)-form polyaniline/cerium(III)-nitrate-hexahydrate composites. Ersel Ozkazanc, Sibel Zor, Hatice Ozkazanc, H. Yuksel Guney, Ufuk Abaci. Materials Chemistry and Physics, Volume 133, Issue 1, 15 March 2012, Pages 356-362.
- Synthesis of CeO₂/TiO₂ nanoparticles by laser ablation of Ti target in cerium (III) nitrate hexahydrate (Ce(NO₃)₃·6H₂O) aqueous solution. Baek-Hee Lee, Tadachika Nakayama, Yoshinori Tokoi, Tsuneo Suzuki, Koichi Niihara. Journal of Alloys and Compounds, Volume 509, Issue 4, 28 January 2011, Pages 1231-1235.
- Effect of addition of cerium (III) nitrate hexahydrate on gamma ray interaction properties in acetone at various gamma energies obtained by Compton scattering technique. Mohinder Singh, Akash Tondon, Bhajan Singh, B. S. Sandhu. Chemical Physics, In press, accepted manuscript, Available online 3 May 2019.
- Chitosan-based self-healing protective coatings doped with cerium nitrate for corrosion protection of aluminum alloy 2024. J. Carneiro, J. Tedim, S. C. M. Fernandes, C. S. R. Freire, M. L. Zheludkevich. Progress in Organic Coatings, Volume 75, Issues 1–2, September–October 2012, Pages 8-13.
- An electrochemical and superficial assessment of the corrosion

behavior of AA 2024-T3 treated with metacryloxypropylmethoxysilane and cerium nitrate. S. M. Tamborim, A. P. Z. Maisonnave, D. S. Azambuja, G. E. Englert. *Surface and Coatings Technology*, Volume 202, Issue 24, 15 August 2008, Pages 5991-6001.

- Highly effective inhibition of mild steel corrosion in 3.5% NaCl solution by green Nettle leaves extract and synergistic effect of eco-friendly cerium nitrate additive: Experimental, MD simulation and QM investigations. Mohammad Ramezanzadeh, Zahra Sanaei, Ghasem Bahlakeh, Bahram Ramezanzadeh. *Journal of Molecular Liquids*, Volume 256, 15 April 2018, Pages 67-83.
- Growth aspects, spectral, thermal and hardness studies of rare earth cerium(III)nitrate doped zinc(tris) thiourea sulphate single crystals. K. Kanagasabapathy, R. Rajasekaran. *Optik*, Volume 124, Issue 20, October 2013, Pages 4240-4245.
- Plasma electrolytic oxidation coatings on cp-Mg with cerium nitrate and benzotriazole immersion post-treatments. M. Sun, A. Matthews, A. Yerokhin. *Surface and Coatings Technology*, Volume 344, 25 June 2018, Pages 330-341.
- Corrosion study of hybrid sol–gel coatings containing boehmite nanoparticles loaded with cerium nitrate corrosion inhibitor. N. Pirhady Tavandashti, S. Sanjabi. *Progress in Organic Coatings*, Volume 69, Issue 4, December 2010, Pages 384-391.
- Corrosion protection of epoxy coating with pH sensitive microcapsules encapsulating cerium nitrate. Takeshi Matsuda, Kiran B. Kashi, Koji Fushimi, Victoria J. Gelling. *Corrosion Science*, Volume 148, March 2019, Pages 188-197.