

<a href="#">Cerium Hydroxide</a>		<a href="#">Pricing &gt;</a>
Linear Formula	Ce(OH) <sub>4</sub>	
Pubchem CID	10219931	
MDL Number	MFCD00010927	
EC No.	234-599-7	
IUPAC Name	cerium(4+) tetrahydroxide	
Beilstein/Reaxys No.	N/A	
SMILES	[Ce+3].[OH-].[OH-].[OH-].[OH-]	
Inchl Identifier	InChI=1S/Ce.4H2O/h;4*1H2/q+3;;;;/p-4	
Inchl Key	CYHJHZRTJFAJAR-UHFFFAOYSA-J	
Signal Word	Warning	
Hazard Statements	H319	
Hazard Codes	Xi	
Risk Codes	36	
Safety Statements	23	
RTECS Number	N/A	
Transport Information	N/A	
WGK Germany	3	

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 04/26/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #12014-56-1

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture  
Classification according to Regulation (EC) No 1272/2008  
GHS05 Corrosion  
Skin Corr. 1B H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.  
Classification according to Directive 67/548/EEC or Directive 1999/45/EC  
C; Corrosive  
R34: Causes burns.  
Information concerning particular hazards for human and environment:  
N/A  
Hazards not otherwise classified  
No data available  
Label elements  
Labelling according to Regulation (EC) No 1272/2008  
The substance is classified and labeled according to the CLP regulation.  
Hazard pictograms



GHS05  
Signal word: Danger  
Hazard statements  
H314 Causes severe skin burns and eye damage.  
Precautionary statements  
P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.  
WHMIS classification  
D2B - Toxic material causing other toxic effects

E - Corrosive material  
Classification system  
HMIS ratings (scale 0-4)  
(Hazardous Materials Identification System)  
HEALTH  
FIRE  
REACTIVITY  
3  
0  
1  
Health (acute effects) = 3  
Flammability = 0  
Physical Hazard = 1  
Other hazards  
Results of PBT and vPvB assessment  
PBT: N/A  
vPvB: N/A

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances  
CAS No. / Substance Name:  
12014-56-1 Cerium(IV) oxide, hydrated (Cerium hydroxide)  
Identification number(s):  
EC number: 234-599-7

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures  
General information  
Immediately remove any clothing soiled by the product.  
If inhaled:  
Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.  
In case of skin contact:  
Immediately wash with soap and water; rinse thoroughly.  
Seek immediate medical advice.  
In case of eye contact:  
Rinse opened eye for several minutes under running water. Consult a physician.  
If swallowed:  
Seek medical treatment.  
Information for doctor  
Most important symptoms and effects, both acute and delayed  
Causes severe skin burns.

Causes serious eye damage.  
Indication of any immediate medical attention and special treatment needed  
No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media  
Suitable extinguishing agents  
Product is not flammable. Use fire-fighting measures that suit the surrounding fire.  
Special hazards arising from the substance or mixture  
If this product is involved in a fire, the following can be released:  
Metal oxide fume  
Advice for firefighters  
Protective equipment:  
Wear self-contained respirator.  
Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures  
Use personal protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Environmental precautions:  
Do not allow product to enter drains, sewage systems, or other water courses.  
Do not allow material to penetrate the ground or soil.  
Methods and materials for containment and cleanup:  
Use neutralizing agent.  
Dispose of contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Prevention of secondary hazards:  
No special measures required.  
Reference to other sections  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling  
Precautions for safe handling  
Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.  
Information about protection against explosions and fires:  
The product is not flammable  
Conditions for safe storage, including any incompatibilities  
Requirements to be met by storerooms and receptacles:  
No special requirements.  
Information about storage in one common storage facility:  
Store away from oxidizing agents.  
Further information about storage conditions:  
Keep container tightly sealed.  
Store in cool, dry conditions in well-sealed containers.  
Specific end use(s)  
No data available

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.  
Control parameters  
Components with limit values that require monitoring at the workplace:  
None.  
Additional information: No data  
Exposure controls  
Personal protective equipment  
Follow typical protective and hygienic practices for handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Remove all soiled and contaminated clothing immediately.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Maintain an ergonomically appropriate working environment.  
Breathing equipment:  
Use suitable respirator when high concentrations are present.  
Protection of hands:  
Impervious gloves  
Inspect gloves prior to use.  
Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.  
Penetration time of glove material (in minutes)

No data available  
Eye protection:  
Tightly sealed goggles  
Full face protection  
Body protection:  
Protective work clothing.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form: Powder or lump

Color: Yellow to pale brown

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: No data available

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas): No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density: No data available

Relative density: No data available.

Vapor density: N/A

Evaporation rate: N/A

Solubility in Water (H<sub>2</sub>O): Insoluble

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions  
Reacts with strong oxidizing agents  
Conditions to avoid  
No data available  
Incompatible materials:  
Oxidizing agents  
Hazardous decomposition products:  
Metal oxide fume

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity:  
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.  
LD/LC50 values that are relevant for classification: No data  
Skin irritation or corrosion: Causes severe skin burns.  
Eye irritation or corrosion: Causes serious eye damage.  
Sensitization: No sensitizing effects known.  
Germ cell mutagenicity: No effects known.  
Carcinogenicity:  
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.  
Reproductive toxicity: No effects known.  
Specific target organ system toxicity - repeated exposure: No effects known.  
Specific target organ system toxicity - single exposure: No effects known.  
Aspiration hazard: No effects known.  
Subacute to chronic toxicity: No effects known.  
Additional toxicological information:  
To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
Aquatic toxicity:  
No data available  
Persistence and degradability  
No data available  
Bioaccumulative potential  
No data available  
Mobility in soil  
No data available  
Additional ecological information:

Avoid transfer into the environment.  
Results of PBT and vPvB assessment  
PBT: N/A  
vPvB: N/A  
Other adverse effects  
No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Recommendation  
Consult official regulations to ensure proper disposal.  
Uncleaned packagings:  
Recommendation:  
Disposal must be made according to official  
regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number  
DOT, IMDG, IATA  
UN3262  
UN proper shipping name  
DOT  
Corrosive solid, basic, inorganic, n.o.s. (Cerium(IV)  
oxide, hydrated)  
IMDG, IATA  
CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.  
(Cerium(IV) oxide, hydrated)  
Transport hazard class(es)  
DOT  
Class  
8 Corrosive substances.  
Label  
8  
Class  
8 (C6) Corrosive substances  
Label  
8  
IMDG, IATA  
Class  
8 Corrosive substances.  
Label  
8  
Packing group  
DOT, IMDG, IATA  
III  
Environmental hazards:  
N/A  
Special precautions for user



Warning: Corrosive substances  
EMS Number:  
F-A,S-B  
Segregation groups  
Alkalis  
Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code  
N/A  
Transport/Additional information:  
DOT  
Marine Pollutant (DOT):  
No  
UN "Model Regulation":  
UN3262, Corrosive solid, basic, inorganic, n.o.s.  
(Cerium(IV) oxide, hydrated), 8, III

---

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture  
National regulations  
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.  
All components of this product are listed on the Canadian Domestic Substances List (DSL).  
SARA Section 313 (specific toxic chemical listings)  
Substance is not listed.  
California Proposition 65  
Prop 65 - Chemicals known to cause cancer  
Substance is not listed.  
Prop 65 - Developmental toxicity  
Substance is not listed.  
Prop 65 - Developmental toxicity, female  
Substance is not listed.  
Prop 65 - Developmental toxicity, male  
Substance is not listed.  
Information about limitation of use:  
For use only by technically qualified individuals.  
Other regulations, limitations and prohibitive regulations  
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.  
Substance is not listed.  
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.  
Substance is not listed.  
Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.  
REACH - Pre-registered substances  
Substance is listed.  
Chemical safety assessment:  
A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---

## Research

- Cerium carbonate hydroxide and ceria micro/nanostructures: Synthesis, characterization and electrochemical properties of  $\text{CeCO}_3\text{OH}$ . Fatma Hrizi, Hassouna Dhaouadi, Fathi Touati. *Ceramics International*, Volume 40, Issue 1, Part A, January 2014, Pages 25-30.
- Formation of cerium carbonate hydroxide and cerium oxide nanostructures by self-assembly of nanoparticles using surfactant template and their catalytic oxidation. Keizo Nakagawa, Yoshiki Tezuka, Takuya Ohshima, Megumi Katayama, Sigeru Sugiyama. *Advanced Powder Technology*, Volume 27, Issue 5, September 2016, Pages 2128-2135.
- Morphology and size control of cerium carbonate hydroxide and ceria micro/nanostructures by hydrothermal technology. M. Y. Cui, J. X. He, N. P. Lu, Y. Y. Zheng, C. R. Li. *Materials Chemistry and Physics*, Volume 121, Issues 1–2, 15 May 2010, Pages 314-319.
- Corrosion resistance of flaky aluminum pigment coated with cerium oxides/hydroxides in chloride and acidic electrolytes. S. Niroumandrad, M. Rostami, B. Ramezanzadeh. *Applied Surface Science*, Volume 357, Part B, 1 December 2015, Pages 2121-2130.
- Evaluation of self-healing ability in protective coatings modified with combinations of layered double hydroxides and cerium molybdate

nanocontainers filled with corrosion inhibitors. M. F. Montemor, D. V. Snihirova, M. G. Taryba, S. V. Lamaka, M. G. S. Ferreira.

Electrochimica Acta, Volume 60, 15 January 2012, Pages 31-40.

- Inhibition of pH fronts in corrosion cells due to the formation of cerium hydroxide. M. van Soestbergen, S. J. F. Erich, H. P. Huinink, O. C. G. Adan. Electrochimica Acta, Volume 110, 1 November 2013, Pages 491-500.
- CeO<sub>2</sub>-x platelet from monometallic cerium layered double hydroxides and its photocatalytic reduction of CO<sub>2</sub>. Ting Ye, Weimin Huang, Liming Zeng, Mengli Li, Jianlin Shi. Applied Catalysis B: Environmental, Volume 210, 5 August 2017, Pages 141-148.
- Composition control of electrodeposited nickel-cerium hydroxides by tuning the pH at the electrode/solution interface. Jiagui Yang, Shengxia Xu, Weihua Chen, Jie Zang, Jianmin Zhang. Journal of Electroanalytical Chemistry, Volume 670, 1 April 2012, Pages 62-66.
- Hydroxamic acid interactions with solvated cerium hydroxides in the flotation of monazite and bastnäsité-Experiments and DFT study. A. Sarvaramini, D. Azizi, F. Larachi. Applied Surface Science, Volume 387, 30 November 2016, Pages 986-995.
- Adsorption performance and mechanism for phosphate removal by cerium hydroxide loaded on molecular sieve. Ling Yuan, Zhaofu Qiu, Ji Yang, Zhen Li, Shuguang Lyu. Journal of the Taiwan Institute of Chemical Engineers, Volume 93, December 2018, Pages 450-460.