

Lanthanum Chromite	Pricing >
Lanthanum Chromite Sputtering Target	Pricing >

Linear Formula	LaCrO ₃
Pubchem CID	165970
MDL Number	N/A
EC No.	234-629-9
IUPAC Name	chromium(3+); lanthanum(3+); oxygen(2-)
SMILES	[O-][Cr](=O)[O-].[La+2]
Inchl Identifier	InChI=1S/Cr.La.3O/q;+2;;2*-1
Inchl Key	OATFTFYCEFCMEA-UHFFFAOYSA-N
Signal Word	Warning
Hazard Statements	H302-H332-H315-H319-H335
Hazard Codes	N/A
Precautionary Statements	P261-P280-P305+P351+P338-P304+P340-P405-P501
Risk Codes	N/A
Safety Statements	N/A
Transport Information	N/A
GHS Pictograms	GHS07 Exclamation Point 

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/14/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #12017-94-6

Relevant identified uses of the substance:

Scientific research and development

Supplier details:

American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:

Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in
accordance with 29 CFR 1910 (OSHA HCS)

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2

H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified

No information known.

Label elements

GHS label elements

The product is classified and labeled in accordance
with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS07

Signal word: Warning

Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

Precautionary statements

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye
protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 2

Flammability = 0

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Substances

CAS# Description:

12017-94-6 Lanthanum chromite

Identification number(s):

EC number: 234-629-9

SECTION 4. FIRST AID MEASURES

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

Causes skin irritation.
Harmful if swallowed.
Causes serious eye irritation.
Harmful if inhaled.
May cause respiratory irritation.
Indication of any immediate medical attention and special treatment needed
No further relevant information available.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media
Suitable extinguishing agents
Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Chromium oxides
Lanthanum oxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions:
Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards:
No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s)

No further relevant information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-

purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands: Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes): Not determined

Eye protection: Safety glasses

Body protection: Protective work clothing

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:

Form: Solid in various form

Color: Green

Odor: Odorless

Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range: 2450 °C (4442 °F)

Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined

Flammability (solid, gaseous): Not determined.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Auto igniting: Not determined.

Danger of explosion: Not determined.

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapor pressure: Not applicable.

Density at 20 °C (68 °F): 5.6 g/cm³ (46.732 lbs/gal)

Relative density: Not determined.

Vapor density: Not applicable.

Evaporation rate: Not applicable.

Solubility in / Miscibility with Water: Insoluble

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

dynamic: Not applicable.

kinematic: Not applicable.

Other information

No further relevant information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No information known.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents

Conditions to avoid

No further relevant information available.

Incompatible materials:

Oxidizing agents

Hazardous decomposition products:

Chromium oxides

Lanthanum oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

Harmful if inhaled.

Harmful if swallowed.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye irritation.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

EPA-CBD: Carcinogenic potential cannot be determined.

IARC-3: Not classifiable as to carcinogenicity to humans.

ACGIH A4: Not classifiable as a human carcinogen:

Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic

toxicity of this substance is not fully known.
Carcinogenic categories
OSHA-Ca (Occupational Safety & Health
Administration)
Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No further relevant information available.

Persistence and degradability

No further relevant information available.

Bioaccumulative potential

No further relevant information available.

Mobility in soil

No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to
reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects

No further relevant information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Consult state, local or national regulations to ensure
proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official
regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, ADN, IMDG, IATA

Not applicable

UN proper shipping name

DOT, ADN, IMDG, IATA

Not applicable

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Class
Not applicable
Packing group
DOT, IMDG, IATA
Not applicable
Environmental hazards:
Not applicable.
Special precautions for user
Not applicable.
Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code
Not applicable.
Transport/Additional information:
DOT
Marine Pollutant (DOT):
No
UN "Model Regulation":
-

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental
regulations/legislation specific for the substance or
mixture
GHS label elements
The product is classified and labeled in accordance
with 29 CFR 1910 (OSHA HCS)
Hazard pictograms
GHS07
Signal word
Warning
Hazard statements
H302+H332 Harmful if swallowed or if inhaled.
H315
Causes skin irritation.
H319
Causes serious eye irritation.
H335
May cause respiratory irritation.
Precautionary statements
P261
Avoid breathing dust/fume/gas/mist/vapours/spray.
P280
Wear protective gloves/protective clothing/eye
protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with
water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
P304+P340
IF INHALED: Remove victim to fresh air and keep at
rest in a position comfortable for breathing.
P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

12017-94-6 Lanthanum chromite

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of

invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- Oxidation and electrical behavior of nickel/lanthanum chromite-coated stainless steel interconnects. Nima Shaigan, Douglas G. Ivey, Weixing Chen. *Journal of Power Sources*, Volume 183, Issue 2, 1 September 2008, Pages 651-659.
- Nickel and titanium doubly doped lanthanum strontium chromite for high temperature electrochemical devices. Sapna Gupta, Prabhakar Singh. *Journal of Power Sources*, Volume 306, 29 February 2016, Pages 801-811.
- Phase transformation, thermal expansion and electrical conductivity of lanthanum chromite. Sapna Gupta, Manoj K. Mahapatra, Prabhakar Singh. *Materials Research Bulletin*, Volume 48, Issue 9, September 2013, Pages 3262-3267.
- Effects of calcination on microscopic and mesoscopic structures in Ca- and Sr-doped nano-crystalline lanthanum chromites. Himal Bhatt, J. Bahadur, M. N. Deo, S. Ramanathan, Surinder M. Sharma. *Journal of Solid State Chemistry*, Volume 184, Issue 1, January 2011, Pages 204-213.
- A novel approach to co-sintering of doped lanthanum chromite interconnect on Ni-YSZ anode substrate for SOFC applications. A. Heidarpour, G. M. Choi, M. H. Abbasi, A. Saidi. *Journal of Alloys and Compounds*, Volume 512, Issue 1, 25 January 2012, Pages 156-159.
- Bulk and surface structure characterization of nanoscopic silver doped lanthanum chromites. P. A. Desai, P. N. Joshi, K. R. Patil, Anjali A. Athawale. *Applied Surface Science*, Volume 264, 1 January 2013, Pages 574-580.
- Effect of calcination temperature on the structural characteristics and catalytic activity for propene combustion of sol-gel derived lanthanum chromite perovskite. K. Rida, A. Benabbas, F. Bouremmad, M. A. Peña, A. Martínez-Arias. *Applied Catalysis A: General*, Volume 327, Issue 2, 15 August 2007, Pages 173-179.
- Effect of Sm³⁺ and Sr²⁺ dopants on the FT-IR, photoluminescence and surface texture of lanthanum chromite nanoparticles. S. M. El-Sheikh, M. M. Rashad. *Journal of Alloys and Compounds*, Volume 496, Issues 1–2, 30 April 2010, Pages 723-732.
- Lanthanum chromite based composite anodes for dry reforming of methane. Caterina Sarno, Igor Luisetto, Francesca Zurlo, Silvia Licoccia, Elisabetta Di Bartolomeo. *International Journal of Hydrogen Energy*, Volume 43, Issue 31, 2 August 2018, Pages 14742-14750.
- Phase transformation, thermal expansion and electrical conductivity of lanthanum chromite. Sapna Gupta, Manoj K. Mahapatra, Prabhakar Singh. *Materials Research Bulletin*, Volume 48, Issue 9, September 2013, Pages 3262-3267.

- Silver doped lanthanum chromites by microwave combustion method. A. A. Athawale, P. A. Desai. *Ceramics International*, Volume 37, Issue 8, December 2011, Pages 3037-3043.
- Tape casting of lanthanum chromite for solid oxide fuel cell interconnects. Diego Rubio, Crina Suci, Ivar Waernhus, Arild Vik, Alex C. Hoffmann. *Journal of Materials Processing Technology*, Volume 250, December 2017, Pages 270-279.