

Copper Ferrite	Pricing >
Copper Iron Oxide Nanoparticle Dispersion	Pricing >
Copper Iron Oxide Nanoparticles / Nanopowder	Pricing >

Linear Formula	CuFe ₂ O ₄
Pubchem CID	16217788
MDL Number	MFCD00016056
EC No.	N/A
IUPAC Name	copper; oxido(oxo)iron
SMILES	[Cu+2].[O-][Fe]=O.[O-][Fe]=O
Inchl Identifier	InChI=1S/Cu.2Fe.4O/q+2;;;;;2*-1
Inchl Key	DXKGMXNZSJMWAF-UHFFFAOYSA-N
Signal Word	Warning
Hazard Statements	H302-H315-H319-H335-H410
Hazard Codes	Xn,N
Risk Codes	22-36/37/38-50/53
Safety Statements	26-61
RTECS Number	N/A
Transport Information	UN 3077 9/PG III
WGK Germany	3

GHS
Pictograms

GHS09 Environment



[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 08/07/2022

Date Revised: 05/15/2015

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #12018-79-0

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute aquatic toxicity (Category 1), H400
Chronic aquatic toxicity (Category 3), H412

2.2 GHS Label elements, including precautionary statements



Pictogram
Signal word Warning
Hazard statement(s)
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.
Precautionary statement(s)

P273 Avoid release to the environment.
P391 Collect spillage.
P501 Dispose of contents/ container to an approved waste disposal plant.
2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Synonyms : Copper ferrite

Formula : CuFe_2O_4

Molecular weight : 239.23 g/mol

Hazardous components

Component Classification Concentration

Diron trioxide

CAS-No.

EC-No.

1309-37-1

215-168-2

$\geq 50 - < 70 \%$

Copper oxide

CAS-No.

EC-No.

1317-38-0

215-269-1

Aquatic Acute 1; Aquatic

Chronic 3; H400, H412

$\geq 50 - < 70 \%$

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute

and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Iron oxides, Copper oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas.

Ensure adequate

ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result

in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration

before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component CAS-No. Value Control parameters

Basis

Diiron trioxide 1309-37-1 TWA 5 mg/m³ USA. ACGIH

Threshold Limit Values

(TLV)

Remarks Pneumoconiosis

Not classifiable as a human carcinogen

TWA 5.000000

mg/m³

USA. ACGIH Threshold Limit Values

(TLV)

Pneumoconiosis

Not classifiable as a human carcinogen

TWA 15.000000

mg/m³

USA. Occupational Exposure Limits

(OSHA) - Table Z-1 Limits for Air

Contaminants

TWA 5.000000

mg/m³

USA. Occupational Exposure Limits

(OSHA) - Table Z-1 Limits for Air

Contaminants

TWA 10.000000

mg/m³

USA. Occupational Exposure Limits
(OSHA) - Table Z-1 Limits for Air

Contaminants

See Appendix D - Substances with No Established
RELs

TWA 5.000000

mg/m³

USA. NIOSH Recommended
Exposure Limits

TWA 10.000000

mg/m³

USA. Occupational Exposure Limits
(OSHA) - Table Z-1 Limits for Air

Contaminants

TWA 15.000000

mg/m³

USA. Occupational Exposure Limits
(OSHA) - Table Z-1 Limits for Air

Contaminants

TWA 5.000000

mg/m³

USA. Occupational Exposure Limits
(OSHA) - Table Z-1 Limits for Air

Contaminants

TWA 5.000000

mg/m³

USA. NIOSH Recommended
Exposure Limits

See Appendix D - Substances with No Established
RELs

TWA 5 mg/m³ USA. NIOSH Recommended

Exposure Limits

See Appendix D - Substances with No Established
RELs

Copper oxide 1317-38-0 TWA 0.100000

mg/m³

USA. NIOSH Recommended
Exposure Limits

Also see specific listing for Copper (dusts and mists)

TWA 0.100000

mg/m³

USA. NIOSH Recommended
Exposure Limits

Also see specific listing for Copper (dusts and mists)

TWA 0.1 mg/m³ USA. NIOSH Recommended

Exposure Limits

Also see specific listing for Copper (dusts and mists)

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene
and safety practice. Wash hands before breaks and at
the end of
workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166
Use equipment for eye protection tested and approved

under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after

use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and

components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: red brown

b) Odor No data available

c) Odor Threshold No data available

d) pH No data available

e) Melting point/freezing point

No data available

f) Initial boiling point and boiling range

No data available

g) Flash point No data available

h) Evaporation rate No data available

i) Flammability (solid, gas) No data available

j) Upper/lower

flammability or
explosive limits
No data available
k) Vapor pressure No data available
l) Vapor density No data available
m) Relative density 5.4 g/mL at 25 °C (77 °F)
n) Water solubility No data available
o) Partition coefficient: noctanol/
water
No data available
p) Auto-ignition
temperature
No data available
q) Decomposition
temperature
No data available
r) Viscosity No data available
s) Explosive properties No data available
t) Oxidizing properties No data available
9.2 Other safety information
No data available

SECTION 10. STABILITY AND REACTIVITY

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Alkali metals, Powdered metals, Strong acids,
Reducing agents, Peroxides, Chloroformates,
Aluminum, Hydrogen
sulfide gas

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Diiron trioxide)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Overdose of iron compounds may have a corrosive effect on the gastrointestinal mucosa and be followed

by necrosis, perforation, and stricture formation.

Several hours may elapse before symptoms that can include

epigastric pain, diarrhea, vomiting, nausea, and hematemesis occur. After apparent recovery a person may experience

metabolic acidosis, convulsions, and coma hours or days later. Further complications may develop leading to acute

liver necrosis that can result in death due to hepatic coma., Long term inhalation exposure to iron (oxide fume or dust)

can cause siderosis. Siderosis is considered to be a benign pneumoconiosis and does not normally cause significant

physiologic impairment. Siderosis can be observed on x-rays with the lungs having a mottled appearance.,

Symptoms

of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver

damage, central nervous system excitation followed

by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY

HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper oxide)
Marine pollutant:yes
IATA
UN number: 3077 Class: 9 Packing group: III
Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper oxide)
Further information
EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Copper oxide

CAS-No.

1317-38-0

Revision Date

2007-07-01

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

Diiron trioxide

CAS-No.

1309-37-1

Revision Date

2007-03-01

Pennsylvania Right To Know Components

Diiron trioxide

CAS-No.

1309-37-1

Revision Date

2007-03-01

Copper oxide 1317-38-0 2007-07-01

New Jersey Right To Know Components

Diiron trioxide

CAS-No.

1309-37-1

Revision Date

2007-03-01

Copper oxide 1317-38-0 2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or

any other
reproductive harm.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
