

<a href="#">Lanthanum Nickel Oxide</a>		<a href="#">Pricing &gt;</a>
<a href="#">Lanthanum Nickel Oxide Sputtering Target</a>		<a href="#">Pricing &gt;</a>
<b>Linear Formula</b>	LaNiO <sub>3</sub>	
<b>Pubchem CID</b>	N/A	
<b>MDL Number</b>	N/A	
<b>EC No.</b>	N/A	
<b>Signal Word</b>	Warning	
<b>Hazard Statements</b>	N/A	
<b>Hazard Codes</b>	Xi	
<b>Risk Codes</b>	R: 36/37/38	
<b>Safety Statements</b>	S: 26-36	
<b>Transport Information</b>	N/A	

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 04/24/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #12031-18-4

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements

Hazard pictograms



GHS07

Signal word

Warning

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P363 Wash contaminated clothing before reuse.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2A - Very toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 1

Flammability = 1

Physical Hazard = 0

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name: 21679-46-9 Cobalt (III)

2,4-pentanedionate  
Identification number(s):  
EC number: 244-527-6

---

## **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray.

Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide (CO)

Toxic metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Environmental precautions:  
Do not allow material to be released to the environment without official permits.  
Methods and materials for containment and cleanup:  
Pick up mechanically.  
Prevention of secondary hazards:  
No special measures required.  
Reference to other sections  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling  
Precautions for safe handling  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.  
Information about protection against explosions and fires:  
No data available  
Conditions for safe storage, including any incompatibilities  
Requirements to be met by storerooms and receptacles:  
No special requirements.  
Information about storage in one common storage facility:  
Store away from oxidizing agents.  
Further information about storage conditions:  
Keep container tightly sealed.  
Store in cool, dry conditions in well-sealed containers.  
Specific end use(s)  
No data available

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.  
Control parameters  
Components with limit values that require monitoring at the workplace:

Not required.  
Additional information:  
No data  
Exposure controls  
Personal protective equipment  
Follow typical protective and hygienic practices for handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Remove all soiled and contaminated clothing immediately.  
Wash hands before breaks and at the end of work.  
Maintain an ergonomically appropriate working environment.  
Breathing equipment:  
Use suitable respirator when high concentrations are present.  
Protection of hands:  
Impervious gloves  
Inspect gloves prior to use.  
Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.  
Penetration time of glove material (in minutes)  
No data available  
Eye protection: Safety glasses  
Body protection: Protective work clothing.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form: Crystalline

Color: Dark green

Odor: Light

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 240 °C (464 °F) ((subl))

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flash point: N/A

Flammability (solid, gas): No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 1.43 g/cm<sup>3</sup> (11.933 lbs/gal)

Relative density: No data available.

Vapor density: N/A  
Evaporation rate: N/A  
Solubility in / Miscibility with Water at 30 °C (86 °F): 3 g/l  
Partition coefficient (n-octanol/water): No data available.  
Viscosity:  
Dynamic: N/A  
Kinematic: N/A  
Other information: No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
No data available  
Chemical stability  
Stable under recommended storage conditions.  
Thermal decomposition / conditions to be avoided:  
Decomposition will not occur if used and stored according to specifications.  
Possibility of hazardous reactions  
No dangerous reactions known  
Conditions to avoid  
No data available  
Incompatible materials:  
Oxidizing agents  
Hazardous decomposition products:  
Carbon monoxide and carbon dioxide  
Toxic metal oxide fume

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity:  
No effects known.  
LD/LC50 values that are relevant for classification:  
No data  
Skin irritation or corrosion:  
Irritant to skin and mucous membranes.  
Eye irritation or corrosion:  
Irritating effect.  
Sensitization:  
May cause an allergic skin reaction.  
Germ cell mutagenicity:  
No effects known.  
Carcinogenicity:  
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.  
Reproductive toxicity:

No effects known.  
Specific target organ system toxicity - repeated exposure:  
No effects known.  
Specific target organ system toxicity - single exposure:  
No effects known.  
Aspiration hazard:  
No effects known.  
Subacute to chronic toxicity:  
No effects known.  
Subacute to chronic toxicity:  
2,4-Pentanedione (acetylacetone), if present or released, is harmful if swallowed, and may irritate the eyes. 2,4-Pentanedione has caused reproductive effects in laboratory animals and is also flammable.  
Additional toxicological information:  
To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
Aquatic toxicity:  
No data available  
Persistence and degradability  
No data available  
Bioaccumulative potential  
No data available  
Mobility in soil  
No data available  
Additional ecological information:  
Do not allow material to be released to the environment without official permits.  
Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.  
Avoid transfer into the environment.  
Results of PBT and vPvB assessment  
PBT:  
N/A  
vPvB:  
N/A  
Other adverse effects  
No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Recommendation

Consult official regulations to ensure proper disposal.  
Uncleaned packagings:  
Recommendation:  
Disposal must be made according to official regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

Not a hazardous material for transportation.  
UN-Number  
DOT, IMDG, IATA  
None  
UN proper shipping name  
DOT, IMDG, IATA  
None  
Transport hazard class(es)  
DOT, ADR, IMDG, IATA  
Class  
None  
Packing group  
DOT, IMDG, IATA  
None  
Environmental hazards:  
N/A  
Special precautions for user  
N/A  
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
N/A  
Transport/Additional information:  
Not dangerous according to the above specifications.  
DOT  
Marine Pollutant (DOT):  
No

---

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture  
GHS GHS label elements, including precautionary statements  
Hazard pictograms  
GHS07  
Signal word  
Warning  
Hazard statements  
H317 May cause an allergic skin reaction.  
Precautionary statements  
P261 Avoid breathing



dust/fume/gas/mist/vapors/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P363 Wash contaminated clothing before reuse.  
P321 Specific treatment (see on this label).  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.  
National regulations  
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.  
SARA Section 313 (specific toxic chemical listings)  
21679-46-9 Cobalt (III) 2,4-pentanedionate  
California Proposition 65  
Prop 65 - Chemicals known to cause cancer  
Substance is not listed.  
Prop 65 - Developmental toxicity  
Substance is not listed.  
Prop 65 - Developmental toxicity, female  
Substance is not listed.  
Prop 65 - Developmental toxicity, male  
Substance is not listed.  
Information about limitation of use:  
For use only by technically qualified individuals.  
Other regulations, limitations and prohibitive regulations  
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.  
Substance is not listed.  
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.  
Substance is not listed.  
Annex XIV of the REACH Regulations (requiring Authorisation for use)  
Substance is not listed.  
Chemical safety assessment:  
A Chemical Safety Assessment has not been carried out.

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties

of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---

## Research

- Application of nickel–lanthanum composite oxide on the steam reforming of ethanol to produce hydrogen. Jyong-Yue Liu, Chia-Chan Lee, Chi-Han Wang, Chuin-Tih Yeh, Chen-Bin Wang. *International Journal of Hydrogen Energy*, Volume 35, Issue 9, May 2010, Pages 4069-4075.
- Deposition of highly oriented lanthanum nickel oxide thin film on silicon wafer by CSD. H. Suzuki, T. Naoe, H. Miyazaki, T. Ota. *Journal of the European Ceramic Society*, Volume 27, Issues 13–15, 2007, Pages 3769-3773.
- Discrepancies in the morphology and physical properties of amorphous and crystalline sprayed lanthanum nickel oxide films. M. K. Zayed, A. Solieman, M. Ebaid. *Acta Materialia*, Volume 61, Issue 15, September 2013, Pages 5674-5684.
- Exotemplated copper, cobalt, iron, lanthanum and nickel oxides for catalytic oxidation of ethyl acetate. X. Chen, S. A. C. Carabineiro, S. S. T. Bastos, P. B. Tavares, J. L. Figueiredo. *Journal of Environmental Chemical Engineering*, Volume 1, Issue 4, December 2013, Pages 795-804.
- High-energy magnetic excitations in lightly oxygen-doped lanthanum nickel oxides. Kenji Nakajima, Ryoichi Kajimoto. *Physica B: Condensed Matter*, Volume 551, 15 December 2018, Pages 142-145.
- In-situ Mössbauer studies of 57Fe-doped Ruddlesden–Popper type lanthanum nickel oxides. Tobias Klande, Salvatore Cusenza, Piotr Gaczyński, Klaus-Dieter Becker, Armin Feldhoff. *Solid State Ionics*, Volumes 222–223, 20 August 2012, Pages 8-15.
- Mechanochemically assisted synthesis and visible light photocatalytic properties of lanthanum nickel oxide nanoparticles. Tomohiro Iwasaki, Yasuyuki Shimamura, Yuri Makino, Satoru Watano. *Optik*, Volume 127, Issue 20, October 2016, Pages 9081-9087.
- Microstructure and transport properties of sol–gel derived highly (100)-oriented lanthanum nickel oxide thin films on SiO<sub>2</sub>/Si substrate. M. W. Zhu, Z. J. Wang, Y. N. Chen, Z. D. Zhang. *Journal of Crystal Growth*, Volume 336, Issue 1, 1 December 2011, Pages 44-49.
- Microwave processing of conductive lanthanum nickel oxide films in separated microwave magnetic field. M. W. Zhu, Z. J. Wang, Y. N. Chen, Z. D. Zhang. *Surface and Coatings Technology*, Volume 216, 15 February 2013, Pages 139-144.
- Calcium-doped lanthanum nickelate layered perovskite and nickel oxide nano-hybrid for highly efficient water oxidation. Ruochen Liu,

Fengli Liang, Wei Zhou, Yisu Yang, Zhonghua Zhu. Nano Energy, Volume 12, March 2015, Pages 115-122.

- Optimizing cathode materials for intermediate-temperature solid oxide fuel cells (SOFCs): Oxygen reduction on nanostructured lanthanum nickelate oxides. Juliana Silva Alves Carneiro, Roger Antunes Brocca, Max Laylson Ribeiro Sampaio Lucena, Eranda Nikolla. Applied Catalysis B: Environmental, Volume 200, January 2017, Pages 106-113.