



<a href="#">Lithium Nickel Dioxide</a>	<a href="#">Pricing &gt;</a>
<a href="#">Lithium Nickel Dioxide Sputtering Target</a>	<a href="#">Pricing &gt;</a>

<b>Linear Formula</b>	LiNiO <sub>2</sub>
<b>Pubchem CID</b>	3035375
<b>MDL Number</b>	N/A
<b>EC No.</b>	N/A
<b>IUPAC Name</b>	lithium; oxido(oxo)nickel
<b>SMILES</b>	[Li+].[O-].[Ni]=O
<b>Inchl Identifier</b>	InChI=1S/Li.Ni.2O/q+1;;;-1
<b>Inchl Key</b>	VROAXDSNYPABOJ-UHFFFAOYSA-N
<b>Signal Word</b>	Warning
<b>Hazard Statements</b>	H317-H350-H372
<b>Hazard Codes</b>	Xn
<b>Precautionary Statements</b>	P201-P202-P261-P272-P280-P302+P352-P308+P313-P321-P333+P313-P363-P405-P501
<b>Risk Codes</b>	N/A
<b>Safety Statements</b>	N/A
<b>RTECS Number</b>	N/A
<b>Transport Information</b>	NONH for all modes of transport
<b>WGK Germany</b>	N/A
<b>GHS Pictograms</b>	<a href="#">GHS07 Exclamation Point</a>  <a href="#">GHS08 Health Hazard</a> 

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 05/06/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #12031-65-1

**Relevant identified uses of the substance:**

Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:

Domestic, North America +1 800-424-9300

International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910  
(OSHA HCS)

Skin sensitisation(Category 1), H317

Carcinogenicity(Category 2), H351

GHS Label elements, including precautionary  
statements

Pictogram



Signal word

Warning

Hazard statement(s)

H317

May cause an allergic skin reaction.

H351

Suspected of causing cancer.

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been  
read and understood.

P261

Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.

P272

Contaminated work clothing should not be allowed out  
of the workplace.

P280

Wear protective gloves.

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P308 + P313

IF exposed or concerned: Get medical advice/

attention.

P321

Specific treatment (see supplemental first aid instructions on this label).

P333 + P313

If skin irritation or rash occurs: Get medical advice/attention.

P363

Wash contaminated clothing before reuse.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS-none

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

Synonyms: Lithium nickel oxide, Lithium nickelate, LNO

Formula:  $\text{LiNiO}_2$

Molecular weight: 97.63 g/mol

CAS-No.: 12031-65-1

Index-No.: 028-057-00-7

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in

section 11

Indication of any immediate medical attention and special treatment needed  
no data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

no data available

Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

no data available

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas.

Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well  
-  
ventilated place.  
Keep in a dry place.  
7.3  
Specific end use(s)  
Apart from the uses mentioned in section 1.2 no other  
specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters  
Components with workplace control parameters  
Contains no substances with occupational exposure  
limit values.  
Exposure controls  
Appropriate engineering controls  
Handle in accordance with good industrial hygiene  
and safety practice. Wash hands before breaks and at  
the end of workday.  
Personal protective equipment  
Eye/face protection  
Face shield and safety glasses Use equipment for eye  
protection tested and approved under appropriate  
government standards such as NIOSH (US) or EN  
166(EU).  
Skin protection  
Handle with gloves. Gloves must be inspected prior to  
use. Use proper glove removal technique (without  
touching glove's outer surface) to avoid skin contact  
with this product. Dispose of contaminated gloves  
after use in accordance with applicable laws and good  
laboratory practices. Wash and dry hands.  
Body Protection  
Complete suit protecting against chemicals, The type  
of protective equipment must be selected according to  
the concentration and amount of the dangerous  
substance at the specific workplace.  
Respiratory protection  
Where risk assessment shows air-purifying respirators  
are appropriate use a full-face particle respirator type  
N100 (US) or type P3 (EN 143) respirator cartridges  
as a backup to engineering controls. If the respirator  
is the sole means of protection, use a full-face  
supplied air respirator. Use respirators and  
components tested and approved under appropriate  
government standards such as NIOSH (US) or CEN  
(EU).  
Control of environmental exposure  
Prevent further leakage or spillage if safe to do so. Do  
not let product enter drains.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form: powder

Colour: black

Odor

odourless

Odor Threshold

No data available

pH

No data available

Melting point/freezing point

Melting point/range: > 1,000 °C (> 1,832 °F)

Initial boiling point and boiling range

No data available

Flash point

No data available

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Upper/lower flammability or explosive limits

No data available

Vapor pressure

No data available

Vapor density

No data available

Relative density

No data available

Water solubility

No data available

Partition coefficient: n-octanol/water

No data available

Auto-ignition temperature

No data available

Decomposition temperature

No data available

Viscosity

No data available

Explosive properties

No data available

Oxidizing properties

No data available

Other safety information

No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability  
Stable under recommended storage conditions.  
Possibility of hazardous reactions  
No data available  
Conditions to avoid  
No data available  
Incompatible materials  
Oxidizing agents  
Hazardous decomposition products  
Hazardous decomposition products formed under fire conditions.-Nickel/nickel oxides, Lithium oxides  
Other decomposition products-No data available  
In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity  
No data available  
Inhalation: No data available  
Dermal: No data available  
No data available  
Skin corrosion/irritation  
No data available  
Serious eye damage/eye irritation  
No data available  
Respiratory or skin sensitisation  
Germ cell mutagenicity  
No data available  
Carcinogenicity  
Human carcinogen.  
IARC:  
1-Group 1: Carcinogenic to humans(lithium nickel dioxide)  
IARC:  
1-Group 1: Carcinogenic to humans(lithium nickel dioxide)  
NTP:  
Known to be human carcinogen(lithium nickel dioxide)  
NTP:  
Known to be human carcinogen(lithium nickel dioxide)  
OSHA:  
No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
Reproductive toxicity  
No data available  
No data available  
Specific target organ toxicity -single exposure

No data available  
Specific target organ toxicity -repeated exposure  
Causes damage to organs through prolonged or repeated exposure.  
Aspiration hazard  
No data available  
Additional Information  
RTECS: Not available  
Lithium and its compounds are possible teratogens by analogy to lithium carbonate which has equivocal human teratogenic data and positive animal teratogenic data., Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited.  
Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.  
Stomach-Irregularities-Based on Human Evidence  
Stomach-Irregularities-Based on Human Evidence

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
No data available  
Persistence and degradability  
No data available  
Bioaccumulative potential  
No data available  
Mobility in soil  
No data available  
Results of PBT and vPvB assessment  
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted  
Other adverse effects  
No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Product  
Offer surplus and non-recyclable solutions to a licensed disposal company.  
Contact a licensed professional waste disposal

service to dispose of this material.  
Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.  
Contaminated packaging  
Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)  
Not dangerous goods  
IMDG  
Not dangerous goods  
IATA  
Not dangerous goods

---

## **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components  
No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.  
SARA 313 Components  
The following components are subject to reporting levels established by SARA Title III, Section 313:  
lithium nickel dioxide  
CAS-No.  
12031-65-1  
Revision Date  
2007-07-01  
SARA 311/312 Hazards  
Acute Health Hazard, Chronic Health Hazard  
Massachusetts Right To Know Components  
No components are subject to the Massachusetts Right to Know Act.  
Pennsylvania Right To Know Components  
lithium nickel dioxide  
CAS-No.  
12031-65-1  
Revision Date  
2007-07-01  
New Jersey Right To Know Components  
lithium nickel dioxide  
CAS-No.  
12031-65-1  
Revision Date  
2007-07-01  
California Prop. 65 Components  
WARNING! This product contains a chemical known to the State of California to cause cancer.  
lithium nickel dioxide

CAS-No.

12031-65-1

Revision Date

2007-09-28

WARNING! This product contains a chemical known to the State of California to cause cancer.

lithium nickel dioxide

CAS-No.

12031-65-1

Revision Date

2007-09-28

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---