

Lithium Manganese Nickel Oxide	Pricing >
Lithium Manganese Nickel Oxide Electrode Sheet	Pricing >
Lithium Manganese Nickel Oxide Spinel, Powder	Pricing >
Lithium Manganese Nickel Oxide Sputtering Target	Pricing >
Linear Formula	Li ₂ Mn ₃ NiO ₈
Pubchem CID	N/A
MDL Number	MFCD16879050
EC No.	N/A
IUPAC Name	N/A
Beilstein/Reaxys No.	N/A
SMILES	N/A
Inchl Identifier	N/A
Inchl Key	N/A
Signal Word	Danger
Hazard Statements	H317-H351-H372-H412
Hazard Codes	Xn
Risk Codes	40-43
Safety Statements	36/37
RTECS Number	N/A
Transport Information	N/A
WGK Germany	3

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 04/19/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American

Elements product codes for CAS #12031-75-3

Relevant identified uses of the substance:

Scientific research and development

Supplier details:

American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:

Domestic, North America +1 800-424-9300

International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910
(OSHA HCS)

Skin sensitisation (Category 1), H317

Carcinogenicity (Category 2), H351

GHS Label elements, including precautionary
statements



Signal word Warning

Hazard statement(s)

H317

May cause an allergic skin reaction.

H351

Suspected of causing cancer.

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been
read and understood.

P261

Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.

P272

Contaminated work clothing should not be allowed out
of the workplace.

P280

Wear protective gloves.

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P308 + P313

IF exposed or concerned: Get medical advice/

attention.

P321

Specific treatment (see supplemental first aid instructions on this label).

P333 + P313

If skin irritation or rash occurs: Get medical advice/attention.

P363

Wash contaminated clothing before reuse.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Synonyms: Lithium nickel manganate, LMNO

Formula: $\text{Li}_2\text{Mn}_3\text{NiO}_8$

Molecular weight: 365.38 g/mol

CAS-No.: 12031-75-3

Hazardous components

Lithium Manganese Nickel Oxide

Classification : Skins sens. 1; Carc. 2; H317 , H351

Concentration: 90-100%

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are

described in the labelling see section 2 and/or in
section 11
Indication of any immediate medical attention and
special treatment needed
no data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media
Suitable extinguishing media
Use water spray, alcohol-resistant foam, dry chemical
or carbon dioxide.
Special hazards arising from the substance or mixture
no data available
Advice for firefighters
Wear self contained breathing apparatus for fire
fighting if necessary.
Further information
no data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and
emergency procedures
Use personal protective equipment. Avoid dust
formation. Avoid breathing Vapors, mist or gas.
Ensure adequate ventilation. Evacuate personnel to
safe areas. Avoid breathing dust.
For personal protection see section 8.
Environmental precautions
Prevent further leakage or spillage if safe to do so. Do
not let product enter drains.
Methods and materials for containment and cleaning
up
Pick up and arrange disposal without creating dust.
Sweep up and shovel. Keep in suitable, closed
containers for disposal.
Reference to other sections
For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling
Further processing of solid materials may result in the
formation of combustible dusts. The potential for
combustible dust formation should be taken into
consideration before additional processing occurs.
Avoid contact with skin and eyes. Avoid formation of
dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.
For precautions see section 2.
Conditions for safe storage, including any incompatibilities
Keep container tightly closed in a dry and well-ventilated place.
Store under inert gas.
Specific end use(s)
Apart from the uses mentioned in section 1 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters
Components with workplace control parameters
Contains no substances with occupational exposure limit values.
Exposure controls
Appropriate engineering controls
Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Personal protective equipment
Eye/face protection
Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection
Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Body Protection
Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection
Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Form: solid

Colour: brown, black

Odor

no data available

Odor Threshold

no data available

pH

no data available

Melting point/freezing point

Melting point/range: > 290 °C (> 554 °F)

Initial boiling point and boiling range

no data available

Flash point

no data available

Evaporation rate

no data available

Flammability (solid, gas)

no data available

Upper/lower flammability

no data available

or explosive limits

Vapor pressure

no data available

Vapor density

no data available

Relative density

no data available

Water solubility

no data available

Partition coefficient:

no data available

n-octanol/water

Auto-ignition temperature

no data available

Decomposition temperature

no data available

Viscosity

no data available

Explosive properties

no data available

Oxidizing properties

no data available

Other safety information

no data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

no data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Incompatible materials

Oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. -Nickel/nickel oxides, Lithium oxides,

Manganese/manganese oxides

Other decomposition products - no data available

In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

Germ cell mutagenicity

no data available

Carcinogenicity

Limited evidence of carcinogenicity in human studies

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA:

No component of this product present at levels

greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: Not available

Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion., Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds.
Stomach - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

no data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SARA 302 Components

SARA 302:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312

Hazards Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

LITHIUM MANGANESE NICKEL OXIDE

CAS No.

12031-75-3

Revision Date

2014/08/14

New Jersey Right To Know Components

LITHIUM MANGANESE NICKEL OXIDE

CAS-No.

12031-75-3

Revision Date
2014/08/14
California Prop. 65 Components

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
