


Lithium Titanate Electrode Sheet	Pricing >
Lithium Titanate, Spinel Nanoparticles / Nanopowder	Pricing >

Linear Formula	Li ₄ Ti ₅ O ₁₂
Pubchem CID	9933878
MDL Number	MFCD11656084
EC No.	619-916-2
IUPAC Name	tetralithium tetrakis[(oxido(oxo)titanio)oxy]titanium
Beilstein/Reaxys No.	N/A
SMILES	[Li+].[Li+].[Li+].[Li+].[O-][Ti](=O)O[Ti](O[Ti]([O-])=O)(O[Ti]([O-])=O)O[Ti]([O-])=O
Inchl Identifier	InChI=1S/4Li.12O.5Ti/q4*+1;;;;;;;;;4*-1;;;;;
Inchl Key	BNQVSKURWVGZJMY-UHFFFAOYSA-N

Signal Word	Warning
Hazard Statements	H302-H315-H319-H335
Hazard Codes	Xi
Precautionary Statements	P261-P305+P351+P338
Risk Codes	20-36/37/38
Safety Statements	22-26-36-38
RTECS Number	N/A
Transport Information	NONH for all modes of transport
WGK Germany	3
GHS Pictograms	GHS07 Exclamation Point 

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 04/20/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #12031-95-7

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302
Skin irritation (Category 2), H315
Eye irritation (Category 2A), H319
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

2.2 GHS Label elements, including precautionary statements



Pictogram
Signal word Warning
Hazard statement(s)
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statement(s)
P261 Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ eye protection/ face protection.
P301 + P312 IF SWALLOWED: Call a POISON

CENTER or doctor/ physician if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.
P321 Specific treatment (see supplemental first aid instructions on this label).
P330 Rinse mouth.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/ container to an approved waste disposal plant.
2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances
Synonyms : LTO nanopowder
Lithium titanate spinel oxide
Lithium titanium oxide
Formula : $\text{Li}_4\text{O}_{12}\text{Ti}_5$
Molecular Weight : 459.09 g/mol
CAS-No. : 12031-95-7
Hazardous components
Component Classification Concentration
Lithium titanate spinel oxide
Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H302, H315, H319, H335
-

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Titanium/titanium oxides, Lithium oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

no data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas.

Ensure adequate

ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Use equipment for eye protection tested and approved

under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact

with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and

components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- a) Appearance Form: solid
- b) Odor no data available
- c) Odor Threshold no data available
- d) pH no data available
- e) Melting point/freezing point
Melting point/freezing point: > 1,000 °C (> 1,832 °F)
- f) Initial boiling point and boiling range
no data available
- g) Flash point no data available
- h) Evaporation rate no data available
- i) Flammability (solid, gas) no data available
- j) Upper/lower flammability or explosive limits
no data available
- k) Vapor pressure no data available
- l) Vapor density no data available
- m) Relative density 3.5 g/cm³ at 20 °C (68 °F)
- n) Water solubility no data available
- o) Partition coefficient: octanol/water
no data available
- p) Auto-ignition temperature
no data available

q) Decomposition
temperature
no data available
r) Viscosity no data available
s) Explosive properties no data available
t) Oxidizing properties no data available
9.2 Other safety information
no data available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity
no data available
10.2 Chemical stability
Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions
no data available
10.4 Conditions to avoid
no data available
10.5 Incompatible materials
no data available
10.6 Hazardous decomposition products
Other decomposition products - no data available
In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects
Acute toxicity
no data available
Inhalation: no data available
Dermal: no data available
no data available
Skin corrosion/irritation
no data available
Serious eye damage/eye irritation
no data available
Respiratory or skin sensitisation
no data available
Germ cell mutagenicity
no data available
Carcinogenicity
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels

greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity
no data available
no data available
Specific target organ toxicity - single exposure
Inhalation - May cause respiratory irritation.
no data available
Specific target organ toxicity - repeated exposure
no data available
Aspiration hazard
no data available
Additional Information
RTECS: Not available
Dizziness, Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea., Weakness, Convulsions, To
the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity
no data available
12.2 Persistence and degradability
no data available
12.3 Bioaccumulative potential
no data available
12.4 Mobility in soil
no data available
12.5 Results of PBT and vPvB assessment
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
12.6 Other adverse effects
no data available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods
Product
Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Contaminated packaging
Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

DOT (US)
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SARA 302 Components
SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 Components
SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
SARA 311/312 Hazards
Acute Health Hazard
Massachusetts Right To Know Components
No components are subject to the Massachusetts Right to Know Act.
Pennsylvania Right To Know Components
Lithium titanate spinel oxide
CAS-No.
12031-95-7
Revision Date
New Jersey Right To Know Components
Lithium titanate spinel oxide
CAS-No.
12031-95-7
Revision Date
California Prop. 65 Components
This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present

state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- A new strategy to obtain nano-scale particles of lithium titanate ($\text{Li}_4\text{Ti}_5\text{O}_{12}$) by the oxidant peroxo method (OPM). Lucas S. Ribeiro, André E. Nogueira, José M. Aquino, Emerson R. Camargo. *Ceramics International*, July 2019.
- Nitridation-driven conductive $\text{Li}_4\text{Ti}_5\text{O}_{12}$ for lithium ion batteries. Park KS, Benayad A, Kang DJ, Doo SG. *Journal of the American Chemical Society*. 2008 Oct 15;130(45):14930-1.
- Porous $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Coated with N-Doped Carbon from Ionic Liquids for Li^+ Ion Batteries. Zhao L, Hu YS, Li H, Wang Z, Chen L. *Advanced Materials*. 2011 Mar 18;23(11):1385-8.
- Hydrogenated $\text{Li}_4\text{Ti}_5\text{O}_{12}$ nanowire arrays for high rate lithium ion batteries. Shen L, Uchaker E, Zhang X, Cao G. *Advanced Materials*. 2012 Dec 18;24(48):6502-6.
- Mesoporous $\text{Li}_4\text{Ti}_5\text{O}_{12}$ hollow spheres with enhanced lithium storage capability. Yu L, Wu HB, Lou XW. *Advanced materials*. 2013 Apr 24;25(16):2296-300.
- Synthesis, characterization and simulation of lithium titanate nanotubes for dye sensitized solar cells. Martín Esteves, Luciana Fernández-Werner, Fernando Pignanelli, Benjamín Montenegro, Álvaro W. Mombrú. *Ceramics International*, Volume 45, Issue 1, January 2019, Pages 708-717.
- Lithium titanate/pyrenecarboxylic acid decorated carbon nanotubes hybrid - Alginate gel supercapacitor. Manoranjan Ojha, James Le Houx, Radha Mukkablá, Denis Kramer, Melepurath Deepa. *Electrochimica Acta*, Volume 309, 20 June 2019, Pages 253-263.
- Numerical modelling of transport limitations in lithium titanate anodes. Muhammad Rashid, Asit Sahoo, Amit Gupta, Yogesh Sharma. *Electrochimica Acta*, Volume 283, 1 September 2018, Pages 313-326.
- Nanoscale porous framework of lithium titanate for ultrafast lithium insertion. Feckl JM, Fominykh K, Döblinger M, Fattakhova-Rohlfing D, Bein T. *Angewandte Chemie International Edition*. 2012 Jul 23;51(30):7459-63.
- Electrochemical properties of doped lithium titanate compounds and their performance in lithium rechargeable batteries. Shenouda AY, Murali KR. *Journal of Power Sources*. 2008 Jan 21;176(1):332-9.