

Lead Selenide	Pricing >
Lead Selenide Granules	Pricing >
Lead Selenide Quantum Dots	Pricing >
Lead Selenide Sputtering Target	Pricing >

Linear Formula	PbSe
Pubchem CID	61550
MDL Number	MFCD00016273
EC No.	235-109-4
IUPAC Name	selanylidenelead
SMILES	[Pb]=[Se]
Inchl Identifier	InChI=1S/Pb.Se
Inchl Key	GGYFMLJDMAMTAB-UHFFFAOYSA-N
Signal Word	Danger
Hazard Statements	H301 + H331-H302 + H332-H360Df-H373-H410
Hazard Codes	T,N
Flash Point	Not Applicable
Risk Codes	60-61-23/25-33-50/53
Safety Statements	53-20/21-28-45-60-61
RTECS Number	OF7525000
Transport Information	UN 3283 6.1/PG 3
WGK Germany	#

GHS
Pictograms

GHS06 Skull and Crossbones



GHS08 Health Hazard



[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 04/18/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #12069-00-0

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
GHS06 Skull and crossbones
Acute Tox. 2 H300 Fatal if swallowed.
Acute Tox. 2 H330 Fatal if inhaled.
GHS08 Health hazard
Repr. 1A H360 May damage fertility or the unborn child.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

R61-23/25: May cause harm to the unborn child.

Toxic by inhalation and if swallowed.

Xn; Harmful

R62: Possible risk of impaired fertility.

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R33: Danger of cumulative effects.

Information concerning particular hazards for human and environment:

N/A

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS06

GHS08

Signal word

Danger

Hazard statements

H300+H330 Fatal if swallowed or if inhaled.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P260 Do not breathe

dust/fume/gas/mist/vapors/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

P320 Specific treatment is urgent (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 2

Flammability = 0

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

12069-00-0 Lead(II) selenide

Identification number(s):

EC number:

235-109-4

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing has been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Special powder for metal fires. Do not use water.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

Information about protection against explosions and fires:

No data available

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:
No special requirements.
Information about storage in one common storage facility:
Not required.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well-sealed containers.
Specific end use(s)
No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Control parameters
Components with limit values that require monitoring at the workplace:
Lead, elemental, and inorganic compounds (as Pb)
mg(Pb)/m³
ACGIH TLV 0.05; Confirmed animal carcinogen
Austria MAK 0.1
Belgium TWA 0.15
Denmark TWA 0.1
Germany MAK 0.1
Japan OEL 0.1
Korea TLV 0.05; Confirmed animal carcinogen
Netherlands TWA 0.15
Norway TWA 0.05
Poland TWA 0.05
Sweden TWA 0.05 (resp. dust)
0.1 (total dust)
Switzerland MAK-W 0.1
United Kingdom TWA 0.1
USA PEL 0.05
Selenium and selenium compounds (as Se)
mg/m³
ACGIH TLV 0.2
Austria MAK 0.1
Belgium TWA 0.2
Denmark TWA 0.1
Finland TWA 0.1; 0.3-STEL
Germany MAK 0.1
Hungary 0.1-STEL
Japan OEL 0.1
Korea TLV 0.2
Netherlands MAC-TGG 0.2
Poland TWA 0.1; 0.3-STEL

Sweden NGV 0.1
Switzerland MAK-W 0.1
United Kingdom TWA 0.1
USA PEL 0.2
Lead, elemental, and inorganic compounds (as Pb)
mg(Pb)/m³
ACGIH TLV 0.05 Confirmed animal carcinogen
Austria MAK 0.1
Belgium TWA 0.15
Denmark TWA 0.1
Germany MAK 0.1
Japan OEL 0.1
Netherlands TWA 0.15
Norway TWA 0.05
Poland TWA 0.05
Switzerland MAK-W 0.1
United Kingdom TWA 0.1
Finland TWA 0.1
France TWA 0.15
Hungary STEL 0.04
Sweden TWA 0.1 (total dust)
0.05 (resp. dust)
USA PEL 0.05
12069-00-0 Lead(II) selenide (100.0%)
PEL (USA) Long-term value: 0.2 mg/m³
as Se
REL (USA) Long-term value: 0.2 mg/m³
as Se
TLV (USA) Long-term value: 0.2 mg/m³
as Se
EL (Canada) Long-term value: 0.05 mg/m³
as Pb; IARC 2A, R
Ingredients with biological limit values:
12069-00-0 Lead(II) selenide (100.0%)
BEI (USA) 30 µg/100 ml
Medium: blood
Time: not critical
Parameter: Lead
Additional information:
No data
Exposure controls
Personal protective equipment
Follow typical protective and hygienic practices for
handling chemicals.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing
immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working
environment.
Breathing equipment:
Refer to 29CFR1910.1025 for regulations on

respiratory protection required during exposure to lead and lead compounds.

Refer to 29CFR1910.1025 for regulations on respiratory protection required during exposure to lead and lead compounds.

Use self-contained respiratory protective device in emergency situations.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Eye protection:

Safety glasses

Body protection:

Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Pieces or solid in various forms

Color: Grey

Odor: Product specific

Odor threshold: Not determined.

pH: N/A

Melting point/Melting range: 1065 °C (1949 °F)

Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined

Flash point: N/A

Flammability (solid, gas)

Not determined.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Autoignition: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapor pressure: N/A

Density at 20 °C (68 °F): 8.1 g/cm³ (67.595 lbs/gal)

Relative density

Not determined.

Vapor density

N/A

Evaporation rate

N/A

Solubility in Water (H₂O): Insoluble

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: N/A
Kinematic: N/A
Other information
No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity
No data available
Chemical stability
Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:
Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions
No dangerous reactions known
Conditions to avoid
No data available
Incompatible materials:
No data available
Hazardous decomposition products:
Toxic metal compounds
Hydrogen selenide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity:
Fatal if inhaled.
Fatal if swallowed.
LD/LC50 values that are relevant for classification:
No data
Skin irritation or corrosion:
May cause irritation
Eye irritation or corrosion:
Irritating effect.
Sensitization:
No sensitizing effects known.
Germ cell mutagenicity:
No effects known.
Carcinogenicity:
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity:
May damage fertility or the unborn child.
Specific target organ system toxicity - repeated exposure:
May cause damage to organs through prolonged or repeated exposure.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

Lead and lead compounds may cause abdominal pain, diarrhea, loss of appetite, metallic taste, nausea, vomiting, lassitude, insomnia, muscle weakness, joint and muscle pain, irritability, headache and dizziness.

Red blood cells may be damaged resulting in anemia.

Gastritis and injury to the kidneys, liver, male gonads, and central nervous system may also occur.

Selenium may cause amyotrophic lateral sclerosis, bronchial irritation,

gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic

taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss.

Lead and lead compounds may cause abdominal pain, diarrhea, loss of appetite, metallic taste, nausea, vomiting, lassitude, insomnia, muscle weakness, joint and muscle pain, irritability, headache and dizziness.

Red blood cells may be damaged resulting in anemia.

Gastritis and injury to the kidneys, liver, male gonads, and central nervous system may also occur.

Subacute to chronic toxicity:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Ecotoxicological effects:

Remark:

Very toxic for aquatic organisms

Additional ecological information:

Do not allow material to be released to the environment without official permits.

Do not allow product to reach groundwater, water courses, or sewage systems, even in small quantities.

Danger to drinking water if even extremely small

quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT:
N/A
vPvB:
N/A
Other adverse effects
No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods
Recommendation
Consult official regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation:
Disposal must be made according to official
regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number
DOT, IMDG, IATA
UN3077
UN proper shipping name
DOT
Environmentally hazardous substances, solid, n.o.s.
(Lead(II) selenide)
IMDG, IATA
ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S. (Lead(II) selenide)
Transport hazard class(es)
DOT, IMDG
Class
9 Miscellaneous dangerous substances and articles.
Label
9
Class
9 (M7) Miscellaneous dangerous substances and
articles
Label
9
IATA
Class
9 Miscellaneous dangerous substances and articles.
Label

9
Packing group
DOT, IMDG, IATA
III
Environmental hazards:
Special marking (ADR):
Symbol (fish and tree)
Special marking (IATA):
Symbol (fish and tree)
Special precautions for user
Warning: Miscellaneous dangerous substances and articles
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
N/A
Transport/Additional information:
DOT
Marine Pollutant (DOT):
No
UN "Model Regulation":
UN3077, Environmentally hazardous substances, solid, n.o.s. (Lead(II) selenide), 9, III

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture
National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
This product contains a chemical known to the state of California to cause cancer and/or reproductive toxicity.
SARA Section 313 (specific toxic chemical listings)
12069-00-0 Lead(II) selenide
California Proposition 65
Prop 65 - Chemicals known to cause cancer
12069-00-0 Lead(II) selenide
Prop 65 - Developmental toxicity
Substance is not listed.
Prop 65 - Developmental toxicity, female
Substance is not listed.
Prop 65 - Developmental toxicity, male
Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
This product contains lead and is subject to the reporting requirements of section 313 of the

Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains selenium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains lead and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Refer to 29CFR1910.1025 for regulations concerning lead and lead compounds.

Refer to 29CFR1910.1025 for regulations concerning lead and lead compounds.

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
