

Lanthanum Carbide		Pricing >
Lanthanum Carbide Powder		Pricing >
Linear Formula	LaC ₂	
Pubchem CID	123280	
MDL Number	N/A	
EC No.	235-128-8	
IUPAC Name	ethyne; lanthanum	
Beilstein/Reaxys No.	N/A	
SMILES	[C-]#[C].[La]	
Inchl Identifier	InChI=1S/C2.La/c1-2;/q-1;	
Inchl Key	ZKEYULQFFYBZBG-UHFFFAOYSA-N	
Signal Word	N/A	
Hazard Statements	H228	
Hazard Codes	F	
Precautionary Statements	P210-P240-P241-P280-P370+P378	
Risk Codes	R11	
Safety Statements	N/A	
Transport Information	UN 3178 4.1/PG III	
GHS Pictograms	GHS02 Flame	

Create Printable PDF

SAFETY DATA SHEET

Date Accessed: 03/28/2024 **Date Revised:** 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #12071-15-7

Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS02 Flame

Flam. Sol. 2 H228 Flammable solid.

Classification according to Directive 67/548/EEC or

Directive 1999/45/EC

F; Highly flammable

R11: Highly flammable.

Information concerning particular hazards for human and environment:

Not applicable

Hazards not otherwise classified

No information known.

Label elements

Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



Signal word

Warning

Hazard statements

H228 Flammable solid.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof

electrical/ventilating/lighting/equipment.

P370+P378 In case of fire: Use for extinction: CO2,

sand, extinguishing powder.

WHMIS classification

B4 - Flammable solid

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 1

Flammability = 3

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT NAME: Lanthanum Carbide

FORMULA: LaC2 CAS #: 12071-15-7

SECTION 4. FIRST AID MEASURES

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial

respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling

For safety reasons unsuitable extinguishing agents Water

Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Lanthanum oxide

Advice for firefighters

exposed containers.

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents Prevention of secondary hazards:

Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and

fires:

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s)

No further relevant information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and

having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-

purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

480

Glove thickness

0.11 mm

Eye protection: Safety glasses Body protection:

Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:
Form: Solid
Color: Dark grey
Odor: Not determined

Odor threshold: Not determined.

pH-value: Not applicable. Change in condition

Melting point/Melting range: ca 3140 °C (ca 5684 °F)

Boiling point/Boiling range: 4820 °C (8708 °F) Sublimation temperature / start: Not determined

Flammability (solid, gaseous)

Highly flammable.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Auto igniting: Not determined.

Danger of explosion: Not determined.

Explosion limits:

Lower: Not determined Upper: Not determined

Vapor pressure: Not applicable.

Density at 20 °C (68 °F): 4.93 g/cm3 (41.141 lbs/gal)

Relative density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Not determined Partition coefficient (n-octanol/water): Not determined.

Viscosity:

dynamic: Not applicable. kinematic: Not applicable.

Other information

No further relevant information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No information known.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents

Conditions to avoid

No further relevant information available.

Incompatible materials:

Acids

Oxidizing agents

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Tantalum oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

No data

Skin irritation or corrosion:

May cause irritation

Eye irritation or corrosion:

May cause irritation

Sensitization:

No sensitizing effects known.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP,

OSHA or ACGIH.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single

exposure:

No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No further relevant information available.

Persistence and degradability

No further relevant information available.

Bioaccumulative potential

No further relevant information available.

Mobility in soil

No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

Other adverse effects

No further relevant information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA

UN3178

UN proper shipping name

DOT

Flammable solid, inorganic, n.o.s. (Iron carbide)

IMDG, IATA

FLAMMABLE SOLID, INORGANIC, N.O.S. (Iron carbide)

Transport hazard class(es)

DOT

Class

4.1 Flammable solids, self-reactive substances and solid desensitised explosives.

Label

4.1

Class

4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosives

Label

4.1

IMDG, IATA

Class

4.1 Flammable solids, self-reactive substances and solid desensitised explosives.

Label

4.1

Packing group

DOT, IMDG, IATA

Ш

Environmental hazards:

Not applicable.

Special precautions for user

Warning: Flammable solids, self-reactive substances and solid desensitised explosives

EMS Number:

F-A,S-G

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

UN "Model Regulation":

UN3178, Flammable solid, inorganic, n.o.s. (Iron

carbide), 4.1, III

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances

Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on themarket and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring

Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions.

It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Reseach

- Fabrication of mesoporous and high specific surface area lanthanum carbide-carbon nanotube composites. L. Biasetto, S. Carturan, G. Maggioni, P. Zanonato, G. Prete. Journal of Nuclear Materials, Volume 385, Issue 3, 15 April 2009, Pages 582-590.
- Graphene derived lanthanum carbide targets for the SPES ISOL facility. S. Corradetti, S. M. Carturan, A. Andrighetto, G. Mariotto, L. Biasetto. Ceramics International, Volume 43, Issue 14, 1 October 2017, Pages 10824-10831.
- Lanthanum carbide-based porous materials from carburization of lanthanum oxide and lanthanum oxalate mixtures. L. Biasetto, P. Zanonato, S. Carturan, P. Di Bernardo, G. Prete. Journal of Nuclear Materials, Volume 378, Issue 2, 31 August 2008, Pages 180-187.
- Synthesis and characterization of La(OH)3 nanopowders from hydrolysis of lanthanum carbide. Qiting LI, Jiansen NI, Yiqing WU, Yanan DU, Shuhua GENG. Journal of Rare Earths, Volume 29, Issue 5, May 2011, Pages 416-419.
- Synthesis and characterization of lanthanum dicarbide-carbon targets for radioactive ion beams generation via the carbothermal reaction. S. Carturan, M. Tonezzer, L. Piga, P. Zanonato, G. Prete. Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, Volume 583, Issues 2–3, 21 December 2007, Pages 256-263.
- Use of polymeric fibers to increase gas permeability of lanthanum carbide based targets for nuclear physics applications. S. Corradetti, L. Biasetto, M. D. M. Innocentini, S. Carturan, A. Andrighetto. Ceramics International, Volume 42, Issue 15, 15 November 2016, Pages 17764-17772.