



Lithium Sulfide		Pricing >
Lithium Sulfide Sputtering Target		Pricing >
Linear Formula	Li ₂ S	
Pubchem CID	10290727	
MDL Number	MFCD00011085	
EC No.	235-228-1	
IUPAC Name	dilithium; sulfide	
Beilstein/Reaxys No.	N/A	
SMILES	[Li+].[Li+].[S-2]	
Inchl Identifier	InChI=1S/2Li.S/q2*+1;-2	
Inchl Key	GLNWILHOFBOFD-UHFFFAOYSA-N	
Signal Word	Danger	
Hazard Statements	H301-H314	
Hazard Codes	C	
Risk Codes	22-31-34	
Safety Statements	26-36/37/39-45	
RTECS Number	OJ6439500	
Transport Information	UN 2923 8/PG 2	
WGK Germany	3	
GHS Pictograms	<p><u>GHS05</u> <u>Corrosive</u></p>  <p><u>GHS06 Skull and Crossbones</u></p> 	

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/04/2024

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #12136-58-2

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
Acute toxicity, Oral (Category 3), H301
Skin corrosion (Category 1B), H314
Serious eye damage (Category 1), H318

2.2 GHS Label elements, including precautionary statements



Pictogram
Signal word Danger
Hazard statement(s)
H301 Toxic if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
Precautionary statement(s)
P260 Do not breathe dust or mist.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth.
Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/
Take off immediately all contaminated
clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove victim to
fresh air and keep at rest in a position
comfortable for breathing. Immediately call a POISON
CENTER or
doctor/ physician.
P305 + P351 + P338 + P310 IF IN EYES: Rinse
cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue
rinsing. Immediately
call a POISON CENTER or doctor/ physician.
P363 Wash contaminated clothing before reuse.
P405 Store locked up.
P501 Dispose of contents/ container to an approved
waste disposal plant.
2.3 Hazards not otherwise classified (HNOC) or not
covered by GHS
Contact with water liberates toxic gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances
Formula : Li_2S
Molecular weight : 45.95 g/mol
CAS-No. : 12136-58-2
EC-No. : 235-228-1
Hazardous components
Component Classification Concentration
Lithium sulphide
Acute Tox. 3; Skin Corr. 1B;
Eye Dam. 1; H301, H314,
H318
≤ 100 %

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures
General advice
Consult a physician. Show this safety data sheet to
the doctor in attendance. Move out of dangerous area.
If inhaled
If breathed in, move person into fresh air. If not
breathing, give artificial respiration. Consult a
physician.
In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
Take victim immediately to hospital. Consult a physician.
In case of eye contact
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.
If swallowed
Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2 Most important symptoms and effects, both acute and delayed
The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
4.3 Indication of any immediate medical attention and special treatment needed
No data available

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media
Suitable extinguishing media
Dry powder
5.2 Special hazards arising from the substance or mixture
Sulphur oxides, Lithium oxides
5.3 Advice for firefighters
Wear self-contained breathing apparatus for firefighting if necessary.
5.4 Further information
No data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures
Wear respiratory protection. Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation.
Evacuate personnel to safe areas. Avoid breathing dust.
For personal protection see section 8.
6.2 Environmental precautions
Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible

dust formation should be taken into consideration before additional processing occurs. Avoid contact with skin and

eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage.

Recommended storage temperature 2 - 8 °C

Store under inert gas. Stench. hygroscopic Keep in a dry place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials

causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after

use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the

supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an

industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers.

It

should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the

sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and

approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmental exposure
Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- a) Appearance Form: powder
Colour: beige
 - b) Odor Stench.
 - c) Odor Threshold No data available
 - d) pH No data available
 - e) Melting point/freezing point
No data available
 - f) Initial boiling point and boiling range
No data available
 - g) Flash point N/A
 - h) Evaporation rate No data available
 - i) Flammability (solid, gas) No data available
 - j) Upper/lower flammability or explosive limits
No data available
 - k) Vapor pressure No data available
 - l) Vapor density No data available
 - m) Relative density 1.66 g/mL at 25 °C (77 °F)
 - n) Water solubility No data available
 - o) Partition coefficient: octanol/water
No data available
 - p) Auto-ignition temperature
No data available
 - q) Decomposition temperature
No data available
 - r) Viscosity No data available
 - s) Explosive properties No data available
 - t) Oxidizing properties No data available
- ### 9.2 Other safety information
- No data available
-

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available
10.2 Chemical stability
Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions
Reacts violently with water.
10.4 Conditions to avoid
Exposure to moisture.
10.5 Incompatible materials
Strong oxidizing agents, Do not store near acids.
10.6 Hazardous decomposition products
Other decomposition products - No data available
In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects
Acute toxicity
LD50 Oral - Rat - 240 mg/kg
Remarks: Behavioral:Tremor. Behavioral:Convulsions
or effect on seizure threshold. Skin and Appendages:
Other:
Hair.
Inhalation: No data available
Dermal: No data available
No data available
Skin corrosion/irritation
No data available
Serious eye damage/eye irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Carcinogenicity
IARC: No component of this product present at levels
greater than or equal to 0.1% is identified as
probable, possible or confirmed human carcinogen by
IARC.
ACGIH: No component of this product present at
levels greater than or equal to 0.1% is identified as a
carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels
greater than or equal to 0.1% is identified as a
known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels
greater than or equal to 0.1% is identified as a
carcinogen or potential carcinogen by OSHA.
Reproductive toxicity
Lithium and its compounds are possible teratogens by
analogy to lithium carbonate which has equivocal
human
teratogenic data and positive animal teratogenic data.

No data available
Specific target organ toxicity - single exposure
No data available
Specific target organ toxicity - repeated exposure
No data available
Aspiration hazard
No data available
Additional Information
RTECS: OJ6439500
Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity
No data available
12.2 Persistence and degradability
No data available
12.3 Bioaccumulative potential
No data available
12.4 Mobility in soil
No data available
12.5 Results of PBT and vPvB assessment
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
12.6 Other adverse effects
No data available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods
Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.
Contaminated packaging
Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

DOT (US)
UN number: 2923 Class: 8 (6.1) Packing group: II
Proper shipping name: Corrosive solids, toxic, n.o.s. (Lithium sulphide)
Reportable Quantity (RQ):
Poison Inhalation Hazard: No
IMDG
UN number: 2923 Class: 8 (6.1) Packing group: II
EMS-No: F-A, S-B
Proper shipping name: CORROSIVE SOLID, TOXIC, N.O.S. (Lithium sulphide)
IATA
UN number: 2923 Class: 8 (6.1) Packing group: II
Proper shipping name: Corrosive solid, toxic, n.o.s. (Lithium sulphide)

SECTION 15. REGULATORY INFORMATION

SARA 302 Components
No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 Components
This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
SARA 311/312 Hazards
Acute Health Hazard
Massachusetts Right To Know Components
No components are subject to the Massachusetts Right to Know Act.
Pennsylvania Right To Know Components
Lithium sulphide
CAS-No.
12136-58-2
Revision Date

New Jersey Right To Know Components

Lithium sulphide

CAS-No.

12136-58-2

Revision Date

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
