

Lithium Cobalt Oxide	Pricing >
Lithium Cobalt Oxide Nanoparticle Dispersion	Pricing >
Lithium Cobalt Oxide Nanoparticles / Nanopowder	Pricing >
Lithium Cobalt Oxide Sputtering Target	Pricing >

Linear Formula	LiCoO ₂
Pubchem CID	23670860
MDL Number	MFCD00049786
EC No.	235-362-0
IUPAC Name	lithium; oxido(oxo) cobalt
Beilstein/Reaxys No.	N/A
SMILES	[Li+].[O-][Co]=O
Inchl Identifier	InChI=1S/Co.Li.2O/q;+1;;-1
Inchl Key	BFZPBKRYWOWDV-UHFFFAOYSA-N

Signal Word	Danger
Hazard Statements	H317-H350
Hazard Codes	Xn
Risk Codes	42/43
Safety Statements	36
RTECS Number	N/A
Transport Information	N/A
WGK Germany	3

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 06/20/2021

Date Revised: 05/15/2015

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #12190-79-3

Relevant identified uses of the substance:

Scientific research and development

Supplier details:

American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:

Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
Classification according to Regulation (EC) No
1272/2008

GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

GHS07

Skin Sens. 1 H317 May cause an allergic skin
reaction.

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to
the CLP regulation.

Hazard pictograms



GHS07

GHS08

Signal word

Warning

Hazard statements

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

Precautionary statements

P261 Avoid breathing
dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye
protection/face protection.

P281 Use personal protective equipment as required.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance
with local/regional/
national/international regulations.

WHMIS classification
D2A - Very toxic material causing other toxic effects
Classification system
HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)
HEALTH
FIRE
REACTIVITY
1
0
0
Health (acute effects) = 1
Flammability = 0
Physical Hazard = 0
Other hazards
Results of PBT and vPvB assessment
PBT:
N/A
vPvB:
N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances
CAS No. / Substance Name:
12190-79-3 Lithium cobalt(III) oxide
Identification number(s):
EC number:
235-362-0

SECTION 4. FIRST AID MEASURES

Description of first aid measures
If inhaled:
Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
In case of skin contact:
Immediately wash with soap and water; rinse thoroughly.
Seek immediate medical advice.
In case of eye contact:
Rinse opened eye for several minutes under running water. Consult a physician.
If swallowed:
Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed
No data available

Indication of any immediate medical attention and special treatment needed
No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Lithium oxide

Cobalt oxides

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from water/moisture.

Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from humidity and water.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

12190-79-3 Lithium cobalt(III) oxide (100.0%)

PEL (USA) Short-term value: 0.1* mg/m³

* as Co (for metal dust and fume)

TLV (USA) Long-term value: 0.02 mg/m³

as Co

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:
Impervious gloves
Inspect gloves prior to use.
Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.
Eye protection:
Safety glasses
Body protection:
Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder or solid in various forms

Color: Dark blue

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: No data available

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas)

No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density: No data available

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in Water (H₂O): No data available

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents

Conditions to avoid

No data available

Incompatible materials:

Water/moisture

Oxidizing agents

Hazardous decomposition products:

Lithium oxide

Cobalt oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

No effects known.

LD/LC50 values that are relevant for classification:

No data

Skin irritation or corrosion:

May cause irritation

Eye irritation or corrosion:

May cause irritation

Sensitization:

May cause an allergic skin reaction.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

Suspected of causing cancer.

IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans.

Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Additional ecological information:

Do not allow product to reach groundwater, water courses, or sewage systems.

Danger to drinking water if even small quantities leak into the ground.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, ADN, IMDG, IATA

N/A

UN proper shipping name

DOT, ADN, IMDG, IATA

N/A

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Class

N/A

Packing group

DOT, IMDG, IATA

N/A

Environmental hazards:

N/A

Special precautions for user

N/A

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

N/A

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S.

Environmental Protection Agency Toxic Substances

Control Act Chemical substance Inventory.

All components of this product are listed on the

Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

12190-79-3 Lithium cobalt(III) oxide

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male
Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.
Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use)
Substance is not listed.
Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2016 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- 1, 3, 5-Pentanetricarbonitrile additive for improving high voltage stability of lithium cobalt oxide cells. Boyu Duan, Bo Hong, Jie Li, Zhaoming Qin, Yanqing Lai. *Electrochimica Acta*, Volume 286, 1 October 2018, Pages 86-91.
- A bi-functional lithium difluoro(oxalato)borate additive for lithium cobalt oxide/lithium nickel manganese cobalt oxide cathodes and

silicon/graphite anodes in lithium-ion batteries at elevated temperatures. Sung Jun Lee, Jung-Gu Han, Yongwon Lee, Myung-Hwan Jeong, Nam-Soon Choi. *Electrochimica Acta*, Volume 137, 10 August 2014, Pages 1-8.

- A lumped model of venting during thermal runaway in a cylindrical Lithium Cobalt Oxide lithium-ion cell. Paul T. Coman, Sean Rayman, Ralph E. White. *Journal of Power Sources*, Volume 307, 1 March 2016, Pages 56-62.
- A surface-reactive high-modulus binder for the reversible conversion reaction of nanoparticulate cobalt oxide. Myeong-Hee Lee, Tae-Hee Kim, Chihyun Hwang, Jieun Kim, Hyun-Kon Song. *Electrochimica Acta*, Volume 225, 20 January 2017, Pages 78-85.
- Adsorption of ethylene carbonate on lithium cobalt oxide thin films: A synchrotron-based spectroscopic study of the surface chemistry. Mathias Fingerle, Thomas Späth, Natalia Schulz, René Hausbrand. *Chemical Physics*, Volumes 498–499, 24 November 2017, Pages 19-24.
- Analysis of geometric and electrochemical characteristics of lithium cobalt oxide electrode with different packing densities. Cheolwoong Lim, Bo Yan, Huixiao Kang, Zhibin Song, Likun Zhu. *Journal of Power Sources*, Volume 328, 1 October 2016, Pages 46-55.
- Boosting the electrocatalytic performance of Pt, Pd and Au embedded within mesoporous cobalt oxide for oxygen evolution reaction. Qing Qu, Guo-Liang Pan, Yan-Ting Lin, Chang-Wei Xu. *International Journal of Hydrogen Energy*, Volume 43, Issue 31, 2 August 2018, Pages 14252-14264.
- Charging of lithium cobalt oxide battery cathodes studied by means of magnetometry. G. Klinser, S. Topolovec, H. Kren, S. Koller, R. Würschum. *Solid State Ionics*, Volume 293, 1 October 2016, Pages 64-71.
- Cobalt leaching from lithium cobalt oxide in microbial electrolysis cells. Liping Huang, Rui Guo, Linjie Jiang, Xie Quan, Guohua Chen. *Chemical Engineering Journal*, Volume 220, 15 March 2013, Pages 72-80.
- Complete cobalt recovery from lithium cobalt oxide in self-driven microbial fuel cell – Microbial electrolysis cell systems. Liping Huang, Binglin Yao, Dan Wu, Xie Quan. *Journal of Power Sources*, Volume 259, 1 August 2014, Pages 54-64.
- Design of lithium cobalt oxide electrodes with high thermal conductivity and electrochemical performance using carbon nanotubes and diamond particles. Eungje Lee, Ruben Arash Salgado, Byeongdu Lee, Anirudha V. Sumant, Elena V. Shevchenko. *Carbon*, Volume 129, April 2018, Pages 702-710.
- Dynamic Measurements of Hydrogen and Lithium Distributions in Lithium-Cobalt-Oxide Films with Charging and Heating Using Elastic Recoil Detection Techniques. B. Tsuchiya, K. Morita, Y. Iriyama, T. Majima, H. Tsuchida. *Physics Procedia*, Volume 66, 2015, Pages 292-297.