

Lead Lanthanum Zirconium Titanate	Pricing >
Lead Lanthanum Zirconium Titanate Sputtering Target	Pricing >
Signal Word	N/A
Hazard Statements	N/A
Hazard Codes	N/A
Risk Codes	N/A
Safety Statements	N/A
Transport Information	NONH for all modes of transport

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/06/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #12676-60-7

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

GHS classification of the substance/mixture
Physical hazards: Not classified
Health hazards: Not classified

Environmental hazards: Not classified
GHS label elements
Hazard Pictograms: No symbol
Signal Word: None
Hazard Statement: None.
Precautionary statements
Prevention: None.
Response: None.
Storage: None.
Disposal: Dispose of contents/container in according to local regulations.
Other hazards: Avoid dust formation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name / CAS Number / Concentration (%)
Lead Lanthanum Zirconium Titanate / 12626-81-2 / 100%

SECTION 4. FIRST AID MEASURES

Inhalation: Remove to fresh air.
Skin contact:
Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists.
Eyes contact:
Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention.
Ingestion:
Rinse mouth with water. Call a physician or poison control center immediately.
Most important symptoms and effects, both acute and delayed:
The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.
Indication of any immediate medical attention and special treatment needed:
Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media:
Suitable extinguishing media: The product is not combustible.

Unsuitable extinguishing media: Direct water stream that will cause fire expansion.
Special hazards arising from the substance or mixture
Thermal decomposition can lead to release of irritating gases and vapors.
Special firefighting methods and special protective actions for fire-fighters
Special Fire Fighting Procedures
Evacuate area of unprotected personnel. Fight advanced or massive fires from safe distance or protected location. Use water to keep fire exposed containers cool and disperse vapors. Keep run-off water out of sewers and water sources. Dike for water control.
Protective equipment for fire-fighters
Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:
Ensure adequate ventilation.
Avoid dust formation.
Environmental Precautions:
Avoid discharge into drains, water courses or onto the ground.
Methods for Containment and Cleaning up:
Collect the spillages into a closed container, then transit to a safety place.
Additional information:
Clean the leakage up immediately in case of pollution expansion.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:
Wash thoroughly after handling.
Ensure adequate ventilation.
Avoid dust formation.
Conditions for safe storage, including any incompatibilities:
Store in a cool, dry, well ventilated area.
Specific end use(s): Not applicable.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters: Contains no substances with occupational exposure limit values.

Exposure controls

Appropriate engineering controls: Provide adequate ventilation, including appropriate local extraction, to ensure

that the defined occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Handle in accordance with good industrial hygiene and safety practice.

Eye/face protection: Wear safety glasses with side shields.

Hand protection: Wear gloves.

Body protection: Wear protective clothes.

Respiratory protection: Wear respiratory protection equipment in case of insufficient ventilation.

Thermal hazards: Wear suitable protective clothing if possible to prevent heat.

Environmental exposure controls: Avoid discharge into the environment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state: Solid

Form: Powder or solid in various forms

Color: White

Odor: Slight odor

Odor threshold: No information available

pH: 7-8

Melting point/range: Not available

Boiling point/range: Not available

Flash point: Not available

Evaporation rate: Not available

Flammability limit - lower (%): Not available

Flammability limit - upper (%): Not available

Vapor pressure: Not available

Vapor density: Not available

Relative Density: 7.7

Solubility(ies): Not available

Solubility(water): Insoluble

Partition coefficient

n-Octanol/Water: No information available

Auto-ignition temperature: No information available

Decomposition temperature: No information available

Flammability(solid, gas): No information available

Other data

Explosive properties: No information available
Oxidizing properties: No information available

SECTION 10. STABILITY AND REACTIVITY

Reactivity: No information available.
Chemical stability: Stable under normal temperature and pressure conditions.
Possibility of hazardous reactions: Will not occur.
Conditions to avoid: Moisture.
Incompatible materials: Alkaline metals.
Hazardous decomposition products: Zirconium oxide, lead oxide, titanium dioxide, lanthanum oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution:
Non-human toxicological data: No data available
Information on toxicological effects:
Acute toxicity
LD50(Oral, Rat): No data available
LD50(Dermal, Rabbit): No data available
LC50(Inhalation, Rat): No data available
Skin corrosion/Irritation: Not classified.
Serious eye damage/irritation: Not classified.
Respiratory or skin sensitization: Not classified.
Germ cell mutagenicity: Not classified.
Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive toxicity: Not classified.
STOT- single exposure: Not classified.
STOT-repeated exposure: Not classified.
Aspiration hazard: Not classified.

SECTION 12. ECOLOGICAL INFORMATION

Eco toxicity:
Persistence and degradability: No data available.
Bio accumulative potential: No data available.
Mobility in soil: No data available.
Other adverse effects: No data available.

SECTION 13. DISPOSAL

CONSIDERATIONS

Residual waste:

Dispose of in accordance with local regulations.

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging :

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Local disposal regulations:

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14. TRANSPORT INFORMATION

CNDG

UN Number 1564

UN proper shipping name BARIUM COMPOUND,
N.O.S. (Contains Barium Titanate)

Transport hazard class(es) 111

Class T5

Subsidiary risk -

Packing group 111

Environmentally hazards Not available

Special precautions for user Read safety instructions,
SDS and emergency procedures before handling.

IATA

UN Number 1564

UN proper shipping name BARIUM COMPOUND,
N.O.S. (Contains Barium Titanate)

Transport hazard class(es) 111

Class --

Subsidiary risk -

Labels A3

Packing group 111

Environmentally hazards Not available

Special precautions for user Read safety instructions,
SDS and emergency procedures before handling.

IMDG

UN Number 1564

UN proper shipping name BARIUM COMPOUND,
N.O.S. (Contains Barium Titanate)

Transport hazard class(es) 111
Class --
Subsidiary risk -
Labels --
Packing group 111
Environmentally hazards --
Marine pollutant No
EmS F-A,S-A
Special precautions for user Read safety instructions,
SDS and emergency procedures before handling.
Transport in bulk according to Annex
II of MARPOL 73/78 and the IBC Code
Not established
CNDG; IATA; IMDG
None.
Marine Pollutant
None.

SECTION 15. REGULATORY INFORMATION

Country(s) or region Inventory name yes/no
Australia Australian Inventory of Chemical
Substances (AICS) Yes
Canada Domestic Substance List (DSL) Yes
Canada Non-Domestic Substances List(NDSL) No
China Inventory of Existing Chemical Substances in
China (IECSS) Yes
Europe European Inventory of Existing Commercial
Chemical
Substances(EINECS)
Yes
Europe European List of Notified Chemical
Substances(ELINCS) No
Japan Inventory of Existing and New Chemical
Substances (ENCS) Yes
Korea Existing Chemicals List(ECL) Yes
New Zealand New Zealand Inventory Yes
Philippines Philippine Inventory of Chemicals and
Chemical Yes
United States & Puerto Rico Toxic Substances
Control Act(TSCA) Inventory No

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No.
1907/2006 (REACH). The above information is
believed to be correct but does not purport to be all
inclusive and shall be used only as a guide. The
information in this document is based on the present
state of our knowledge and is applicable to the

product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- Molten salt synthesis of lead lanthanum zirconate titanate ceramic powders. *Journal of Alloys and Compounds*, Volume 454, Issues 1–2, 24 April 2008, Pages 466-470. Zongying Cai, Xianran Xing, Lu Li, Yeming Xu.
- Preparation and structural characterization of rare-earth doped lead lanthanum zirconate titanate ceramics. *Solid State Sciences*, Volume 11, Issue 8, August 2009, Pages 1363-1369. Thiago Branquinho de Queiroz, Daniel Mohr, Hellmut Eckert, Andrea S. S. de Camargo.
- Processing and structural properties of random oriented lead lanthanum zirconate titanate thin films. *Materials Research Bulletin*, Volume 61, January 2015, Pages 26-31. E. B. Araújo, B. O. Nahime, M. Melo, F. Dinelli, M. Allegrini.
- Solid state NMR as a new approach for the structural characterization of rare-earth doped lead lanthanum zirconate titanate laser ceramics. *Solid State Sciences*, Volume 10, Issue 10, October 2008, Pages 1401-1407. Daniel Mohr, Andrea S. S. de Camargo, José F. Schneider, Thiago B. Queiroz, José A. Eiras.
- Synthesis and characterization of lead lanthanum zirconate titanate (Pb_{0.95}La_{0.05}Zr_{0.65}Ti_{0.35})O₃. *Journal of Alloys and Compounds*, Volume 443, Issues 1–2, 27 September 2007, Pages 166-170. Rajesh V. Pai, T. V. Vittal Rao, Ashok Kumar, S. K. Mukerjee, V. Venugopal.
- Transparent lead lanthanum zirconate titanate (PLZT) ceramic fibers for high-frequency ultrasonic transducer applications. *Ceramics International*, Volume 42, Issue 16, December 2016, Pages 18554-18559. Xiaoyang Chen, Ruimin Chen, Zeyu Chen, Jiping Chen, Qifa Zhou.
- Cr-doped lead lanthanum zirconate titanate (PLZT) ceramics for pyroelectric and energy harvesting device applications. *Ceramics International*, Volume 45, Issue 11, 1 August 2019, Pages 14111-14120. K. K. Bajpai, K. Sreenivas, Ajai K. Gupta, A. K. Shukla.
- Direct and indirect analysis of the electrocaloric effect for lanthanum-modified lead zirconate titanate antiferroelectric ceramics. *Ceramics International*, Volume 42, Issue 1, Part A, January 2016, Pages 229-233. A. Peláiz-Barranco, Jinfei Wang, Tongqing Yang.
- Electron emission from lead lanthanum zirconate titanate ferroelectric cathodes. *Ceramics International*, Volume 33, Issue 7, September 2007, Pages 1155-1159. Shu-tao Chen, Xian-lin Dong, Shu-xin Zheng,

Zi-qiu Zhu, Chuan-xiang Tang.

- Ferroelectric and Piezoelectric properties of (111) oriented lanthanum modified lead zirconate titanate film. Thin Solid Films, Volume 562, 1 July 2014, Pages 190-194. Soma Dutta, A. Antony Jeyaseelan, S. Sruthi.
- High energy storage density performance of Ba, Sr-modified lead lanthanum zirconate titanate stannate antiferroelectric ceramics. Materials Research Bulletin, Volume 48, Issue 10, October 2013, Pages 3847-3849. Jinfei Wang, Tongqing Yang, Shengchen Chen, Gang Li.
- Influence of Mn-doping on phase transition characteristics and relaxor behaviour of lead lanthanum zirconate titanate ceramics. Journal of the European Ceramic Society, Volume 32, Issue 8, July 2012, Pages 1659-1665. E. Pérez-Delfín, J. E. García, A. Vega-García, F. Guerrero, J. A. Eiras.