




Tungsten Carbide/Cobalt Nanoparticles	Pricing >
Tungsten Carbide/Cobalt Rod	Pricing >
Tungsten Carbide/Cobalt Sheet	Pricing >
Tungsten Carbide/Cobalt Spheres	Pricing >
Tungsten Carbide/Cobalt Sputtering Target	Pricing >
Tungsten Carbide/Cobalt Tube	Pricing >
Tungsten Carbide/Cobalt Wire	Pricing >

Linear Formula	WCCo
Pubchem CID	N/A
MDL Number	MFCD00064847
EC No.	N/A
IUPAC Name	N/A
Beilstein/Reaxys No.	N/A
SMILES	[W+4].[C-4].[Co]
InChI Identifier	InChI=1S/C.Co.W/q-4;;+4
InChI Key	UONOETXJSWQNOL-UHFFFAOYSA-N

Signal Word	Warning
Hazard Statements	H334-H317-H228
Hazard Codes	F, Xn
Risk Codes	11-42/43
Safety Statements	22-23-24-37-45-60
RTECS Number	N/A
Transport Information	UN3178 4.1/PG III
WGK Germany	3

GHS Pictograms	<u>GHS02 Flame</u>
	
	<u>GHS08 Health Hazard</u>
	
	<u>GHS07 Exclamation Point</u>
	

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 04/24/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #12774-15-1

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS02 Flame
Flam. Sol. 2 H228 Flammable solid.
GHS08 Health hazard
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Hazards not otherwise classified No data available

GHS label elements, including precautionary statements

Hazard pictograms



Signal word Danger

Hazard statements

H228 Flammable solid.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P284 In case of inadequate ventilation wear respiratory protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B4 - Flammable solid

D2A - Very toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

1

2

1

Health (acute effects) = 1

Flammability = 2

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:
12774-15-1 Tungsten carbide Cobalt

SECTION 4. FIRST AID MEASURES

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed:

No data available

Indication of any immediate medical attention and special treatment needed:

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing agents

Water

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected

persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to enter drains, sewage systems, or other water courses.
Methods and materials for containment and cleanup:
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Prevent formation of dust.
Information about protection against explosions and fires: Protect against electrostatic charges.
Conditions for safe storage, including any incompatibilities
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility:
Do not store together with acids.
Store away from oxidizing agents.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well-sealed containers.
Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Control parameters
Components with limit values that require monitoring at the workplace:

None.

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) No data available

Eye protection: Safety glasses

Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder or solid in various forms

Color: Dark grey

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: No data available

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas) Highly flammable.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density: No data available

Relative density No data available.

Vapor density N/A

Evaporation rate N/A

Solubility in / Miscibility with

Water: Insoluble

Partition coefficient (n-octanol/water): No data available.
Viscosity:
Dynamic: N/A
Kinematic: N/A
Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:
Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Reacts with strong oxidizing agents
Conditions to avoid No data available
Incompatible materials:
Acids
Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Metal oxide fume

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Sensitization:
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinogenicity:
IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.
ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s),

or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans.

Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

Additional ecological information: Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA UN3178
UN proper shipping name
DOT Flammable solid, inorganic, n.o.s. (Tungsten carbide Cobalt)
IMDG, IATA FLAMMABLE SOLID, INORGANIC, N.O.S. (Tungsten carbide Cobalt)
Transport hazard class(es)
DOT
Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives.
Label 4.1
Class 4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosives
Label 4.1
IMDG, IATA
Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives.
Label 4.1
Packing group
DOT, IMDG, IATA III
Environmental hazards: N/A
Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised explosives
EMS Number: F-A,S-G
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A
Transport/Additional information:
DOT
Marine Pollutant (DOT): No
UN "Model Regulation": UN3178, Flammable solid, inorganic, n.o.s. (Tungsten carbide Cobalt), 4.1, III

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS label elements, including precautionary statements
Hazard pictograms
GHS02 GHS08
Signal word Danger
Hazard statements
H228 Flammable solid.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P284 In case of inadequate ventilation wear respiratory protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) 12774-15-1 Tungsten carbide Cobalt

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all

inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- Acrylamide route for the co-synthesis of tungsten carbide–cobalt nanopowders with additives. Marzie Mardali, Rasoul Sarraf-Mamoory, Behzad Sadeghi, Babak Safarballi. *Ceramics International*, Volume 42, Issue 8, June 2016, Pages 9382-9386.
- An investigation of cobalt phase structure in WC–Co cemented carbides before and after deep cryogenic treatment. Hejia Zhang, Liqing Chen, Jing Sun, Wenguang Wang, Quanzhao Wang. *International Journal of Refractory Metals and Hard Materials*, Volume 51, July 2015, Pages 201-206.
- Cobalt and Nitrogen Co-Doped Tungsten Carbide Catalyst for Oxygen Reduction and Hydrogen Evolution Reactions. Saheed Bukola, Belabbes Merzougui, Akeem Akinpelu, Mostafa Zeama. *Electrochimica Acta*, Volume 190, 1 February 2016, Pages 1113-1123.
- Cobalt extraction from tungsten carbide-cobalt (WC-Co) hard metal scraps using malic acid. Bosung Seo, Sunjung Kim. *International Journal of Mineral Processing*, Volume 151, 10 June 2016, Pages 1-7.
- Effect of cobalt content on the microstructure and mechanical properties of coarse grained WC-Co cemented carbides fabricated from chemically coated composite powder. Meng He, Jianying Wang, Rengui He, Hailin Yang, Jianming Ruan. *Journal of Alloys and Compounds*, Volume 766, 25 October 2018, Pages 556-563.
- Environmental benefits of coatings based on nano-tungsten-carbide cobalt ceramics. Henning Wigger, Michael Steinfeldt, Alvis Bianchin. *Journal of Cleaner Production*, Volume 148, 1 April 2017, Pages 212-222.
- Influence of Critical Plasma Spray Parameter on Microstructural and Tribological Characteristics of Nanostructured Tungsten Carbide-Cobalt Coatings. B. Venkateshwarlu, Mohammed Thalib Basha G, Akella Srikanth. *Procedia Manufacturing*, Volume 30, 2019, Pages 339-346.
- Investigation on Additive Manufacturing of Tungsten Carbide-cobalt by Selective Laser Melting. Eckart Uhlmann, André Bergmann, Witalij Gridin. *Procedia CIRP*, Volume 35, 2015, Pages 8-15.
- Phase transformation in tungsten carbide–cobalt composite during

high temperature treatment in microwave hydrogen plasma. Alenka Vesel, Miran Mozetic, Marianne Balat-Pichelin. *Ceramics International*, Volume 38, Issue 8, December 2012, Pages 6107-6113.

- Statistical Modeling and Optimization of Process Parameters in Electro-Discharge Machining of Cobalt-Bonded Tungsten Carbide Composite (WC/6%Co). S. Assarzadeh, M. Ghoreishi. *Procedia CIRP*, Volume 6, 2013, Pages 463-468.
- Pulse electric current sintering of cubic boron nitride/tungsten carbide–cobalt (cBN/WC–Co) composites: Effect of cBN particle size and volume fraction on their microstructure and properties. Bo Wang, Yi Qin, Feng Jin, Jian-Feng Yang, Kozo Ishizaki. *Materials Science and Engineering: A*, Volume 607, 23 June 2014, Pages 490-497.
- Lead zirconate titanate coating of tungsten carbide-cobalt to enable smart coatings. Peter. D. Woolliams, Paul. M. Weaver, Tatiana M. Correia, Markys G. Cain, Robert A. Dorey. *Sensors and Actuators A: Physical*, Volume 194, 1 May 2013, Pages 47-51.