

[Bismuth Subnitrate](#)

[Pricing >](#)

Linear Formula	Bi <sub>2</sub> O(OH) <sub>2</sub> (NO <sub>3</sub> ) <sub>4</sub>
Pubchem CID	24884203
MDL Number	MFCD00064844
EC No.	215-136-8
IUPAC Name	tetrabismuth; oxobismuthanylium; nonahydroxide; tetranitrate
SMILES	O=[N+](O)[O-]O[Bi](O)O.O[Bi](O)O[N+](O)=O.O[Bi](O)O[N+](O)=O.O[Bi](O)O[N+](O)=O.O[Bi](O)O[N+](O)=O
InChI Identifier	InChI=1S/5Bi.4NO3.9H2O.O/c;;;;4*2-1(3)4;;;;;;h;;;;;;9*1H2/q+1;4*+3;4*-1;;;;;;/p-9
InChI Key	OAVDTZZNYFIIGB-UHFFFAOYSA-E

Signal Word	N/A
Hazard Statements	N/A
Hazard Codes	O
Risk Codes	8
Safety Statements	16-17-26-28
RTECS Number	EB2977000
Transport Information	UN 1477 5.1/PG 2
WGK Germany	N/A

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 05/18/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #1304-85-4

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS03 Flame over circle

Ox. Sol. 2

H272 May intensify fire; oxidizer.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified

No information known.

Label elements

GHS label elements

The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS03 GHS07

Signal word

Danger

Hazard statements

H272 May intensify fire; oxidizer.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P221

Take any precaution to avoid mixing with combustibles.

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220

Keep/Store away from clothing/combustible materials.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

C - Oxidizing materials

D2B - Toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 1  
Flammability = 2  
Physical Hazard = 2  
Other hazards  
Results of PBT and vPvB assessment  
PBT:  
Not applicable.  
vPvB:  
Not applicable.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical characterization: Substances  
CAS# Description:  
1304-85-4 Bismuth hydroxide nitrate oxide  
Identification number(s):  
EC number: 215-136-8

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures  
After inhalation  
Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.  
After skin contact  
Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.  
After eye contact  
Rinse opened eye for several minutes under running water. Then consult a doctor.  
After swallowing  
Seek medical treatment.  
Information for doctor  
Most important symptoms and effects, both acute and delayed  
No further relevant information available.  
Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

---

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media  
Suitable extinguishing agents  
Use carbon dioxide, extinguishing powder or foam.  
Water may be ineffective but may be used for cooling exposed containers.

For safety reasons unsuitable extinguishing agents  
Halocarbon extinguisher  
Special hazards arising from the substance or mixture  
This substance is an oxidizer and its heat of reaction  
with reducing agents or combustibles may cause  
ignition.  
If this product is involved in a fire, the following can be  
released:  
Nitrogen oxides (NO<sub>x</sub>)  
Bismuth oxide  
Advice for firefighters  
Protective equipment:  
Wear self-contained respirator.  
Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and  
emergency procedures  
Wear protective equipment. Keep unprotected  
persons away.  
Ensure adequate ventilation  
Environmental precautions:  
Do not allow product to reach sewage system or any  
water course.  
Methods and material for containment and cleaning  
up:  
Ensure adequate ventilation.  
Prevention of secondary hazards:  
Acts as an oxidizing agent on organic materials such  
as wood, paper and fats  
Keep away from combustible material.  
Reference to other sections  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection  
equipment.  
See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling  
Precautions for safe handling  
Handle under dry protective gas.  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.  
Information about protection against explosions and  
fires:  
Substance/product can reduce the ignition  
temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Do not store with organic materials.

Store away from metal powders.

Store away from water/moisture.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and water.

Specific end use(s)

No further relevant information available.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection:

Safety glasses

Body protection:

Protective work clothing.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

General Information

Appearance:

Form: Powder

Color: White

Odor: Odorless

Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range: 260 °C (500 °F) (dec)

Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined

Flammability (solid, gaseous)

Contact with combustible material may cause fire.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Auto igniting: Not determined.

Danger of explosion: Not determined.

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapor pressure: Not applicable.

Density at 20 °C (68 °F): 6.04 g/cm<sup>3</sup> (50.404 lbs/gal)

Relative density

Not determined.

Vapor density

Not applicable.

Evaporation rate  
Not applicable.  
Solubility in / Miscibility with Water: Insoluble  
Partition coefficient (n-octanol/water): Not determined.  
Viscosity:  
dynamic: Not applicable.  
kinematic: Not applicable.  
Other information  
No further relevant information available.

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
May intensify fire; oxidizer.  
Chemical stability  
Stable under recommended storage conditions.  
Thermal decomposition / conditions to be avoided:  
Decomposition will not occur if used and stored according to specifications.  
Possibility of hazardous reactions  
Reacts with reducing agents  
Reacts with flammable substances  
Conditions to avoid  
No further relevant information available.  
Incompatible materials:  
Flammable substances  
Reducing agents  
Water/moisture  
Organic materials  
Metal powders  
Hazardous decomposition products:  
Nitrogen oxides  
Bismuth oxide

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity:  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.  
LD/LC50 values that are relevant for classification:  
No data  
Skin irritation or corrosion:  
Causes skin irritation.  
Eye irritation or corrosion:  
Causes serious eye irritation.  
Sensitization:  
No sensitizing effects known.  
Germ cell mutagenicity:

No effects known.  
Carcinogenicity:  
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.  
Reproductive toxicity:  
No effects known.  
Specific target organ system toxicity - repeated exposure:  
No effects known.  
Specific target organ system toxicity - single exposure:  
May cause respiratory irritation.  
Aspiration hazard:  
No effects known.  
Subacute to chronic toxicity:  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.  
Additional toxicological information:  
To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
Aquatic toxicity:  
No further relevant information available.  
Persistence and degradability  
No further relevant information available.  
Bioaccumulative potential  
No further relevant information available.  
Mobility in soil  
No further relevant information available.  
Additional ecological information:  
General notes:  
Avoid transfer into the environment.  
Results of PBT and vPvB assessment  
PBT:  
Not applicable.  
vPvB:  
Not applicable.  
Other adverse effects  
No further relevant information available.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Recommendation  
Consult state, local or national regulations to ensure



proper disposal.  
Uncleaned packagings:  
Recommendation:  
Disposal must be made according to official regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number  
DOT, IMDG, IATA  
UN1477  
UN proper shipping name  
DOT  
Nitrates, inorganic, n.o.s. (Bismuth hydroxide nitrate oxide)  
IMDG, IATA  
NITRATES, INORGANIC, N.O.S. (Bismuth hydroxide nitrate oxide)  
Transport hazard class(es)  
DOT  
Class  
5.1 Oxidising substances.  
Label  
5.1  
Class  
5.1 (O2) Oxidizing substances  
Label  
5.1  
IMDG, IATA  
Class  
5.1 Oxidising substances.  
Label  
5.1  
Packing group  
DOT, IMDG, IATA  
II  
Environmental hazards:  
Not applicable.  
Special precautions for user  
Warning: Oxidizing substances  
EMS Number: F-A,S-Q  
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
Not applicable.  
Transport/Additional information:  
DOT  
Marine Pollutant (DOT):  
No  
UN "Model Regulation":  
UN1477, Nitrates, inorganic, n.o.s. (Bismuth hydroxide nitrate oxide), 5.1, II

---

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS label elements

The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms

GHS03

GHS07

Signal word

Danger

Hazard statements

H272 May intensify fire; oxidizer.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P221

Take any precaution to avoid mixing with combustibles.

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220

Keep/Store away from clothing/combustible materials.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:  
For use only by technically qualified individuals.  
Other regulations, limitations and prohibitive regulations  
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.  
Substance is not listed.  
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.  
Substance is not listed.  
Annex XIV of the REACH Regulations (requiring Authorisation for use)  
Substance is not listed.  
Chemical safety assessment:  
A Chemical Safety Assessment has not been carried out.

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---