



Calcium Oxide	Pricing >
Calcium Oxide Nanoparticle Dispersion	Pricing >
Calcium Oxide Nanoparticles / Nanopowder	Pricing >
Calcium Oxide Pellets	Pricing >
Calcium Oxide Pieces	Pricing >
Calcium Oxide Powder	Pricing >
Calcium Oxide Rotatable Sputtering Target	Pricing >
Calcium Oxide Sputtering Target	Pricing >
Calcium Oxide Tablets	Pricing >

Linear Formula	CaO
Pubchem CID	N/A
MDL Number	MFCD00010911
EC No.	215-138-9
IUPAC Name	Oxocalcium
Beilstein/Reaxys No.	N/A
SMILES	[Cu+2].[Cu+2].[OH-].[O-]P([O-])([O-])=O
Inchl Identifier	InChI=1S/Ca.O/q+2;-2
Inchl Key	BRPQOXSLDDYGP-UHFFFAOYSA-N
Signal Word	N/A
Hazard Statements	H315-H318-H335
Hazard Codes	C
Precautionary Statements	P261-P280-P305 + P351 + P338
Flash Point	Not applicable
Risk Codes	34
Safety Statements	26-36/37/39-45
RTECS Number	EW3100000
Transport Information	UN1910 - class - PG 8 - Calcium oxide

WGK Germany	1
GHS Pictograms	<u>GHS05</u> <u>Corrosive</u>  <u>GHS07</u> <u>Exclamation</u> <u>Point</u> 

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 04/23/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #1305-78-8

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
Skin irritation(Category 2), H315
Serious eye damage(Category 1), H318
Specific target organ toxicity -single exposure(Category 3),
Respiratory system, H335

GHS Label elements, including precautionary

statements

Pictogram



Signal word

Danger

Hazard statement(s)

H315

Causes skin irritation.

H318

Causes serious eye damage.

H335

May cause respiratory irritation.

Precautionary statement(s)

P261

Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.

P264

Wash skin thoroughly after handling.

P271

Use only outdoors or in a well-ventilated area.

P280

Wear eye protection/ face protection.

P280

Wear protective gloves.

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 + P310

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P332 + P313

If skin irritation occurs: Get medical advice/ attention.

P362

Take off contaminated clothing and wash before reuse.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts with water to form corrosive calcium hydroxide, with evolution of heat. Temperatures as

high as 800° C have been reached with

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Synonyms: Quicklime Lime

Formula: CaO

Molecular weight: 56.08 g/mol

CAS-No.: 1305-78-8

EC-No.: 215-138-9

Component

Calcium oxide

Classification

Skin Irrit.2; Eye Dam.1; STOT SE3; H315, H318, H335

Concentration

<=100%

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Continue rinsing eyes during transport to hospital.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Calcium oxide

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510):

Non Combustible Solids

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

EN 374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges

as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Form: powder, pieces, or solid in various forms

Odor

No data available

Odor Threshold

No data available

pH

12.5 -12.8 at 1.65 g/l at 25 °C (77 °F)

Melting point/freezing Melting point/range: 2,614 °C (4,737 °F)

Initial boiling point and boiling range

2,850 °C (5,162 °F)-lit.

Flash point

N/A

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Upper/lower flammability or explosive limits

No data available

Vapor pressure

No data available

Vapor density

No data available

Relative density

3.3 g/cm³ at 25 °C (77 °F)

Water solubility

soluble

Partition coefficient: n-octanol/water

No data available

Auto-ignition temperature

No data available

Decomposition temperature

No data available

Viscosity

No data available

Explosive properties

No data available

Oxidizing properties

No data available

Other safety information
No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity
No data available
Chemical stability
Stable under recommended storage conditions.
Possibility of hazardous reactions
No data available
Conditions to avoid
Avoid moisture.
Incompatible materials
acids, Water
Hazardous decomposition products
Other decomposition products-
No data available
In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity
No data available
Inhalation: No data available
Dermal: No data available
Skin corrosion/irritation
Skin-Human
Result: Severe skin irritation
Serious eye damage/eye irritation
Eyes-Rabbit
Result: Risk of serious damage to eyes.(OECD Test Guideline 405)
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Carcinogenicity
IARC:
No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH:
No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP:
No component of this product present at levels

greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Specific target organ toxicity -single exposure

Inhalation-May cause respiratory irritation.

Specific target organ toxicity -repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: EW3100000

Cough, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish

LC50-Cyprinus carpio (Carp)-1,070 mg/l-96 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a licensed professional waste disposal service to dispose of this material.

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging
Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

DOT (US)
Not dangerous goods
IMDG
Not dangerous goods
IATA
UN number: 1910
Class: 8
Packing group: III
Proper shipping name: Calcium oxide

SECTION 15. REGULATORY INFORMATION

SARA 302 Components
No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 Components
This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
SARA 311/312 Hazards
Acute Health Hazard
Massachusetts Right To Know Components
Calcium oxide
CAS-No.
1305-78-8
Revision Date
1993-04-24
Pennsylvania Right To Know Components
Calcium oxide
CAS-No.
1305-78-8
Revision Date
1993-04-24
New Jersey Right To Know Components
Calcium oxide
CAS-No.
1305-78-8
Revision Date
1993-04-24
California Prop. 65 Components
This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
