

Cobalt Oxide Nanoparticles	Pricing >
Cobalt Oxide Particles	Pricing >
Cobalt Oxide Pellets	Pricing >
Cobalt Oxide Pieces	Pricing >
Cobalt Oxide Powder	Pricing >
Cobalt Oxide Shot	Pricing >
Cobalt Oxide Tablets	Pricing >
Cobalt(II,III) Oxide	Pricing >
Cobalt(II,III) Oxide Rotatable Sputtering Target	Pricing >
Cobalt(II,III) Oxide Sputtering Target	Pricing >

Linear Formula	Co ₃ O ₄
Pubchem CID	11651651
MDL Number	MFCD00010939
EC No.	215-157-2
IUPAC Name	cobalt(II); dicobalt(III); oxide
Beilstein/Reaxys No.	N/A
SMILES	O=[Co].O=[Co]O[Co]=O
Inchl Identifier	InChI=1S/3Co.4O
Inchl Key	LBFUKZWYPLNNJC-UHFFFAOYSA-N
Signal Word	Danger
Hazard Statements	H334-H350i-H412
Hazard Codes	Xn
Precautionary Statements	P201-P261-P273-P284-P304 + P340-P308 + P313
Flash Point	Not applicable
Risk Codes	40-41-42-43
Safety Statements	36/37
RTECS Number	GG2500000

Transport Information	NONH
WGK Germany	1
GHS Pictograms	<u>GHS08 Health Hazard</u> 

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/06/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #1308-06-1

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Respiratory sensitisation(Category 1), H334

Skin sensitisation(Category 1), H317

Carcinogenicity(Category 1A), H350

Acute aquatic toxicity(Category 3), H402

Chronic aquatic toxicity(Category 3), H412

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H317

May cause an allergic skin reaction.

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H350

May cause cancer.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been read and understood.

P261

Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.

P272

Contaminated work clothing should not be allowed out of the workplace.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P285

In case of inadequate ventilation wear respiratory protection.

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P304 + P341

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

P333 + P313

If skin irritation or rash occurs: Get medical advice/ attention.

P363

Wash contaminated clothing before reuse.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS-none

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Formula: Co_3O_4

Molecular weight: 240.80 g/mol

CAS-No.: 1308-06-1

Component

Tricobalt tetraoxide

Classification

Resp. Sens.1; Aquatic Acute 3; Aquatic Chronic 3;
H334, H412

Concentration

$\leq 100\%$

Component

Nickel monoxide

Classification

Skin Sens.1; Carc.1A; STOT RE1; Aquatic Chronic 4;
H317, H350, H372, H413

Concentration

$\geq 0.1 - < 1\%$

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to
the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not
breathing, give artificial respiration. Consult a
physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a
physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious
person. Rinse mouth with water. Consult a physician.
Most important symptoms and effects, both acute and
delayed

The most important known symptoms and effects are
described in the labelling (see section 2) and/or in
section 11

Indication of any immediate medical attention and
special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Cobalt/cobalt oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas.

Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.
hygroscopic Keep in a dry place.
Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects
Specific end use(s)
Apart from the uses mentioned in section 1 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nature latex/chloroprene

Minimum layer thickness: 0.6 mm

Break through time: > 480 min

Splash contact

Material: Nature latex/chloroprene

Minimum layer thickness: 0.6 mm

Break through time: > 480 min

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves.

This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Form: Powder or solid in various forms

Colour: black

Odor

No data available

Odor Threshold

No data available

pH

No data available

Melting point/freezing point

Melting point/range: 895 °C (1,643 °F)-lit.

Initial boiling point and boiling range

No data available

Flash point

No data available

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Upper/lower flammability or explosive limits

No data available

Vapor pressure

No data available

Vapor density

No data available

Relative density

6.11 g/mL at 25 °C (77 °F)

Water solubility

0.00156 g/l at 20 °C (68 °F)-OECD Test Guideline

105-slightly soluble

Partition coefficient: n-octanol/water

No data available

Auto-ignition temperature

No data available

Decomposition temperature
> 900 °C (> 1,652 °F)-
Viscosity
No data available
Explosive properties
No data available
Oxidizing properties
No data available
Other safety information
Bulk density
0.78 g/l

SECTION 10. STABILITY AND REACTIVITY

Reactivity
No data available
Chemical stability
Stable under recommended storage conditions.
Possibility of hazardous reactions
No data available
Conditions to avoid
Avoid moisture.
Incompatible materials
Reducing agents
Hazardous decomposition products
Other decomposition products-No data available
In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity
LD50 Oral-Rat-male and female-> 5,000
mg/kg(OECD Test Guideline 401)
LC50 Inhalation-Rat-4 h-> 5.06 mg/l(OECD Test
Guideline 436)
LD50 Dermal-Rat-male and female-> 2,000
mg/kg(OECD Test Guideline 402)
No data available
Skin corrosion/irritation
Skin-Rat
Result: No skin irritation
Serious eye damage/eye irritation
Eyes-Rabbit
Result: No eye irritation
(OECD Test Guideline 405)
Respiratory or skin sensitisation
in vivo assay-Mouse
Result: Does not cause skin sensitisation.
(OECD Test Guideline 429)

Germ cell mutagenicity
No data available
in vitro assay
mouse lymphoma cells
Result: negative
OECD Test Guideline 475
Rat-male and female
Result: negative
Carcinogenicity
IARC:
1-Group 1: Carcinogenic to humans(Nickel monoxide)
NTP:
Known to be human carcinogen(Nickel monoxide)
OSHA:
No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity
No data available
Specific target organ toxicity -single exposure
No data available
Specific target organ toxicity -repeated exposure
No data available
Aspiration hazard
No data available
Additional Information
RTECS: Not available
Effects due to ingestion may include:, Burning pain in mouth, throat and stomach., Prolonged or repeated exposure may cause:, Fatigue, Cardiac irregularities, Convulsions, Vomiting.
Stomach-Irregularities-Based on Human Evidence
Stomach-Irregularities-Based on Human Evidence
Stomach-Irregularities-Based on Human Evidence(Nickel monoxide)

SECTION 12. ECOLOGICAL INFORMATION

Toxicity
Toxicity to daphnia and other aquatic invertebrates
EC50-Daphnia magna (Water flea)-> 136 mg/l-48 h
Toxicity to algae
EC50-Pseudokirchneriella subcapitata (green algae)-88 mg/l-72 h
Persistence and degradability
No data available
Bioaccumulative potential
Mobility in soil
No data available
Results of PBT and vPvB assessment
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a licensed professional waste disposal service to dispose of this material.

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14. EXPOSURE CONTROLS/PERSONAL PROTECTION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Nickel monoxide

CAS-No.

1313-99-1

Revision Date

1993-04-24

Tricobalt tetraoxide

1308-06-1

Massachusetts Right To Know Components

Nickel monoxide

CAS-No.

1313-99-1

Revision Date

1993-04-24
California Prop. 65
Components
WARNING! This product contains a chemical known
to the State of California to cause cancer.
Nickel monoxide
CAS-No.
1313-99-1

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- Distinct impact of cobalt salt type on the morphology, microstructure, and electrochemical properties of Co₃O₄ synthesized by ultrasonic spray pyrolysis. Yan Li, Xinhai Li, Zhixing Wang, Huajun Guo, Tao Li. Journal of Alloys and Compounds, Volume 696, 5 March 2017, Pages 836-843.
- Influence of pH and annealing on the optical and electrochemical properties of cobalt (III) oxide (Co₃O₄) thin films. R. M. Obodo, Assumpta C. Nwanya, A. B. C. Ekwealor, I. Ahmad, Fabian I. Ezema. Surfaces and Interfaces, Volume 16, September 2019, Pages 114-119.
- Lamellar Co₃O₄ nanoparticles recycled from synthetic cobalt carbonate: Core/shell morphology and magnetic properties. Natalia Rinaldi-Montes, Jorge González-López, Ángeles Fernández-González, Amalia Jiménez, Jesús A. Blanco. Ceramics International, Volume 43, Issue 14, 1 October 2017, Pages 10889-10894.
- One step fabrication of carbon supported cobalt pentlandite (Co₉S₈) via the thermolysis of lignin and Co₃O₄. Gihoon Kwon, Dong-Wan Cho, Daniel C. W. Tsang, Eilhann E. Kwon, Hocheol Song. Journal of

CO₂ Utilization, Volume 27, October 2018, Pages 196-203.

- One-pot solvothermal synthesis of novel cobalt salicylaldimine–urea complexes: A new approach to Co₃O₄ nanoparticles. M. Y. Nassar, T. Y. Mohamed, I. S. Ahmed. Journal of Molecular Structure, Volume 1050, 24 October 2013, Pages 81-87.
- Physical properties, biological applications and biocompatibility studies on biosynthesized single phase cobalt oxide (Co₃O₄) nanoparticles via *Sageretia thea* (Osbeck.). Ali Talha Khalil, Muhammad Ovais, Ikram Ullah, Muhammad Ali, Malik Maaza. Arabian Journal of Chemistry, In press, corrected proof, Available online 19 July 2017.
- Sol–gel synthesis of silica–cobalt composites by employing Co₃O₄ colloidal dispersions. Gustavo A. Santos, Camila M. B. Santos, Sebastião W. da Silva, Ernesto A. Urquieta-González, Patrícia P. Confessori Sartoratto. Colloids and Surfaces A: Physicochemical and Engineering Aspects, Volume 395, 5 February 2012, Pages 217-224.
- Solution combustion synthesis of cobalt oxides (Co₃O₄ and Co₃O₄/CoO) nanoparticles as supercapacitor electrode materials. Jiachun Deng, Litao Kang, Gailing Bai, Ying Li, Wei Liang. Electrochimica Acta, Volume 132, 20 June 2014, Pages 127-135.
- Supercapacitive activities of potentiodynamically deposited nanoflakes of cobalt oxide (Co₃O₄) thin film electrode. A. D. Jagadale, V. S. Kumbhar, C. D. Lokhande. Journal of Colloid and Interface Science, Volume 406, 15 September 2013, Pages 225-230.
- Synthesis and characterization of cobalt oxide nanocomposite based on the Co₃O₄–zeolite Y. Fatemeh Davar, Zeinab Fereshteh, Hadi Shoja Razavi, Reza Shoja Razavi, Mohammad Reza Loghman-Estarki. Superlattices and Microstructures, Volume 66, February 2014, Pages 85-95.