

Lanthanum Oxide	Pricing >
Lanthanum Oxide Nanoparticle Dispersion	Pricing >
Lanthanum Oxide Nanoparticles / Nanopowder	Pricing >
Lanthanum Oxide Pellets	Pricing >
Lanthanum Oxide Pieces	Pricing >
Lanthanum Oxide Powder	Pricing >
Lanthanum Oxide Rotatable Sputtering Target	Pricing >
Lanthanum Oxide Shot	Pricing >
Lanthanum Oxide Sputtering Target	Pricing >
Lanthanum Oxide Tablets	Pricing >

Linear Formula	La ₂ O ₃
Pubchem CID	3280778
MDL Number	MFCD00011071
EC No.	215-200-5
IUPAC Name	lanthanum(3+); oxygen(2-)
Beilstein/Reaxys No.	N/A
SMILES	[O-2].[O-2].[O-2].[La+3].[La+3]
Inchl Identifier	InChI=1S/2La.3O/q2*+3;3*-2
Inchl Key	MRELNEQAGSRDBK-UHFFFAOYSA-N

Signal Word	Warning
Hazard Statements	H315-H319-H335
Hazard Codes	Xi
Risk Codes	R36/37/38
Safety Statements	S26-36
RTECS Number	OE5330000
Transport Information	N/A
WGK Germany	1

GHS Pictograms

GHS07
Exclamation
Point



[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 04/25/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #1312-81-8

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Information concerning particular hazards for human and environment:

N/A

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word

Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing

dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

1

0

0

Health (acute effects) = 1

Flammability = 0

Physical Hazard = 0

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

1312-81-8 Lanthanum(III) oxide

Identification number(s):

EC number: 215-200-5

SECTION 4. FIRST AID MEASURES

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation
Environmental precautions:
Do not allow material to be released to the environment without official permits.
Do not allow product to enter drains, sewage systems, or other water courses.
Do not allow material to penetrate the ground or soil.
Methods and materials for containment and cleanup:
Ensure adequate ventilation.
Prevention of secondary hazards:
No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information

SECTION 7. HANDLING AND STORAGE

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:
The product is not flammable
Conditions for safe storage, including any incompatibilities
Requirements to be met by storerooms and receptacles:
No special requirements.
Information about storage in one common storage facility:
Store away from water/moisture.
Store away from oxidizing agents.
Store away from mineral acids
Further information about storage conditions:
Store under dry inert gas.
This product is hygroscopic.
Keep container tightly sealed.
Store in cool, dry conditions in well-sealed containers.
Protect from humidity and water.
Specific end use(s)
No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical

systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands: Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

No data available

Eye protection: Safety glasses

Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder or solid in various forms

Color: White

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 2307 °C (4185 °F)

Boiling point/Boiling range: 4200 °C (7592 °F)
Sublimation temperature / start: No data available
Flammability (solid, gas): No data available.
Ignition temperature: No data available
Decomposition temperature: No data available
Autoignition: No data available.
Danger of explosion: No data available.
Explosion limits:
Lower: No data available
Upper: No data available
Vapor pressure: N/A

Density at 20 °C (68 °F): 6.51 g/cm³ (54.326 lbs/gal)
Relative density: No data available.
Vapor density: N/A
Evaporation rate: N/A
Solubility in / Miscibility with Water at 29 °C (84 °F):
0.004 g/l
Partition coefficient (n-octanol/water): No data available.
Viscosity:
Dynamic: N/A
Kinematic: N/A
Other information
No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity
No data available
Chemical stability
Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:
Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions
Reacts with strong oxidizing agents
Conditions to avoid
No data available
Incompatible materials:
Water/moisture
Oxidizing agents
Mineral acids
Hazardous decomposition products:
Metal oxide fume

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute

toxicity data for this substance.
LD/LC50 values that are relevant for classification:
Oral LD50 >8500 mg/kg (rat)
Skin irritation or corrosion: Causes skin irritation.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: May cause respiratory irritation.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known

SECTION 12. ECOLOGICAL INFORMATION

Toxicity
Aquatic toxicity: No data available
Persistence and degradability: No data available
Bioaccumulative potential: No data available
Mobility in soil: No data available
Additional ecological information:
Do not allow material to be released to the environment without official permits.
Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.
Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A
Other adverse effects
No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods
Recommendation
Consult official regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation:
Disposal must be made according to official

regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, ADN, IMDG, IATA

N/A

UN proper shipping name

DOT, ADN, IMDG, IATA

N/A

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Class

N/A

Packing group

DOT, IMDG, IATA

N/A

Environmental hazards:

N/A

Special precautions for user

N/A

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

N/A

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental

regulations/legislation specific for the substance or

mixture National regulations

All components of this product are listed in the U.S.

Environmental Protection Agency Toxic Substances

Control Act Chemical substance Inventory.

All components of this product are listed on the

Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:
For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.
Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use)
Substance is not listed.
REACH - Pre-registered substances
Substance is listed.
Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- Atomic layer deposition of lanthanum oxide with heteroleptic cyclopentadienyl-amidinate lanthanum precursor - Effect of the oxygen source on the film growth and properties. Sanni Seppälä, Jaakko Niinistö, Miika Mattinen, Kenichiro Mizohata, Markku Leskelä. Thin Solid Films, Volume 660, 30 August 2018, Pages 199-206.
- Catalytic graphitization of carbon/carbon composites by lanthanum

oxide. Can ZHANG, Guimin LU, Ze SUN, Jianguo YU. Journal of Rare Earths, Volume 30, Issue 2, February 2012, Pages 128-132.

- Characterization and bacterial toxicity of lanthanum oxide bulk and nanoparticles. Brabu Balusamy, Yamuna Gowri Kandhasamy, Anitha Senthamizhan, Gopalakrishnan Chandrasekaran, Tirukalikundram S Kumaravel. Journal of Rare Earths, Volume 30, Issue 12, December 2012, Pages 1298-1302.
- Ductility of Mo–12Si–8.5B alloys doped with lanthanum oxide by the liquid–liquid doping method. Wenhui Li, Guojun Zhang, Shixiong Wang, Bin Li, Jun Sun. Journal of Alloys and Compounds, Volume 642, 5 September 2015, Pages 34-39.
- Effect of Precursor Concentration on the Properties of Lanthanum Oxide Nanostructures. S. Karthikeyan, A. Dhayal Raj, A. Albert Irudayaraj, R. L. Josephine. Materials Today: Proceedings, Volume 2, Issue 9, Part A, 2015, Pages 4390-4394.
- Electrical characteristics of ALD La₂O₃ capping layers using different lanthanum precursors in MOS devices with ALD HfO₂, HfSiO_x, and HfSiON gate dielectrics. Donghwan Lim, Woo Suk Jung, Young Jin Kim, Changhwan Choi. Microelectronic Engineering, Volume 147, 1 November 2015, Pages 206-209.
- Electronic structure of lanthanum sesquioxide: A Compton scattering study. Sonu Sharma, Jagrati Sahariya, Gunjan Arora, B. L. Ahuja. Physica B: Condensed Matter, Volume 450, 1 October 2014, Pages 25-29.
- Fe- and Co-doped lanthanum oxides catalysts for ammonia decomposition: Structure and catalytic performances. Yanran XUN, Xinxin HE, Han YAN, Ziwang GAO, Chunjiang JIA. Journal of Rare Earths, Volume 35, Issue 1, January 2017, Pages 15-23.
- Fractional factorial design for the optimization of hydrothermal synthesis of lanthanum oxide nanoparticles under supercritical water condition. Sh. Jafari Nejad, H. Abolghasemi, M. A. Moosavian, A. Golzary, M. G. Maragheh. The Journal of Supercritical Fluids, Volume 52, Issue 3, April 2010, Pages 292-297.
- Lanthanum oxide nanoparticles immobilized reduced graphene oxide polymer brush nanohybrid for environmental vitiation of organic dyes. Navin Kumar Mogha, Saransh Gosain, Dhanraj T. Masram. Arabian Journal of Chemistry, In press, corrected proof, Available online 21 November 2017.
- Lanthanum oxides for the selective synthesis of phytosterol esters: Correlation between catalytic and acid–base properties. S. Valange, A. Beauchaud, J. Barrault, Z. Gabelica, F. Can. Journal of Catalysis, Volume 251, Issue 1, 1 October 2007, Pages 113-122.
- Rapid and efficient one-pot synthesis of octahydroquinazolinone derivatives using lanthanum oxide under solvent-free condition. A. Kuraitheerthakumaran, S. Pazhamalai, H. Manikandan, M. Gopalakrishnan. Journal of Saudi Chemical Society, Volume 18, Issue 6, December 2014, Pages 920-924.