

Boron Trifluoride Dihydrate		Pricing >
Linear Formula	BF ₃ • 2H ₂ O	
Pubchem CID	61591	
MDL Number	MFCD00149901	
EC No.	N/A	
IUPAC Name	trifluoroborane; dihydrate	
Beilstein/Reaxys No.	N/A	
SMILES	FB(F)F.O.O	
Inchl Identifier	InChI=1S/BF3.2H2O/c2-1(3)4;:/h;2*1H2	
Inchl Key	MJCYPBSRKLJZTB-UHFFFAOYSA-N	
Signal Word	Danger	
Hazard Statements	H302-H314-H330-H372	
Hazard Codes	T+,C	
Precautionary Statements	P260-P280-P301 + P312 + P330-P303 + P361 + P353-P304 + P340 + P310-P305 + P351 + P338	
Flash Point	Not applicable	
Risk Codes	14-26-35	
Safety Statements	9-26-28-36/37/39-45	
RTECS Number	ED2285000	
Transport Information	UN 2851 8 / PGII	
WGK Germany	3	

GHS Pictograms

[GHS05 Corrosive](#)



[GHS06 Skull and Crossbones](#)



[GHS07 Exclamation Point](#)



[GHS08 Health Hazard](#)



[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 03/28/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #13319-75-0

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
GHS Classification in accordance with 29 CFR 1910

(OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - repeated exposure,
Inhalation (Category 1), Kidney, H372

Acute aquatic toxicity (Category 3), H402

GHS Label elements, including precautionary
statements

Pictograms



Signal word Danger

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H372 Causes damage to organs (Kidney) through
prolonged or repeated exposure if inhaled.

H402 Harmful to aquatic life.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ Vapors/
spray. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this
product. P271 Use only outdoors or in a well-
ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye
protection/ face protection.

P301 + P312 + P330 IF SWALLOWED: Call a
POISON CENTER or doctor/ physician if you feel
unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth.
Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/
Take off immediately all contaminated clothing. Rinse
skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove victim to
fresh air and keep at rest in a position comfortable for
breathing. Immediately call a POISON CENTER or
doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse
cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue
rinsing. Immediately
call a POISON CENTER or doctor/ physician.

P314 Get medical advice/ attention if you feel unwell.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/ container to an approved
waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula: $\text{BF}_3 \cdot 2\text{H}_2\text{O}$

Molecular weight: 103.84 g/mol

CAS-No.: 13319-75-0

Hazardous components

Boron trifluoride dihydrate

Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; STOT RE 1;

Aquatic Acute 3; H302 + H332, H314, H318, H372,

H40290 - 100 %

SECTION 4. FIRST AID MEASURES

General advice

Move out of dangerous area. Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes

immediately. Wash off with soap and plenty of water.

Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Special hazards arising from the substance or mixture
Hydrogen fluoride, Borane/boron oxides
Advice for firefighters
Wear self-contained breathing apparatus for firefighting if necessary.
Further information
No data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation.
Evacuate personnel to safe areas.
For personal protection see section 8.
Environmental precautions
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods and materials for containment and cleaning up
Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
Reference to other sections
For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling
Avoid contact with skin and eyes. Avoid inhalation of Vapor or mist. For precautions see section 2

Conditions for safe storage, including any incompatibilities
Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive.
Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

Specific end use(s)
Apart from the uses mentioned in section 1 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters
Component: Boron trifluoride dihydrate
CAS-No.:13319-75-0

TWA 2.5 mg/m³ USA. Occupational Exposure Limits
(OSHA) - Table Z-1 Limits for Air
Contaminants
Remarks CAS number varies with compound

TWA 2.5 mg/m³ USA. Occupational Exposure Limits
(OSHA) - Table Z-2 Z37.28-1969

Exposure controls

Appropriate engineering controls
Handle in accordance with good industrial hygiene
and safety practice. Wash hands before breaks and at
the end of workday.

Personal protective equipment

Eye/face protection
Tightly fitting safety goggles. Faceshield (8-inch
minimum). Use equipment for eye protection tested
and approved under appropriate government
standards such as NIOSH (US) or EN 166(EU).

Skin protection
Handle with gloves. Gloves must be inspected prior to
use. Use proper glove removal technique (without
touching glove's outer surface) to avoid skin contact
with this product. Dispose of contaminated gloves
after use in accordance with applicable laws and good
laboratory practices. Wash and dry hands. If used in
solution, or mixed with other substances, and under
conditions which differ from EN 374, contact the
supplier of the CE approved gloves. This
recommendation is advisory only and must be
evaluated by an industrial hygienist and safety officer
familiar with the specific situation of anticipated use by
our customers. It should not be construed as offering
an approval for any specific use scenario.

Body Protection
Complete suit protecting against chemicals, The type
of protective equipment must be selected according to
the concentration and amount of the dangerous
substance at the specific workplace.

Respiratory protection
Where risk assessment shows air-purifying respirators

are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form: clear, liquid
Odor: No data available
Odor Threshold: No data available
pH: No data available
Melting point/freezing point: No data available
Initial boiling point and boiling range: No data available
Flash point N/A
Evaporation rate: No data available
Flammability (solid, gas) : No data available
Upper/lower flammability or explosive limits: No data available
Vapor pressure: 7 hPa (5 mmHg) at 20 °C (68 °F)
Vapor density: No data available
Relative density: 1.636 g/cm³ at 25 °C (77 °F)
Water solubility: completely miscible
Partition coefficient: n- octanol/water: N/A
Auto-ignition temperature: No data available
Decomposition temperature: No data available
Viscosity: 4.22 mm²/s at 20 °C (68 °F) - s)
Explosive properties: No data available
Oxidizing properties: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity
No data available

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions
No data available

Conditions to avoid

Avoid moisture.

Incompatible materials
Strong oxidizing agents

Hazardous decomposition products
Other decomposition products - No data available
In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity
LD50 Oral - Rat - 320 mg/kg

LC50 Inhalation - Rat - 4 h - 1.21 mg/l

Dermal: No data available

No data available

Skin corrosion/irritation
Skin - Rabbit
Result: Corrosive

Serious eye damage/eye irritation
Eyes - Rabbit
Result: Corrosive

Respiratory or skin sensitisation
No data available

Germ cell mutagenicity
No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity
No data available

No data available

Specific target organ toxicity - single exposure
No data available

Specific target organ toxicity - repeated exposure
Inhalation - Causes damage to organs through
prolonged or repeated exposure. - Kidney

Aspiration hazard
No data available

Additional Information
RTECS: ED2285000

Material is extremely destructive to tissue of the
mucous membranes and upper respiratory tract, eyes,
and skin., Cough, Shortness of breath, Headache,
Nausea

SECTION 12. ECOLOGICAL INFORMATION

Toxicity
Toxicity to fish: static test LC50 - *Leuciscus idus*
(Golden orfe) - 22 - 46 mg/l - 96 h (DIN 38412)
Toxicity to daphnia and other aquatic invertebrates:
static test EC50 - *Daphnia magna* (Water flea) - 21.3
mg/l - 48 h (ISO 6341)

Persistence and degradability
No data available

Bioaccumulative potential
No data available

Mobility in soil
No data available

Results of PBT and vPvB assessment
PBT/vPvB assessment not available as chemical
safety assessment not required/not conducted

Other adverse effects
An environmental hazard cannot be excluded in the
event of unprofessional handling or disposal. Harmful
to aquatic life.

Hazardous to the aquatic environment

SECTION 13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product

SECTION 14. EXPOSURE CONTROLS/PERSONAL PROTECTION

DOT (US)

UN number: 2851

Class: 8

Packing group: II P

proper shipping name: Boron trifluoride dihydrate

Reportable Quantity (RQ): Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 2851

Class: 8

Packing group: II

EMS-No: F-A, S-B

Proper shipping name: BORON TRIFLUORIDE
DIHYDRATE

Marine pollutant: No

IATA

UN number: 2851

Class: 8

Packing group: II

Proper shipping name: Boron trifluoride dihydrate

SECTION 15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (DeMinimis) reporting levels established

by SARA Title III, Section 313.

Massachusetts Right To Know Components
No components are subject to the Massachusetts
Right to Know Act.

Pennsylvania Right To Know Components
Boron trifluoride dihydrate
CAS-No.: 13319-75-0
Revision Date: 2007-03-01

New Jersey Right To Know Components
Boron trifluoride dihydrate
CAS-No.: 13319-75-0
Revision Date: 2007-03-01

This product does not contain any chemicals known to
State of California to cause cancer, birth defects, or
any other reproductive harm.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No.
1907/2006 (REACH). The above information is
believed to be correct but does not purport to be all
inclusive and shall be used only as a guide. The
information in this document is based on the present
state of our knowledge and is applicable to the
product with regard to appropriate safety precautions.
It does not represent any guarantee of the properties
of the product. American Elements shall not be held
liable for any damage resulting from handling or from
contact with the above product. See reverse side of
invoice or packing slip for additional terms and
conditions of sale. COPYRIGHT 1997-2022
AMERICAN ELEMENTS. LICENSED GRANTED TO
MAKE UNLIMITED PAPER COPIES FOR INTERNAL
USE ONLY.