

Platinum Chloride Solution	Pricing >
Platinum Tetrachloride	Pricing >
Platinum(IV) Chloride	Pricing >

		_			
Linear Formula	PtCl <sub>4</sub>				
Pubchem CID	26031				
MDL Number	MFCD00011182				
EC No.	236-645-1				
IUPAC Name	Tetrachloroplatinum				
Beilstein/Reaxys No.	N/A				
SMILES	CI[Pt](CI)(CI)CI				
Inchl Identifier	InChI=1S/4CIH.Pt/h4*1H;/q;;;;+4/p-4				
Inchl Key	FBEIPJNQGITEBL-UHFFFAOYSA-J				
Signal Word	Danger				
Hazard Statements	H260-H314-H318-H350				
Hazard Codes	N/A				
Precautionary Statements	P201-P202-P223-P231 + P232- P260-P264-P280-P281-P301 + P330 + P331-P303 + P361 + P353-P304 + P340 + P310-P305 + P351 + P338 + P310-P308 + P313-P335 + P334-P363-P370 + P378-P402 + P404-P405-P501				
Flash Point	Not applicable				
Risk Codes	N/A				
Safety Statements	N/A				
RTECS Number	N/A				
Transport Information	UN 2257 4.3 / PGI				
WGK Germany	1				



Create Printable PDF

### **SAFETY DATA SHEET**

**Date Accessed:** 05/16/2024 **Date Revised:** 01/15/2022

### **SECTION 1. IDENTIFICATION**

**Product Identifiers:** All applicable American Elements product codes for CAS #13454-96-1

### Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**GHS05 Corrosion** 

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Hazards not otherwise classified No data available GHS label elements, including precautionary statements



Hazard pictograms

GHS05 GHS06 GHS08

Signal word Danger

Hazard statements

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

Precautionary statements

P260 Do not breathe

dust/fume/gas/mist/vapors/spray.

P301+P310 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor

P303+P361+P353 If on skin (or hair): Take off

immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects

E - Corrosive material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

**HEALTH** 

**FIRE** 

**REACTIVITY** 

3

0

Health (acute effects) = 3

Flammability = 0

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

13454-96-1 Platinum(IV) chloride

Identification number(s): EC number: 236-645-1

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed:

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Hydrogen chloride (HCI)

Platinum oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow product to enter drains, sewage systems, or other water courses. Methods and materials for containment and cleanup:

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Prevent formation of dust.

Information about protection against explosions and

fires: The product is not flammable

Conditions for safe storage, including any

incompatibilities

Requirements to be met by storerooms and

receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from water/moisture.

Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from humidity and water.

Specific end use(s) No data available

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

13454-96-1 Platinum(IV) chloride (100.0%)

PEL (USA) Long-term value: 0.002 mg/m<sup>3</sup> as Pt

REL (USA) Long-term value: 0.002 mg/m<sup>3</sup> as Pt

TLV (USA) Long-term value: 0.002 mg/m<sup>3</sup> as Pt

EL (Canada) Long-term value: 0.002 mg/m<sup>3</sup> as Pt; S

EV (Canada) Long-term value: 0.002 mg/m<sup>3</sup>

as Pt

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working

environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying

respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480

Glove thickness 0.11 mm

Eye protection:

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance: Form: Crystalline

Color: Orange to brown

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 370 °C (698 °F) (dec) Boiling point/Boiling range: No data available Sublimation temperature / start: No data available

Flammability (solid, gas) No data available. Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

**Explosion limits:** 

Lower: No data available Upper: No data available Vapor pressure: N/A

Density at 20 °C (68 °F): 4.303 g/cm<sup>3</sup> (35.909 lbs/gal)

Relative density No data available.

Vapor density N/A

Evaporation rate N/A Solubility in / Miscibility with

Water at 25 °C (77 °F): 587 g/l

Partition coefficient (n-octanol/water): No data

available. Viscosity: Dynamic: N/A Kinematic: N/A

Other information No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No data available

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No data available

Incompatible materials:

Water/moisture

Oxidizing agents

Hazardous decomposition products:

Hydrogen chloride (HCI)

Platinum oxide

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

Toxic if swallowed.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 276 mg/kg (rat)

Skin irritation or corrosion: Causes severe skin burns.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity: No classification data on

carcinogenic properties of this material is available

from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.

Specific target organ system toxicity - repeated

exposure: No effects known.

Specific target organ system toxicity - single

exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this

substance is not fully known.

### **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Aquatic toxicity: No data available

Persistence and degradability No data available Bioaccumulative potential No data available

Mobility in soil No data available Additional ecological information:

Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.

Avoid transfer into the environment. Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

Other adverse effects No data available

# SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

### **SECTION 14. TRANSPORT INFORMATION**

UN-Number
DOT, IMDG, IATA UN2923
UN proper shipping name
DOT Corrosive solids, toxic, n.o.s. (Platinum(IV) chloride)
IMDG, IATA CORROSIVE SOLID, TOXIC, N.O.S. (Platinum(IV) chloride)

Transport hazard class(es)

DOT

Class 8 Corrosive substances.

Label 8+6.1

Class 8 (CT2) Corrosive substances

Label 8+6.1 IMDG, IATA

Class 8 Corrosive substances.

Label 8+6.1

Packing group

DOT, IMDG, IATA III

Environmental hazards: N/A

Special precautions for user Warning: Corrosive

substances

EMS Number: F-A,S-B

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A

Transport/Additional information:

DOT

Marine Pollutant (DOT): No

UN "Model Regulation": UN2923, Corrosive solids, toxic, n.o.s. (Platinum(IV) chloride), 8 (6.1), III

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental

regulations/legislation specific for the substance or mixture

GHS label elements, including precautionary statements

Hazard pictograms

**GHS05 GHS06 GHS08** 

Signal word Danger

Hazard statements

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

Precautionary statements

P260 Do not breathe

dust/fume/gas/mist/vapors/spray.

P301+P310 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor

P303+P361+P353 If on skin (or hair): Take off

immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international regulations. National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out

#### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.