

Nickel Carbonyl		Pricing >
Linear Formula	Ni(CO) ₄	
Pubchem CID	26039	
MDL Number	MFCD00016250	
EC No.	236-669-2	
IUPAC Name	carbon monoxide; nickel	
SMILES	[C-]#[O+].[C-]#[O+].[C-]#[O+].[C-]#[O+].[Ni]	
Inchl Identifier	InChI=1S/4CO.Ni/c4*1-2;	
Inchl Key	AWDHUGLHGCVIEG-UHFFFAOYSA-N	
Signal Word	Danger	
Hazard Statements	H224-H330-H351-H	1360
Hazard Code	s F, T+	
Precautionar Statements	y P210-P260-P280-P	2310+P310-P403+P235-P501
Risk Codes	N/A	
Safety Statements	N/A	
Transport Information	UN12596.1/PG I	
GHS Pictograms GHS06 Skull and Cros GHS08 Health Hazard		l and Crossbones

Create Printable PDF

SAFETY DATA SHEET

Date Accessed: 04/16/2024 Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #13463-39-3

Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture GHS02 Flame Flam. Liq. 1 H224 Extremely flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 1 H330 Fatal if inhaled. GHS08 Health hazard Carc. 2 H351 Suspected of causing cancer. Repr. 1B H360 May damage fertility or the unborn child. Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



GHS02 GHS06 GHS08 Signal word Danger Hazard-determining components of labeling: tEtracarbonylnickel Hazard statements H224 Extremely flammable liquid and vapor. H330 Fatal if inhaled. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P260 Do not breathe

dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P422 Store contents under inert gas. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 4Fire = 3Reactivity = 0HMIS-ratings (scale 0 - 4) Health = *4Fire = 3Reactivity = 0Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Substances CAS No. Description 13463-39-3 Tetracarbonylnickel Identification number(s) Index number: 028-001-00-1

SECTION 4. FIRST AID MEASURES

Description of first aid measures General information: Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation: Supply fresh air or oxygen; call for doctor. In case of unconsciousness place patient stably in side position for transportation. After skin contact: Immediately wash with water and soap and rinse thoroughly. After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: If symptoms persist consult doctor. Information for doctor: Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment: Mouth respiratory protective device.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Only handle and refill product in closed systems. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Do not gas tight seal receptacle. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Specific end use(s) No further relevant information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see item 7. **Control parameters** Components with limit values that require monitoring at the workplace: 13463-39-3 tetracarbonylnickel PEL Long-term value: 0.007 mg/m³, 0.001 ppm REL Long-term value: 0.007 mg/m³, 0.001 ppm See Pocket Guide App. A TLV Ceiling limit value: 0.12 mg/m³, 0.05 ppm as Ni Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Store protective clothing separately. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties **General Information** Appearance: Form: Liquid Color: Colorless Odor: Acrid Odor threshold: Not determined. pH-value: Not determined. Change in condition Melting point/Melting range: -19.3 °C (-3 °F) Boiling point/Boiling range: 43 °C (109 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 60 °C (140 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Danger of explosion: Not determined. Explosion limits:

Lower: 2 Vol % Upper: 34 Vol % Vapor pressure at 20 °C (68 °F): 480mm (30 hPa (360mm (23 mm Hg) Density at 20 °C (68 °F): 1.32 g/cm³ (11.015 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 0.18 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 0.0 % VOC content: 0.0 g/l / 0.00 lb/gl Other information No further relevant information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: Inhalative LC50/4 h 67 mg/l (mouse) Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) 13463-39-3 tetracarbonylnickel 1 NTP (National Toxicology Program) 13463-39-3 tetracarbonylnickel K OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Behavior in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Not known to be hazardous to water. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number DOT, IMDG, IATA UN1259 UN proper shipping name DOT, IATA Nickel carbonyl IMDG NICKEL CARBONYL, MARINE POLLUTANT Transport hazard class(es) DOT Class 6.1 Toxic substances Label 6.1, 3 IMDG Class 6.1 Toxic substances Label 6.1/3 ΙΑΤΑ Class 6.1 Toxic substances Label 6.1 (3) Packing group DOT, IMDG, IATA I Environmental hazards: Marine pollutant: Yes Symbol (fish and tree) Special precautions for user Not applicable. Poison inhalation hazard: Yes Danger code (Kemler): 663 EMS Number: F-E,S-D Stowage Category D Stowage Code SW2 Clear of living quarters. Segregation Code SG63 Stow "separated longitudinally by an intervening complete compartment or hold from" Class 1. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden Hazardous substance: 10 lbs, 4.54 kg IMDG Limited quantities (LQ) 0 Excepted quantities (EQ) Code: E5 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 300 ml UN "Model Regulation": UN 1259 NICKEL CARBONYL, 6.1 (3), I

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara Section 355 (extremely hazardous substances): Substance is listed. Section 313 (Specific toxic chemical listings): Substance is listed. TSCA (Toxic Substances Control Act): Substance is listed. **Proposition 65** Chemicals known to cause cancer: Substance is listed. Chemicals known to cause reproductive toxicity for females: Substance is not listed.

Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is listed. Carcinogenic categories EPA (Environmental Protection Agency) 13463-39-3 tetracarbonylnickel B2 TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS06 GHS08 Signal word Danger Hazard-determining components of labeling: tetracarbonylnickel Hazard statements H224 Extremely flammable liquid and vapor. H330 Fatal if inhaled. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P422 Store contents under inert gas. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.