

<a href="#">Copper Hydride</a>	<a href="#">Pricing &gt;</a>
<a href="#">Copper Hydride Solution</a>	<a href="#">Pricing &gt;</a>
<b>Linear Formula</b>	CuH
<b>Pubchem CID</b>	3335333
<b>MDL Number</b>	MFCD16621396
<b>EC No.</b>	803-023-1
<b>IUPAC Name</b>	copper monohydride
<b>Beilstein/Reaxys No.</b>	N/A
<b>SMILES</b>	[CuH]
<b>Inchl Identifier</b>	InChI=1S/Cu.H
<b>Inchl Key</b>	JJFLDSOAQUJVBF-UHFFFAOYSA-N
<b>Signal Word</b>	N/A
<b>Hazard Statements</b>	N/A
<b>Hazard Codes</b>	N/A
<b>Risk Codes</b>	N/A
<b>Safety Statements</b>	N/A
<b>Transport Information</b>	N/A

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 04/16/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #13517-00-5

**Relevant identified uses of the substance:**  
Scientific research and development

### SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture  
GHS Classification in accordance with 29 CFR 1910

(OSHA HCS)

Flammable liquids (Category 2), H225

Skin irritation (Category 2), H315

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - single exposure

(Category 3), Central nervous system, H336

Specific target organ toxicity - repeated exposure

(Category 2), Central nervous system,

H373

Aspiration hazard (Category 1), H304

Short-term (acute) aquatic hazard (Category 2), H401

Long-term (chronic) aquatic hazard (Category 3),

H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.  
P501 Dispose of contents/ container to an approved waste disposal plant.  
Sensitising components:  
Triphenylphosphine  
May produce an allergic reaction.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Mixtures  
Component  
Copper Hydride  
CAS-No. 13517-00-5  
Molecular weight : 64.55 g/mol  
Component  
Toluene  
CAS-No.  
108-88-3  
Classification  
Flam. Liq. 2; Skin Irrit. 2;  
Repr. 2; STOT SE 3; STOT  
RE 2; Asp. Tox. 1; Aquatic  
Acute 2; Aquatic Chronic  
3; H225, H315, H361,

H336, H373, H304, H401,  
H412  
Concentration limits:  
20 %: STOT SE 3, H336;

---

## **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

Special hazards arising from the substance or mixture

Carbon oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Reference to other sections

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C

Handle and store under inert gas. Air and moisture sensitive.

Storage class (TRGS 510): 3: Flammable liquids

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387)

respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odour No data available  
c) Odour Threshold No data available  
d) pH No data available  
e) Melting point/freezing point No data available  
f) Initial boiling point and boiling range No data available  
g) Flash point 6 °C (43 °F)  
h) Evaporation rate No data available  
i) Flammability (solid, gas) No data available  
j) Upper/lower flammability or explosive limits No data available  
k) Vapour pressure No data available  
l) Vapour density No data available  
m) Relative density 0.906 g/cm<sup>3</sup>  
n) Water solubility No data available  
o) Partition coefficient: n-octanol/water No data available  
p) Auto-ignition temperature No data available  
q) Decomposition temperature No data available  
r) Viscosity No data available  
s) Explosive properties No data available  
t) Oxidizing properties No data available  
Other safety information  
No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Avoid moisture.

Heat, flames and sparks.

Incompatible materials

Strong bases, Water, Strong oxidizing agents, Strong acids

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Acute toxicity

No data available

Dermal: No data available  
No data available  
Skin corrosion/irritation  
No data available  
Serious eye damage/eye irritation  
No data available  
Respiratory or skin sensitisation  
No data available  
Germ cell mutagenicity  
No data available  
Carcinogenicity  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.  
Reproductive toxicity  
No data available  
Specific target organ toxicity - single exposure  
No data available  
Specific target organ toxicity - repeated exposure  
No data available  
Aspiration hazard  
No data available  
Additional Information  
RTECS: Not available  
Lung irritation, chest pain, pulmonary edema, Inhalation studies on toluene have demonstrated the development of inflammatory and ulcerous lesions of the penis, prepuce, and scrotum in animals., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.  
Stomach - Irregularities - Based on Human Evidence

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
No data available  
Persistence and degradability  
No data available  
Bioaccumulative potential  
No data available  
Mobility in soil  
No data available  
Results of PBT and vPvB assessment



PBT/vPvB assessment not available as chemical safety assessment not required/not conducted  
Other adverse effects  
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Product  
Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.  
Contaminated packaging  
Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)  
UN number: 1294 Class: 3 Packing group: II  
Proper shipping name: TolueneSOLUTION  
Reportable Quantity (RQ): 1408 lbs  
Poison Inhalation Hazard: No  
IMDG  
UN number: 1294 Class: 3 Packing group: II EMS-No: F-E, S-D  
Proper shipping name: TOLUENESOLUTION  
IATA  
UN number: 1294 Class: 3 Packing group: II  
Proper shipping name: TolueneSOLUTION

---

## **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components  
No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.  
SARA 313 Components  
The following components are subject to reporting levels established by SARA Title III, Section 313:

Toluene  
CAS-No.  
108-88-3  
Revision Date  
2007-07-01  
SARA 311/312 Hazards  
Fire Hazard, Acute Health Hazard, Chronic Health  
Hazard  
Massachusetts Right To Know Components  
No components are subject to the Massachusetts  
Right to Know Act.

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---