



[Zirconium\(IV\) Oxychloride  
Octahydrate](#)

[Pricing >](#)

<b>Linear Formula</b>	ZrOCl <sub>2</sub> · 8H <sub>2</sub> O
<b>Pubchem CID</b>	21889134
<b>MDL Number</b>	MFCD00149898
<b>EC No.</b>	231-717-9
<b>IUPAC Name</b>	dichloro(oxo) zirconium; octahydrate
<b>Beilstein/Reaxys No.</b>	N/A
<b>SMILES</b>	O.O.O.O.O.O.O .O.Cl[Zr](Cl)=O
<b>Inchl Identifier</b>	InChI=1S/2Cl H.8H2O.O.Zr/h 2*1H;8*1H2;;/ q;.....+2/p-2
<b>Inchl Key</b>	IZYKRMGFEBSSO-UHFFFAOYSA-L
<b>Signal Word</b>	Danger
<b>Hazard Statements</b>	H314-H318-H302
<b>Hazard Codes</b>	C
<b>Precautionary Statements</b>	P260-P280-P303+P361+P353-P305+P351+P338-P301+P330+P331-P304+P340-P310-P301+P312-P405-P501a
<b>Flash Point</b>	Not applicable
<b>Risk Codes</b>	14-22-34
<b>Safety Statements</b>	26-36/37/39-45
<b>RTECS Number</b>	ZH7175000
<b>Transport Information</b>	UN3260 8/PG III
<b>WGK Germany</b>	3
<b>GHS Pictograms</b>	<a href="#">GHS05 Corrosive</a>  <a href="#">GHS07 Exclamation Point</a> 

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 05/20/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #13520-92-8

**Relevant identified uses of the substance:**  
Scientific research and development

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.

Xn; Harmful

R22: Harmful if swallowed.

Information concerning particular hazards for human and environment:

N/A

Hazards not otherwise classified

No data available.

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07

Signal word: Danger

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe

dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects

E - Corrosive material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)  
Health (acute effects) = 3  
Flammability = 0  
Physical Hazard = 1  
Other hazards  
Results of PBT and vPvB assessment:  
PBT: N/A.  
vPvB: N/A.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances  
CAS No. / Substance Name:  
13520-92-8 Zirconium dichloride oxide octahydrate  
Identification number(s):  
EC number: 231-717-9

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures  
General information  
Immediately remove any clothing soiled by the product.  
If inhaled:  
Supply fresh air. If not breathing, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.  
In case of skin contact:  
Immediately wash with soap and water; rinse thoroughly.  
Seek immediate medical advice.  
In case of eye contact:  
Rinse opened eye for several minutes under running water. Consult a physician.  
If swallowed:  
Seek medical treatment.  
Information for doctor  
Most important symptoms and effects, both acute and delayed  
Causes severe skin burns.  
Causes serious eye damage.  
Indication of any immediate medical attention and special treatment needed  
No information available.

---

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media  
Suitable extinguishing media

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.  
Special hazards arising from the substance or mixture  
If this product is involved in a fire, the following can be released:  
Hydrogen chloride (HCl)  
Metal oxide fume  
Advice for firefighters  
Protective equipment:  
Wear self-contained respirator.  
Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Environmental precautions:  
Do not allow product to reach sewage system or any water course.  
Do not allow to penetrate the ground/soil.  
Methods and material for containment and cleanup:  
Use neutralizing agent.  
Dispose of contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Prevention of secondary hazards:  
No special measures required.  
Reference to other sections  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling  
Precautions for safe handling  
Handle under dry protective gas.  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure adequate ventilation.  
Information about protection against explosions and fires:  
The product is not flammable  
Conditions for safe storage, including any incompatibilities  
Storage

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from water/moisture.

Store away from strong bases.

Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from humidity and water.

Specific end use(s)

No information available.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

13520-92-8 Zirconium dichloride oxide octahydrate (100.0%)

PEL (USA) Long-term value: 5 mg/m<sup>3</sup> as Zr

TLV (USA) Short-term value: 10 mg/m<sup>3</sup>

Long-term value: 5 mg/m<sup>3</sup> as Zr

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical general protective and industrial hygiene measures for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands: Impervious gloves  
Inspect gloves prior to use.  
Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.  
Material of gloves  
Nitrile rubber, NBR  
Penetration time of glove material (in minutes)  
No data available.  
Eye protection:  
Tightly sealed goggles  
Full face protection  
Body protection:  
Protective work clothing.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:  
Form: Liquid  
Color: No data available.  
Odor: Acidic  
Odor threshold: No data available.  
pH: N/A.  
Melting point/range: 150 °C (302 °F) (dec)  
Boiling point/range: No data available.  
Sublimation temperature / start: No data available.  
Flammability (solid, gas): No data available.  
Ignition temperature: No data available.  
Decomposition temperature: No data available.  
Auto igniting: No data available.  
Danger of explosion: No data available.  
Explosion limits:  
Lower: No data available.  
Upper: No data available.  
Vapor pressure: N/A.  
Density at 20 °C (68 °F): 1.91 g/cm<sup>3</sup> (15.939 lbs/gal)  
Relative density: No data available.  
Vapor density: N/A.  
Evaporation rate: N/A.  
Solubility in Water (H<sub>2</sub>O): Soluble  
Partition coefficient (n-octanol/water): No data available.  
Viscosity:  
Dynamic: N/A.  
Kinematic: N/A.  
Other information  
No further relevant information available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents

Conditions to avoid

No information available.

Incompatible materials:

Water/moisture

Bases

Oxidizing agents

Hazardous decomposition products:

Hydrogen chloride (HCl)

Metal oxide fume

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

Harmful if swallowed.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 990 mg/kg (rat)

Skin irritation or corrosion:

Causes severe skin burns.

Eye irritation or corrosion:

Causes serious eye damage.

Sensitization:

No sensitizing effects known.

Germ cell mutagenicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

ACGIH A4: Not classifiable as a human carcinogen:

Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance

---

## SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No information available.

Persistence and degradability:

No information available.

Bioaccumulative potential:

No information available.

Mobility in soil:

No information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment:

PBT: N/A.

vPvB: N/A.

Other adverse effects

No information available.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

Recommended cleansing agent:

Water, if necessary with cleansing agents.

---

## SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA

UN3260

UN proper shipping name

DOT

Corrosive solid, acidic, inorganic, n.o.s. (Zirconium dichloride oxide octahydrate)

IMDG, IATA

CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.  
(Zirconium dichloride oxideoctahydrate)

Transport hazard class(es)

DOT



Class  
8 Corrosive substances.  
Label  
8  
Class  
8 (C2) Corrosive substances  
Label  
8  
IMDG, IATA  
Class  
8 Corrosive substances.  
Label  
8  
Packing group  
DOT, IMDG, IATA  
II  
Environmental hazards:  
N/A.  
Special precautions for user  
Warning: Corrosive substances  
EMS Number:  
F-A,S-B  
Segregation groups  
Acids  
Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code  
N/A.  
Transport/Additional information:  
DOT  
Marine Pollutant (DOT):  
No  
UN "Model Regulation":  
UN3260, Corrosive solid, acidic, inorganic, n.o.s.  
(Zirconium dichloride oxide octahydrate), 8, II

---

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental  
regulations/legislation specific for the substance or  
mixture  
National regulations  
All components of this product are listed in the U.S.  
Environmental Protection Agency Toxic Substances  
Control Act Chemical substance Inventory.  
All components of this product are listed on the  
Canadian Domestic Substances List (DSL).  
SARA Section 313 (specific toxic chemical listings)  
Substance is not listed.  
California Proposition 65  
Prop 65 - Chemicals known to cause cancer  
Substance is not listed.  
Prop 65 - Developmental toxicity

Substance is not listed.  
Prop 65 - Developmental toxicity, female  
Substance is not listed.  
Prop 65 - Developmental toxicity, male  
Substance is not listed.  
Information about limitation of use:  
For use only by technically qualified individuals.  
Other regulations, limitations and prohibitive regulations  
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.  
Substance is not listed.  
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.  
Substance is not listed.  
Annex XIV of the REACH Regulations (requiring Authorisation for use)  
Substance is not listed.  
REACH - Pre-registered substances  
Substance is listed.  
Chemical safety assessment:  
A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---