


<a href="#">Titanium(IV) Sulfate</a>	<a href="#">Pricing &gt;</a>
<a href="#">Titanium(IV) Sulfate Solution</a>	<a href="#">Pricing &gt;</a>
<b>Linear Formula</b>	Ti(SO <sub>4</sub> ) <sub>2</sub>
<b>Pubchem CID</b>	26188
<b>MDL Number</b>	N/A
<b>EC No.</b>	237-215-6
<b>IUPAC Name</b>	titanium(4+); disulfate
<b>Beilstein/Reaxys No.</b>	N/A
<b>SMILES</b>	[O-]S(=O)(=O)[O-].[O-]S(=O)(=O)[O-].[Ti+4]
<b>Inchl Identifier</b>	InChI=1S/2H2O4S.Ti/c2*1-5(2,3)4;/h2*(H2,1,2,3,4);/q;+4/p-4
<b>Inchl Key</b>	HDUMBHAAKGUHAR-UHFFFAOYSA-J
<b>Signal Word</b>	Danger
<b>Hazard Statements</b>	H314
<b>Hazard Codes</b>	C
<b>Risk Codes</b>	35
<b>Safety Statements</b>	26-30-45
<b>RTECS Number</b>	N/A
<b>Transport Information</b>	UN 1830 8/PG 2
<b>WGK Germany</b>	3
<b>GHS Pictograms</b>	<b><u>GHS05</u></b> <b><u>Corrosive</u></b> 

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 09/21/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #13693-11-3

**Relevant identified uses of the substance:**  
Scientific research and development

---

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1

H318 Causes serious eye damage.

Hazards not otherwise classified

No data available.

GHS label elements

The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS05

Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260

Do not breathe dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects

E - Corrosive material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 3

Flammability = 0

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment:

PBT:

N/A.

vPvB:  
N/A.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical characterization: Mixtures

Dangerous components:

7664-93-9 Sulfuric acid

Skin Corr. 1A, H314

Additional information

None known.

Non-Hazardous Ingredients

27960-69-6 Titanium(IV) sulfate

7732-18-5 Water

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

If inhaled:

Supply fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed

No information available.

---

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture  
If this product is involved in a fire, the following can be released:

Sulfur oxides (SO<sub>x</sub>)

Titanium oxides

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Methods and material for containment and cleanup:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure adequate ventilation.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from strong bases.

Store away from oxidizing agents.

Store away from reducing agents.

Store away from metal powders.

Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No information available.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7664-93-9 Sulfuric acid

PEL (USA)

Long-term value: 1 mg/m<sup>3</sup>

REL (USA)

Long-term value: 1 mg/m<sup>3</sup>

TLV (USA)

Long-term value: 0.2\* mg/m<sup>3</sup>

\*as thoracic fraction

EL (Canada) Long-term value: 0.2 mg/m<sup>3</sup>

ACGIH A2; IARC 1

EV (Canada) Long-term value: 0.2 mg/m<sup>3</sup>

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical general protective and industrial hygiene measures for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Penetration time of glove material (in minutes)

No data available.

Eye protection:

Tightly sealed goggles

Full face protection

Body protection:

Protective work clothing.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form: Liquid

Odor: No data available.

Odor threshold: No data available.

pH: No data available.

Melting point/range: No data available.

Boiling point/range: No data available.

Sublimation temperature / start: No data available.

Flammability (solid, gas):

No data available.

Ignition temperature: No data available.

Decomposition temperature: No data available.

Auto igniting: Product is not selfigniting.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available.

Upper: No data available.

Density: No data available.

Relative density

No data available.

Vapor density

No data available.

Evaporation rate

No data available.

Solubility in Water (H<sub>2</sub>O): Fully miscible

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: No data available.  
Kinematic: No data available.  
Other information  
No further relevant information available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents

Water reacts violently with alkali metals.

Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

Conditions to avoid

No information available.

Incompatible materials:

Bases

Oxidizing agents

Reducing agents

Metal powders

Hazardous decomposition products:

Sulfur oxides (SO<sub>x</sub>)

Titanium oxides

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Acute toxicity:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:

No data

Skin irritation or corrosion:

Causes severe skin burns.

Eye irritation or corrosion:

Causes serious eye damage.

Sensitization:

No sensitizing effects known.

Germ cell mutagenicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.

Specific target organ system toxicity - repeated exposure:

N/A

Specific target organ system toxicity - single exposure:

N/A

Aspiration hazard:

N/A

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

The product shows the following dangers according to internally approved calculation

methods for preparations:

Corrosive

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Aquatic toxicity:

No information available.

Persistence and degradability:

No information available.

Bioaccumulative potential:

No information available.

Mobility in soil:

No information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without official permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment:

PBT:

N/A.

vPvB:



N/A.  
Other adverse effects  
No information available.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Recommendation:  
Consult state, local or national regulations to ensure  
proper disposal.  
Uncleaned packagings:  
Recommendation:  
Disposal must be made according to official  
regulations.  
Recommended cleansing agent:  
Water, if necessary with cleansing agents.

---

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number  
DOT, IMDG, IATA  
UN3264  
UN proper shipping name  
DOT  
Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid)  
IMDG, IATA  
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(SULPHURIC ACID)  
Transport hazard class(es)  
DOT  
Class  
8 Corrosive substances.  
Label  
8  
Class  
8 (C1) Corrosive substances  
Label  
8  
IMDG, IATA  
Class  
8 Corrosive substances.  
Label  
8  
Packing group  
DOT, IMDG, IATA  
II  
Environmental hazards:  
Marine pollutant (IMDG):  
No  
Special precautions for user

Warning: Corrosive substances  
EMS Number: F-A,S-B  
Segregation groups  
Acids  
Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code  
N/A.  
Transport/Additional information:  
DOT  
Marine Pollutant (DOT):  
No  
UN "Model Regulation":  
UN3264, Corrosive liquid, acidic, inorganic, n.o.s.  
(Sulfuric acid), 8, III

---

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental  
regulations/legislation specific for the substance or  
mixture  
GHS label elements  
The product is classified and labeled in accordance  
with 29 CFR 1910 (OSHA HCS)  
Hazard pictograms  
GHS05  
Signal word  
Danger  
Hazard statements  
H314 Causes severe skin burns and eye damage.  
Precautionary statements  
P260  
Do not breathe dust/fume/gas/mist/vapors/spray.  
P303+P361+P353 If on skin (or hair): Take off  
immediately all contaminated clothing. Rinse skin with  
water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with  
water for several minutes. Remove contact lenses, if  
present and easy to do. Continue rinsing.  
P301+P330+P331 IF SWALLOWED: rinse mouth. Do  
NOT induce vomiting.  
P405  
Store locked up.  
P501  
Dispose of contents/container in accordance with  
local/regional/national/international regulations.  
National regulations  
All components of this product are listed in the U.S.  
Environmental Protection Agency Toxic Substances  
Control Act Chemical substance Inventory.  
The components of this product are listed on the  
Canadian Domestic Substances List (DSL) and/or the  
Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)  
7664-93-9 Sulfuric acid  
California Proposition 65 Prop 65 - Chemicals known  
to cause cancer  
None of the ingredients are listed.  
Prop 65 - Developmental toxicity  
None of the ingredients are listed.  
Prop 65 - Developmental toxicity, female  
None of the ingredients are listed.  
Prop 65 - Developmental toxicity, male  
None of the ingredients are listed.  
Information about limitation of use:  
For use only by technically qualified individuals.  
Other regulations, limitations and prohibitive  
regulations  
Substance of Very High Concern (SVHC) according to  
the REACH Regulations (EC) No. 1907/2006.  
None of the ingredients are listed.  
The conditions of restrictions according to Article 67  
and Annex XVII of the Regulation (EC) No 1907/2006  
(REACH) for the manufacturing, placing on the market  
and use must be observed.  
None of the ingredients is listed.  
Annex XIV of the REACH Regulations (requiring  
Authorisation for use)  
None of the ingredients is listed.  
Chemical safety assessment:  
A Chemical Safety Assessment has not been carried  
out.

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No.  
1907/2006 (REACH). The above information is  
believed to be correct but does not purport to be all  
inclusive and shall be used only as a guide. The  
information in this document is based on the present  
state of our knowledge and is applicable to the  
product with regard to appropriate safety precautions.  
It does not represent any guarantee of the properties  
of the product. American Elements shall not be held  
liable for any damage resulting from handling or from  
contact with the above product. See reverse side of  
invoice or packing slip for additional terms and  
conditions of sale. COPYRIGHT 1997-2022  
AMERICAN ELEMENTS. LICENSED GRANTED TO  
MAKE UNLIMITED PAPER COPIES FOR INTERNAL  
USE ONLY.