


Europium doped Lanthanum Fluoride Single Crystal	Pricing >
Lanthanum Fluoride	Pricing >
Lanthanum Fluoride Granules	Pricing >
Lanthanum Fluoride Pieces	Pricing >
Lanthanum Fluoride Sputtering Target	Pricing >
Lanthanum Trifluoride Nanoparticles	Pricing >

Linear Formula	LaF ₃ :Eu
Pubchem CID	83675
MDL Number	MFCD00011073
EC No.	237-252-8
IUPAC Name	Trifluorolanthanum
Beilstein/Reaxys No.	N/A
SMILES	F[La](F)F
Inchl Identifier	InChI=1S/3FH.La/h3*1H;/q;;;+3/p-3
Inchl Key	BYMUNNMMXKDFEZ-UHFFFAOYSA-K
Signal Word	Warning
Hazard Statements	H315-H319-H335
Hazard Codes	Xi
Precautionary Statements	P261-P280-P305+P351+P338-P304+P340-P405-P501
Risk Codes	N/A
Safety Statements	22-24/25
RTECS Number	N/A
Transport Information	NONH for all modes of transport
WGK Germany	3
GHS Pictograms	GHS07 Exclamation Point 

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 04/24/2024

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #13709-38-1

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS07
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.
Hazards not otherwise classified No data available
GHS label elements, including precautionary statements
Hazard pictograms



GHS07
Signal word Warning
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P261 Avoid breathing
dust/fume/gas/mist/vapors/spray.
P280 Wear protective gloves/protective clothing/eye
protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with
water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air

and keep comfortable for breathing.
P405 Store locked up.
P501 Dispose of contents/container in accordance
with local/regional/national/international regulations.
WHMIS classification
D2B - Toxic material causing other toxic effects
Classification system
HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)
Health (acute effects) = 1
Flammability = 0
Physical Hazard = 1
Other hazards
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances
CAS No. / Substance Name:
13709-38-1 Lanthanum(III) fluoride
Identification number(s):
EC number: 237-252-8

SECTION 4. FIRST AID MEASURES

Description of first aid measures
If inhaled:
Supply patient with fresh air. If not breathing, provide
artificial respiration. Keep patient warm.
Seek immediate medical advice.
In case of skin contact:
Immediately wash with soap and water; rinse
thoroughly.
Seek immediate medical advice.
In case of eye contact:
Rinse opened eye for several minutes under running
water. Consult a physician.
If swallowed:
Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and
delayed:
No data available
Indication of any immediate medical attention and
special treatment needed:
No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Hydrogen fluoride (HF)

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without official permits.

Methods and materials for containment and cleanup:

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:
Store away from oxidizing agents.
Store away from water/moisture.
Further information about storage conditions:
This product is hygroscopic.
Store under dry inert gas.
Keep container tightly sealed.
Store in cool, dry conditions in well-sealed containers.
Protect from humidity and water.
Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Control parameters
Components with limit values that require monitoring at the workplace:
13709-38-1 Lanthanum(III) fluoride (100.0%)
PEL (USA) Long-term value: 2.5 mg/m³
as F
REL (USA) Long-term value: 2.5 mg/m³
as F
TLV (USA) Long-term value: 2.5 mg/m³
as F, BEI
EL (Canada) Long-term value: 2.5 mg/m³
as F
Ingredients with biological limit values:
13709-38-1 Lanthanum(III) fluoride (100.0%)
BEI (USA) 2 mg/L
Medium: urine
Time: prior to shift
Parameter: Fluoride (background, nonspecific)
3 mg/L
Medium: urine
Time: end of shift
Parameter: Fluoride (background, nonspecific)
Additional information: No data
Exposure controls
Personal protective equipment
Follow typical protective and hygienic practices for handling chemicals.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) No data available

Eye protection: Safety glasses

Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Solid in various forms (powder/flakes/crystalline etc.)

Color: White

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 1493°C (2719° °F)

Boiling point/Boiling range: 2330 °C (4226 °F)

Sublimation temperature / start: No data available

Flammability (solid, gas) No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 5.936 g/cm³ (49.536 lbs/gal)

Relative density No data available.

Vapor density N/A

Evaporation rate N/A

Solubility in / Miscibility with

Water: No data available

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No data available

Incompatible materials:

Water/moisture

Oxidizing agents

Hazardous decomposition products:

Hydrogen fluoride

Metal oxide fume

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye irritation.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

ACGIH A4: Not classifiable as a human carcinogen:

Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

Additional ecological information:
Do not allow material to be released to the environment without official permits.
Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.
Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A
Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods
Recommendation Consult official regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number
DOT, ADN, IMDG, IATA N/A
UN proper shipping name
DOT, ADN, IMDG, IATA N/A
Transport hazard class(es)
DOT, ADR, ADN, IMDG, IATA
Class N/A
Packing group
DOT, IMDG, IATA N/A
Environmental hazards: N/A
Special precautions for user N/A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A
Transport/Additional information:
DOT
Marine Pollutant (DOT): No
UN "Model Regulation": -

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS label elements, including precautionary statements

Hazard pictograms

GHS07

Signal word Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing

dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- A probe into compositional and structural dependence of optical properties of lanthanum fluoride films prepared by resistive heating. Pritty Rao, Sanjiv Kumar, R. B. Tokas, N. K. Sahoo. Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms, Volume 342, 1 January 2015, Pages 108-115.
- Creation of surface nanostructures in lanthanum fluoride single crystals by irradiation with slow highly charged ions. A. S. El-Said, R. A. Wilhelm, R. Heller, S. Facsko. Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms, In press, corrected proof, Available online 16 January 2019.
- Facile synthesis of flowered mesoporous graphene oxide-lanthanum fluoride nanocomposite for adsorptive removal of arsenic. Lakshmi Prasanna Lingamdinne, Janardhan Reddy Koduru, Yoon-Young Chang, Seon-Hong Kang, Jae-Kyu Yang. Journal of Molecular Liquids, Volume 279, 1 April 2019, Pages 32-42.
- Influence of nanometer lanthanum fluoride on friction and wear behaviors of bonded molybdenum disulfide solid lubricating films. Yin-Ping Ye, Jian-Min Chen, Hui-Di Zhou. Surface and Coatings Technology, Volume 203, Issue 9, 25 January 2009, Pages 1121-1126.
- Morphology dependent luminescence properties of rare-earth doped lanthanum fluoride hierarchical microstructures. Simanta Kundu, Arik Kar, Amitava Patra. Journal of Luminescence, Volume 132, Issue 6, June 2012, Pages 1400-1406.
- Sm²⁺ Spectra in Lanthanum Fluoride. E. A. Radzhabov, V. A. Kozlovsky. Physics Procedia, Volume 76, 2015, Pages 47-52.

- Synthesis, luminescence and scintillation of rare earth doped lanthanum fluoride nanoparticles. L. G. Jacobsohn, K. B. Sprinkle, C. J. Kucera, T. L. James, J. Ballato. Optical Materials, Volume 33, Issue 2, December 2010, Pages 136-140.
- Optimum hydrophilic modification of lanthanum trifluoride nanoparticles and their application in enhancing tribological properties of eco-friendly water-based bonded solid lubricating coatings. Bin Li, Xiaofang Jiang, Hongqi Wan, Lei Chen, Jianmin Chen. Tribology International, Volume 125, September 2018, Pages 1-11.
- Preparation of lanthanum trifluoride nanoparticles surface-capped by tributyl phosphate and evaluation of their tribological properties as lubricant additive in liquid paraffin. Zhiwei Li, Xiao Hou, Laigui Yu, Zhijun Zhang, Pingyu Zhang. Applied Surface Science, Volume 292, 15 February 2014, Pages 971-977.