

Lanthanum Vanadium Oxide Sputtering Target		Pricing >
Linear Formula	LaVO ₃	
MDL Number	N/A	
EC No.	N/A	
Signal Word	Danger	
Hazard Statements	H302-H319-H331-H335	
Hazard Codes	Xn, Xi	
Precautionary Statements	P261-P280-P305+P351+P338-P321-P405-P501	
Risk Codes	N/A	
Safety Statements	N/A	
Transport Information	UN 3285 6.1/PG III	
GHS Pictograms	GHS06 Skull and Crossbones  GHS07 Exclamation Point 	

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 04/27/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #13939-40-7

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
GHS06 Skull and crossbones
Acute Tox. 3 H331 Toxic if inhaled.
GHS07
Acute Tox. 4 H302 Harmful if swallowed.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC
Xn; Harmful
R20/22: Harmful by inhalation and if swallowed.
Xi; Irritant
R36/37: Irritating to eyes and respiratory system.
Information concerning particular hazards for human and environment:
Not applicable
Hazards not otherwise classified
No information known.
Label elements
Labelling according to Regulation (EC) No 1272/2008
The substance is classified and labeled according to the CLP regulation.
Hazard pictograms



Signal word: Danger
Hazard statements
H302 Harmful if swallowed.
H331 Toxic if inhaled.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P261 Avoid breathing
dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye
protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with
water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance
with local/regional/national/

international regulations.
WHMIS classification
D1B - Toxic material causing immediate and serious
toxic effects
D2B - Toxic material causing other toxic effects
Classification system
HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)
Health (acute effects) = 2
Flammability = 0
Physical Hazard = 0
Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Substances
CAS# Description:
12142-65-3 Lanthanum vanadium oxide

SECTION 4. FIRST AID MEASURES

Description of first aid measures
After inhalation
Supply fresh air. If required, provide artificial
respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse
thoroughly.
Seek immediate medical advice.
After eye contact
Rinse opened eye for several minutes under running
water. Then consult a doctor.
After swallowing
Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and
delayed
No further relevant information available.
Indication of any immediate medical attention and
special treatment needed
No further relevant information available.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents
Product is not flammable. Use fire fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Metal oxide fume
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach sewage system or any water course.
Do not allow to penetrate the ground/soil.
Methods and material for containment and cleaning up:
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Prevention of secondary hazards:
No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:
The product is not flammable
Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

No information known.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s)

No further relevant information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Not required.

Additional information:

No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

Eye protection:

Safety glasses

Body protection:

Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:

Form: Solid in various forms

Color: Not determined

Odor: Not determined

Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range: Not determined

Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined

Flash point: Not applicable

Flammability (solid, gaseous)

Not determined.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Auto igniting: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapor pressure: Not applicable.

Density: Not determined

Relative density

Not determined.

Vapor density

Not applicable.

Evaporation rate

Not applicable.

Solubility in / Miscibility with Water: Insoluble

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

dynamic: Not applicable.

kinematic: Not applicable.

Other information

No further relevant information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No information known.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions
No dangerous reactions known
Incompatible materials:
None known.
No information known.
Hazardous decomposition products:
Metal oxide fume

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity:
Harmful if inhaled.
Harmful if swallowed.
LD/LC50 values that are relevant for classification:
No data
Skin irritation or corrosion:
Irritant to skin and mucous membranes.
Eye irritation or corrosion:
Causes serious eye irritation.
Sensitization:
No sensitizing effects known.
Germ cell mutagenicity:
No effects known.
Carcinogenicity:
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity:
No effects known.
Specific target organ system toxicity - repeated exposure:
No effects known.
Specific target organ system toxicity - single exposure:
May cause respiratory irritation.
Aspiration hazard:
No effects known.
Subacute to chronic toxicity:
Cerium salts increase the blood coagulation rate.
Exposure to cerium salts may increase sensitivity to heat, itching and skin lesions. Large doses to experimental animals have caused writhing, ataxia, labored respiration, sedation, hypotension and death by cardiovascular collapse.
Vanadium compounds act chiefly as an irritant to the eyes and respiratory tract. Exposure may cause conjunctivitis, rhinitis and reversible irritation of the respiratory tract. More severe cases may cause bronchitis, bronchospasms and asthma like disease.

May cause polycythemia, red blood cell destruction and anemia, albuminuria and hematuria, gastrointestinal disorders, nervous complaints and severe cough.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No further relevant information available.

Persistence and degradability

No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential

No further relevant information available.

Mobility in soil

No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects

No further relevant information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, ADR, IMDG, IATA

UN3285
UN proper shipping name
DOT
Vanadium compound, n.o.s. (Lanthanum vanadium oxide)
ADR
3285 Vanadium compound, n.o.s. (Lanthanum vanadium oxide)
IMDG, IATA
VANADIUM COMPOUND, N.O.S. (Lanthanum vanadium oxide)
Transport hazard class(es)
DOT
Class
6.1 Toxic substances.
Label
6.1
ADR
Class
6.1 (T5) Toxic substances
Label
6.1
IMDG, IATA
Class
6.1 Toxic substances.
Label
6.1
Packing group
DOT, ADR, IMDG, IATA
III
Environmental hazards:
Not applicable.
Special precautions for user
Warning: Toxic substances
Danger code (Kemler):
60
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
Not applicable.
Transport/Additional information:
DOT
Marine Pollutant (DOT):
No
UN "Model Regulation":
UN3285, Vanadium compound, n.o.s. (Lanthanum vanadium oxide), 6.1, III

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)
13597-19-8 Cerium vanadium oxide

California Proposition 65

Prop 65 - Chemicals known to cause cancer
Substance is not listed.

Prop 65 - Developmental toxicity
Substance is not listed.

Prop 65 - Developmental toxicity, female
Substance is not listed.

Prop 65 - Developmental toxicity, male
Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- Catechin caged lanthanum orthovanadate nanorods for nuclear targeting and bioimaging applications. *Sensors and Actuators B: Chemical*, Volume 242, April 2017, Pages 700-709. Tamilmani Vairapperumal, Duraipandy Natarajan, Kiran Manikantan Syamala, Sreeram Kalarical Janardhanan, Nair Balachandran Unni.
- Controlled synthesis and formation mechanism of monodispersive lanthanum vanadate nanowires with monoclinic structure. *Journal of Solid State Chemistry*, Volume 200, April 2013, Pages 123-127. Li Tian, Qiliang Sun, Xijun Xu, Yaolin Li, Guangshan Zhu.
- Energy level diagram for lanthanide-doped lanthanum orthovanadate. *Materials Science and Engineering: B*, Volume 146, Issues 1–3, 15 January 2008, Pages 114-120. Andreas H. Krumpel, Erik van der Kolk, Pieter Dorenbos, Philippe Boutinaud, Marco Bettinelli.
- Lanthanum vanadate catalysts for selective and stable methane oxybromination. *Journal of Catalysis*, Volume 363, July 2018, Pages 69-80. V. Paunovi?, M. Artusi, R. Verel, F. Krumeich, J. Pérez-Ramírez.
- Phosphate modulated luminescence in lanthanum vanadate nanorods-Catechin, polyphenolic ligand. *Journal of Solid State Chemistry*, Volume 252, August 2017, Pages 158-168. Vairapperumal Tamilmani, Balachandran Unni Nair, Kalarical Janardhanan Sreeram.
- Metal-insulator transitions in epitaxial LaVO_3 and LaTiO_3 films. He C, Sanders TD, Gray MT, Wong FJ, Mehta VV, Suzuki Y. *Physical Review B*. 2012 Aug 1;86(8):081401.
- Catalytic performance of lanthanum vanadate catalysts in ammoxidation of 2-methylpyrazine. Kalevaru V, Dhachapally N, Martin A. *Catalysts*. 2016;6(1):10.
- Structural dynamics of LaVO_3 on the nanosecond time scale. Brahlek M, Stoica VA, Lapano J, Zhang L, Akamatsu H, Tung IC, Gopalan V, Walko DA, Wen H, Freeland JW, Engel-Herbert R. *Struct Dyn*. 2019 Jan 18;6(1):014502
- High-Quality LaVO_3 Films as Solar Energy Conversion Material. Zhang HT, Brahlek M, Ji X, Lei S, Lapano J, Freeland JW, Gopalan V, Engel-Herbert R. *ACS Appl Mater Interfaces*. 2017 Apr 12;9(14):12556-12562.
- Structural analysis of strained LaVO_3 thin films. Rotella H, Copie O, Steciuk G, Ouerdane H, Boullay P, Roussel P, Morales M, David A, Pautrat A, Mercey B, Lutterotti L, Chateigner D, Prellier W. *J Phys Condens Matter*. 2015 May 8;27(17):175001.
- Investigation of Microstructure of Sr-Doped Lanthanum Vanadium Oxide Anode Based on SDC Electrolyte. Tamm K, Raudsepp R, Kanarbik R, Möller P, Nurk G, Lust E. *ECS Transactions*. 2013 Oct 6;57(1):1185-91.
- Octahedral tilting in strained LaVO_3 thin films. Rotella H, Lüders U, Janolin PE, Dao VH, Chateigner D, Feyerherm R, Dudzik E, Prellier W. *Physical Review B*. 2012 May 11;85(18):184101.
- Self-regulated growth of LaVO_3 thin films by hybrid molecular beam epitaxy. Zhang HT, Dedon LR, Martin LW, Engel-Herbert R. *Applied Physics Letters*. 2015 Jun 8;106(23):233102.