


[Chromium\(III\)  
Hexafluoroacetylacetonate](#)

[Pricing >](#)

Linear Formula	Cr(CF <sub>3</sub> COCHCOCF <sub>3</sub> ) <sub>3</sub>
Pubchem CID	72376382
MDL Number	MFCD00044995
EC No.	N/A
IUPAC Name	chromium; (Z)-1,1,1,5,5,5-hexafluoro-4-hydroxypent-3-en-2-one
SMILES	C(=C(C(F)(F)F)O)C(=O)C(F)(F)F.C(=C(C(F)(F)F)O)C(=O)C(F)(F)F.C(=C(C(F)(F)F)O)C(=O)C(F)(F)F.[Cr]
Inchl Identifier	InChI=1S/3C5H2F6O2.Cr/c3*6-4(7,8)2(12)1-3(13)5(9,10)11;/h3*1,12H;/b3*2-1-;
Inchl Key	HWKPDQBCGOIWGE-JVUZZWNBSA-N

Signal Word	Warning
Hazard Statements	H315-H319-H335
Hazard Codes	Xi
Precautionary Statements	P280-P305+P351+P338
Risk Codes	N/A
Safety Statements	N/A
Transport Information	NONH for all modes of transport
GHS Pictograms	<p><b><a href="#">GHS07</a></b>  <b><a href="#">Exclamation</a></b>  <b><a href="#">Point</a></b></p> 

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 05/01/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #14592-80-4

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

## **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture in  
accordance with 29 CFR 1910 (OSHA HCS)

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified No information  
known.

Label elements

GHS label elements The product is classified and  
labeled in accordance with 29 CFR 1910 (OSHA  
HCS)

Hazard pictograms

GHS07

Signal word Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P280 Wear protective gloves.

P305+P351+P338 IF IN EYES: Rinse cautiously with  
water for several minutes. Remove contact lenses, if  
present and easy to do. Continue rinsing.

WHMIS classification

D2B - Toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 1

Flammability = 0

Physical Hazard = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical characterization: Substances

CAS# Description:

14592-80-4 Chromium(III) hexafluoro-2,4-pentanedionate

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

---

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture  
If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Metal oxide fume

Hydrogen fluoride (HF)

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

---

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and

emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up: Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Chromium (III) compounds, as Cr

mg/m<sup>3</sup>  
ACGIH TLV 0.5; A4  
Belgium TWA 0.5  
Denmark TWA 0.5  
Finland TWA 0.01  
France VME 0.5  
Japan OEL 0.5  
Korea TLV 0.5  
Netherlands MAC-TGG 0.5  
Norway TWA 0.5  
Poland TWA 0.5  
Sweden NGV 0.5  
United Kingdom TWA 0.5  
USA PEL 0.5  
Additional information: No data  
Exposure controls  
Personal protective equipment  
General protective and hygienic measures  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Remove all soiled and contaminated clothing immediately.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Maintain an ergonomically appropriate working environment.  
Breathing equipment: Use suitable respirator when high concentrations are present.  
Protection of hands:  
Impervious gloves  
Check protective gloves prior to each use for their proper condition.  
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.  
Eye protection: Safety glasses  
Body protection: Protective work clothing.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties  
General Information  
Appearance:  
Form: Crystalline  
Color: Green  
Odor: Odorless  
Odor threshold: Not determined.  
pH-value: Not applicable.  
Change in condition  
Melting point/Melting range: 83-88 °C (181-190 °F)  
Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined  
Flash point: Not applicable  
Flammability (solid, gaseous) Not determined.  
Ignition temperature: Not determined  
Decomposition temperature: Not determined  
Auto igniting: Not determined.  
Danger of explosion: Product does not present an explosion hazard.  
Explosion limits:  
Lower: Not determined  
Upper: Not determined  
Vapor pressure: Not applicable.  
Density: Not determined  
Relative density Not determined.  
Vapor density Not applicable.  
Evaporation rate Not applicable.  
Solubility in / Miscibility with Water: Insoluble  
Partition coefficient (n-octanol/water): Not determined.  
Viscosity:  
dynamic: Not applicable.  
kinematic: Not applicable.  
Other information No further relevant information available.

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No information known.  
Chemical stability Stable under recommended storage conditions.  
Thermal decomposition / conditions to be avoided:  
Decomposition will not occur if used and stored according to specifications.  
Possibility of hazardous reactions No dangerous reactions known  
Conditions to avoid No further relevant information available.  
Incompatible materials: Oxidizing agents  
Hazardous decomposition products:  
Carbon monoxide and carbon dioxide  
Hydrogen fluoride  
Metal oxide fume

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity: No effects known.  
LD/LC50 values that are relevant for classification: No data  
Skin irritation or corrosion: Causes skin irritation.  
Eye irritation or corrosion: Causes serious eye

irritation.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

IARC-3: Not classifiable as to carcinogenicity to humans.

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Chromium powder, chromium (II) and chromium (III) compounds may cause nausea, diarrhea, vomiting, skin and eye irritation and pneumoconiosis. Although less

likely than Cr(VI) compounds, the NTP considers all chromium to be potentially carcinogenic.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

---

## SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

Not a hazardous material for transportation.

UN-Number

DOT, IMDG, IATA None

UN proper shipping name

DOT, IMDG, IATA None

Transport hazard class(es)

DOT, ADR, IMDG, IATA

Class None

Packing group

DOT, IMDG, IATA None

Environmental hazards: Not applicable.

Special precautions for user Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information: Not dangerous according to the above specifications.

DOT

Marine Pollutant (DOT): No

---

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms

GHS07

Signal word Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P280 Wear protective gloves.

P305+P351+P338 IF IN EYES: Rinse cautiously with



water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

SARA Section 313 (specific toxic chemical listings)

14592-80-4 Chromium(III) hexafluoro-2,4-

pentanedionate

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains chromium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986

and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of

invoice or packing slip for additional terms and  
conditions of sale. COPYRIGHT 1997-2022  
AMERICAN ELEMENTS. LICENSED GRANTED TO  
MAKE UNLIMITED PAPER COPIES FOR INTERNAL  
USE ONLY.

---