

	<u>Trip</u>	henylantimony Di	acetate	Pricing >
Linear Formula		$C_{22}H_{21}O_4Sb$		
Pubchem CID		16683106		
MDL Number		MFCD0012796		
EC No. IUPAC Name		216-262-6		
		[acetyloxy(triphenyl)-\$I^{5}-stibanyl] acetate		
SMILES		CC(=O)O[Sb](C1=CC=CC=C1)(C2=CC=CC=C2)(C3=CC=CC=C3)OC(=O)C		
Inchl Identifier		InChI = 1S/3C6H5.2C2H4O2.Sb/c3*1-2-4-6-5-3-1; 2*1-2(3)4; h3*1-5H; 2*1H3, (H,3,4); q; ;;;; +2/p-2-2-1; 2*1-2(3)4; h3*1-5H; 2*1H3, (H,3,4); q; ;;; +2/p-2-2-1; 2*1-2(3)4; h3*1-5H; 2*1H3, (H,3,4); q; ;;; +2/p-2-2-1; 2*1-2(3)4; h3*1-5H; 2*1H3, (H,3,4); q; ;;; +2/p-2-2-1; 2*1-2(3)4; h3*1-5H; 2*1H3, (H,3,4); q; ;; +2/p-2-2-1; 2*1-2(3)4; h3*1-2-2-2-2-1; -2/p-2-2-2-1; -2/p-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2		
In	chl Key	MPOFCRCFZPKTCF-UHFFFAOY	F-UHFFFAOYSA-L	
	Signal Word		Danger	
	Hazard Statements		H302 + H332-H411	
	Hazard Codes		Xi, N	
	Risk Codes		N/A	
	Safety Statements		N/A	
	Transport Information		UN 3077 9 / PGIII	
	WGK Germany		3	
	GHS Pictograms		GHS06 Skull and Crossbones GHS09 Environment	

Create Printable PDF

SAFETY DATA SHEET

Date Accessed: 05/02/2024 **Date Revised:** 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #1538-62-1

Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity -

Oral [Category 3]

Acute Toxicity - Inhalation [Category 3]
Aquatic Hazard (Acute) [Category 2]
Aquatic Hazard (Long-Term) [Category 2]

Signal word: Danger!

Hazard Statement(s): Toxic if swallowed

Toxic if inhaled Toxic to aquatic life

Toxic to aquatic life with long lasting effects



Pictogram(s) or Symbol(s):

Precautionary Statement(s):

[Prevention] Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Do

not breathe dusts or mists. Use only outdoors or in a well-ventilated area.

[Response] If swallowed: Immediately call a poison center or doctor. Rinse mouth. If inhaled: Remove person to fresh

air and keep comfortable for breathing. Call a poison center or doctor.

[Storage] Store locked up. Store in a well-ventilated place. Keep container tightly closed.

[Disposal] Dispose of contents and container in accordance with US EPA guidelines for the classification and

determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Substance

Components: Triphenylantimony Diacetate

Percent: >98.0%(HPLC) CAS Number: 1538-62-1 Molecular Weight: 471.17

Chemical Formula: C22H21O4Sb

Synonyms: Bis(acetato-O)triphenylantimony

CA Index: Antimony, bis(acetato-kappaO)triphenyl-

SECTION 4. FIRST AID MEASURES

Inhalation: Immediately call a poison center or doctor. Move victim to fresh air. Give artificial respiration if victim is not

breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Skin contact: Immediately call a poison center or doctor. Remove and wash contaminated clothing before re-use. In

case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and

take precautions to protect themselves.

Eye contact: If this chemical contacts the eyes, immediately wash (irrigate) the eyes with large amounts of water.

occasionally lifting the lower and upper eyelids. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Ingestion: Toxic if swallowed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth

method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie,

belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm

and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Symptoms/effects:

Acute: No data available Delayed: No data available

Immediate medical attention: WARNING: It might be dangerous to the person providing aid to give mouth-

to-mouth respiration, because

the inhaled material is toxic. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved

and take precautions to protect themselves.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media: Dry chemical, CO2 or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.

Specific hazards arising from the chemical Hazardous combustion products: These products include: Carbon oxides Metallic oxides Other specific hazards: Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters: Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8).

Warn

unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation.

Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Personal protective equipment: Safety glasses. Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or

equivalent. Wear protective gloves (nitrile).

Emergency procedures: Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the

area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff

can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling: Avoid inhalation of vapor or mist. Do not ingest. Avoid contact with skin and eyes. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage: Store locked up. Keep

Conditions for safe storage: Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from

incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Storage incompatibilities: Combustible substances,

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits: No data available Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any

chemical.

Personal protective equipment

Respiratory protection: Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Hand protection: Wear protective gloves.

Eye protection: Safety glasses. Skin and body protection: Lab coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Solid Form: Crystal - Powder Color: White - Almost white Odor: No data available

Odor threshold: No data available

Melting point/freezing point: No data available

Boiling point/range: No data available

Decomposition temperature: No data available

Relative density: No data available Kinematic Viscosity: No data available Partition coefficient: No data available

n-octanol/water (log Pow) Flash point: No data available

Flammability (solid, gas): No data available

pH: No data available

Vapor pressure: No data available Vapor density: No data available Dynamic Viscosity: No data available Evaporation rate: No data available

(Butyl Acetate = 1)

Autoignition temperature: No data available

Flammability or explosive limits: No data available

Lower: No data available Upper: No data available

Solubility(ies):

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not Available.

Chemical Stability: Stable under recommended

storage conditions. (See Section 7)

Possibility of Hazardous Reactions: No hazardous

reactivity has been reported.

Conditions to avoid: Avoid excessive heat and light.

Incompatible materials: Oxidizing agents Hazardous Decomposition Products: No data

available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

No data available

Skin corrosion/irritation:

No data available

Serious eye damage/irritation:

No data available

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

No data available

Carcinogenicity:

No data available

IARC: No data available NTP: No data available

OSHA: No data available Reproductive toxicity: No data available

Routes of Exposure: Inhalation, Eye contact,

Ingestion.

Symptoms related to exposure:

Overexposure may result in serious illness or death.

Potential Health Effects:

Not available.

Target organ(s): No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Fish: No data available

Crustacea: No data available Algae: No data available

Persistence and degradability: No data available Bioaccumulative potential (BCF): No data available

Mobillity in soil: No data available

Partition coefficient:

n-octanol/water (log Pow)

No data available Soil adsorption (Koc): No data available Henry's Law: constant (PaM3/mol) No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local

rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains,

water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

UN number:

UN3467

Proper Shipping Name:

Organometallic compound, toxic, solid, n.o.s.

Class or Division:

6.1 Toxic material.

Packing Group:

Ш

IATA

UN number:

UN3467

Proper Shipping Name:

Organometallic compound, toxic, solid, n.o.s

Class or Division:

6.1 Toxic material

Packing Group:

Ш

IMDG

UN number:

UN3467

Proper Shipping Name:

Organometallic compound, toxic, solid, n.o.s.

Class or Division: 6.1 Toxic material. Packing Group:

ш

EmS number: F-A, S-F

SECTION 15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in

40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

US Federal Regulations

CERCLA Hazardous substance and Reportable

Quantity:

SARA 313: Not Listed SARA 302: Not Listed State Regulations State Right-to-Know Massachusetts Not Listed

New Jersey Not Listed Pennsylvania Not Listed

California Proposition 65: Not Listed

Other Information NFPA Rating: Health: 2

Class or Division: 6.1 Toxic material.

Health: 2 UN number: UN3467

Flammability: 0 Packing Group:

Ш

Flammability: 0

Instability: 0 Physical: 0 International Inventories

WHMIS hazard class: D1B: Materials causing immediate and serious toxic effects. (Toxic)

EC-No: 216-262-6

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.