

Potassium Fluotitanate		Pricing >
Potassium Hexafluorotitanate(IV)		Pricing >
Linear Formula	K ₂ (TiF ₆)	
Pubchem CID	159800	
MDL Number	MFCD00011380	
EC No.	240-969-9	
IUPAC Name	dipotassium; titanium(4+); hexafluoride	
Beilstein/Reaxys No.	N/A	
SMILES	[K+].[K+].F[Ti-2](F)(F)(F)(F)F	
Inchl Identifier	InChI=1S/6FH.2K.Ti/h6*1H;;;/q;,,,,;2*+1;+4/p-6	
Inchl Key	RXCBCUJUGULOGC-UHFFFAOYSA-H	
Signal Word	Danger	
Hazard Statements	H302-H317-H318	
Hazard Codes	Xn	
Risk Codes	22-41-43	
Safety Statements	26-36/37/39	
RTECS Number	TT1575000	
Transport Information	N/A	
WGK Germany	3	
GHS Pictograms	GHS05 Corrosive  GHS07 Exclamation Point 	

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/04/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #16919-27-0

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008

GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07

Signal word: Danger

Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements
P261 Avoid breathing
dust/fume/gas/mist/vapors/spray.
P280 Wear protective gloves/protective clothing/eye
protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with
water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove victim to fresh air
and keep at rest in a position comfortable for
breathing.
P405 Store locked up.
P501 Dispose of contents/container in accordance
with local/regional/national/international regulations.
WHMIS classification
D1B - Toxic material causing immediate and serious
toxic effects
D2B - Toxic material causing other toxic effects
Classification system
HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)
HEALTH
FIRE
REACTIVITY
2
0
1
Health (acute effects) = 2
Flammability = 0
Physical Hazard = 1
Other hazards
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances
CAS No. / Substance Name:
16919-27-0 Potassium hexafluorotitanate
Identification number(s):
EC number: 240-969-9

SECTION 4. FIRST AID MEASURES

Description of first aid measures
If inhaled:
Supply patient with fresh air. If not breathing, provide
artificial respiration. Keep patient warm.
Seek immediate medical advice.

In case of skin contact:
Immediately wash with soap and water; rinse thoroughly.
Seek immediate medical advice.
In case of eye contact:
Rinse opened eye for several minutes under running water. Consult a physician.
If swallowed:
Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed
No data available
Indication of any immediate medical attention and special treatment needed
No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media
Suitable extinguishing agents
Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Hydrogen fluoride (HF)
Metal oxide fume
Potassium oxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions:
Do not allow material to be released to the environment without official permits.
Methods and materials for containment and cleanup:
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards:
No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment:
Use suitable respirator when high concentrations are present.
Protection of hands:
Impervious gloves
Inspect gloves prior to use.
Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.
Penetration time of glove material (in minutes): No data available
Eye protection: Tightly sealed goggles
Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Crystalline powder or solid

Color: White

Odor: No data available

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 235-237 °C (455-459 °F)

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas): No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density: No data available

Relative density: No data available.

Vapor density: N/A

Evaporation rate: N/A

Solubility in Water (H₂O): No data available

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents

Conditions to avoid

No data available

Incompatible materials:

Oxidizing agents

Hazardous decomposition products:

Hydrogen fluoride

Metal oxide fume

Potassium oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

Harmful if swallowed.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories

OSHA-Ca (Occupational Safety & Health
Administration)
Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Additional ecological information:

Do not allow material to be released to the
environment without official permits.

Do not allow undiluted product or large quantities to
reach groundwater, water courses, or sewage
systems.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official
regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA

UN3288

UN proper shipping name

DOT

Toxic solid, inorganic, n.o.s. (Potassium
hexafluorotitanate)

IMDG, IATA

TOXIC SOLID, INORGANIC, N.O.S. (Potassium

hexafluorotitanate)
Transport hazard class(es)
DOT
Class
6.1 Toxic substances.
Label
6.1
Class
6.1 (T5) Toxic substances
Label
6.1
IMDG, IATA
Class
6.1 Toxic substances.
Label
6.1
Packing group
DOT, IMDG, IATA
III
Environmental hazards:
N/A
Special precautions for user
Warning: Toxic substances
EMS Number:
F-A,S-A
Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code
N/A
Transport/Additional information:
DOT
Marine Pollutant (DOT):
No
UN "Model Regulation":
UN3288, Toxic solid, inorganic, n.o.s. (Potassium
hexafluorotitanate), 6.1, III

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental
regulations/legislation specific for the substance or
mixture
National regulations
All components of this product are listed in the U.S.
Environmental Protection Agency Toxic Substances
Control Act Chemical substance Inventory.
All components of this product are listed on the
Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings)
Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer
Substance is not listed.

Prop 65 - Developmental toxicity
Substance is not listed.
Prop 65 - Developmental toxicity, female
Substance is not listed.
Prop 65 - Developmental toxicity, male
Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
Other regulations, limitations and prohibitive
regulations
Substance of Very High Concern (SVHC) according to
the REACH Regulations (EC) No. 1907/2006.
Substance is not listed.
The conditions of restrictions according to Article 67
and Annex XVII of the Regulation (EC) No 1907/2006
(REACH) for the manufacturing, placing on the market
and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring
Authorisation for use)
Substance is not listed.
Chemical safety assessment:
A Chemical Safety Assessment has not been carried
out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- Corrosion resistance of chromium-free conversion coatings deposited on electrogalvanized steel from potassium hexafluorotitanate(IV)

containing bath. J. Winiarski, J. Masalski, B. Szczygieł. Surface and Coatings Technology, Volume 236, 15 December 2013, Pages 252-261.

- A novel catalyst precursor K₂TiF₆ with remarkable synergetic effects of K, Ti and F together on reversible hydrogen storage of NaAlH₄. Liu Y, Liang C, Zhou H, Gao M, Pan H, Wang Q. Chem Commun (Camb). 2011 Feb 14;47(6):1740-2.
- Waterproof Narrow-Band Fluoride Red Phosphor K₂TiF₆:Mn⁴⁺ via Facile Superhydrophobic Surface Modification. Zhou YY, Song EH, Deng TT, Zhang QY. ACS Appl Mater Interfaces. 2018 Jan 10;10(1):880-889.
- Improving the moisture resistance and luminescent properties of K₂TiF₆:Mn⁴⁺ by coating with CaF₂. Qizheng Dong, Chengjin Guo, Ling He, Xuefeng Lu, Jianbo Yin. Materials Research Bulletin, Volume 115, July 2019, Pages 98-104.
- Fabrication of carbon fibre reinforced, aluminium matrix composite by potassium iodide (KI)–potassium hexafluoro-titanate (K₂TiF₆) flux. Juhász KL, Baumli P, Kaptay G. Materialwissenschaft und Werkstofftechnik. 2012 Apr;43(4):310-4.
- Significantly improved dehydrogenation of LiAlH₄ destabilized by K₂TiF₆. Zhibao Li, Shusheng Liu, Xiaoliang Si, Jian Zhang, Fen Xu. International Journal of Hydrogen Energy, Volume 37, Issue 4, February 2012, Pages 3261-3267.
- Co-precipitation synthesis and luminescence properties of K₂TiF₆:Mn⁴⁺ red phosphors for warm white light-emitting diodes. Liao J, Nie L, Zhong L, Gu Q, Wang Q. Luminescence. 2016 May;31(3):802-7.
- Significant improvement in the dehydriding properties of perovskite hydrides, NaMgH₃, by doping with K₂TiF₆. Zhongmin Wang, Song Tao, Jianqiu Deng, Huaiying Zhou, Qingrong Yao. International Journal of Hydrogen Energy, Volume 42, Issue 12, 23 March 2017, Pages 8554-8559.
- Influence of K₂TiF₆ additive on the hydrogen sorption properties of MgH₂. N. S. Mustafa, M. Ismail. International Journal of Hydrogen Energy, Volume 39, Issue 28, 23 September 2014, Pages 15563-15569.
- Enhanced hydrogen storage properties of K₂TiF₆ doped Mg-Na-Al composite system. N. S. Mustafa, M. Ismail. Materials Chemistry and Physics, Volume 217, 15 September 2018, Pages 350-356