

Lithium tri-tert-butoxyaluminum Hydride		<u>Pricing ></u>	
Lithium tri-tert-butoxyaluminum Hydride Solution		Pricing >	
Linear Formula	LiAIH[OC(CH ₃) ₃] ₃		
Pubchem CID	16702147		
MDL Number	MFCD00011532		
EC No.	241-490-8		
IUPAC Name	lithium; hydride; tributoxyalumane		
Beilstein/Reaxys No.	5796791		
SMILES	[H-].[Li+].CCCCO[AI](OCCCC)OCCCC		
Inchl Identifier	InChI=1S/3C4H9O.AI.Li.H/c3*1-2-3-4-5;;;/h3*2-4H2,1H3;;;/q3*-1;+3;+1;-1		
Inchl Key	XIBWXKCNMDQBHM-UHFFFAOYSA-N		

Signal Word	Danger	
Hazard Statements	H260-H314	
Hazard Codes	F, C	
Risk Codes	N/A	
Safety Statements	N/A	
RTECS Number	OJ5585000	
Transport Information	UN 1409 4.3 / PGI	
WGK Germany	1	
GHS Pictograms	GHS05 Corrosive	

Create Printable PDF

SAFETY DATA SHEET

Date Accessed: 04/26/2024 Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #17476-04-9

Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Substances and mixtures, which in contact with water, emit flammable gases (Category 1), H260 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

2.2 GHS Label elements, including precautionary statements



Pictogram Signal word Danger Hazard statement(s) H260 In contact with water releases flammable gases which may ignite spontaneously. H314 Causes severe skin burns and eye damage. Precautionary statement(s) P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire. P231 + P232 Handle under inert gas. Protect from moisture. P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physician. P321 Specific treatment (see supplemental first aid instructions on this label). P335 + P334 Brush off loose particles from skin. Immerse in cool water/ wrap in wet bandages. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P402 + P404 Store in a dry place. Store in a closed container. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant. 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Reacts violently with water.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Synonyms : Lithium aluminum-tri-tert-butoxyhydride Formula : C12H28AlLiO3 Molecular Weight : 254.27 g/mol CAS-No. : 17476-04-9 EC-No. : 241-490-8 Hazardous components Component Classification Concentration Lithium aluminum-tri-tert-butoxyhydride Water-react. 1; Skin Corr. 1B; Eye Dam. 1; H260, H314

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measuresGeneral adviceConsult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaledIf breathed in, move person into fresh air. If not

breathing, give artificial respiration. Consult a physician. In case of skin contact Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician. In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital. If swallowed Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed no data available

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media
Suitable extinguishing media
Dry powder
5.2 Special hazards arising from the substance or mixture
Carbon oxides, Lithium oxides, Aluminum oxide
5.3 Advice for firefighters
Wear self contained breathing apparatus for fire fighting if necessary.
5.4 Further information
no data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas.
Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
For personal protection see section 8.
6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. 6.3 Methods and materials for containment and cleaning up Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal. 6.4 Reference to other sections For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and wellventilated place. Never allow product to get in contact with water during storage. Keep in a dry place. 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters
Components with workplace control parameters
Contains no substances with occupational exposure
limit values.
8.2 Exposure controls
Appropriate engineering controls
Handle in accordance with good industrial hygiene
and safety practice. Wash hands before breaks and at
the end of
workday.
Personal protective equipment
Eye/face protection
Face shield and safety glasses Use equipment for eye
protection tested and approved under appropriate
government standards such as NIOSH (US) or EN

166(EU).

Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. lt should not be construed as offering an approval for any specific use scenario. **Body Protection** Complete suit protecting against chemicals, Flame retardant protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties a) Appearance Form: powder Colour: white b) Odor no data available c) Odor Threshold no data available d) pH no data available e) Melting point/freezing point Melting point/range: 300 - 319 °C (572 - 606 °F) - dec. f) Initial boiling point and boiling range no data available g) Flash point no data available h) EVaporation rate no data available i) Flammability (solid, gas) no data available j) Upper/lower flammability or explosive limits no data available k) Vapor pressure no data available I) Vapor density no data available m) Relative density no data available n) Water solubility no data available o) Partition coefficient: noctanol/ water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties no data available t) Oxidizing properties no data available 9.2 Other safety information no data available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivityno data available10.2 Chemical stabilityStable under recommended storage conditions.

10.3 Possibility of hazardous reactions
Reacts violently with water.
10.4 Conditions to avoid
Exposure to moisture.
10.5 Incompatible materials
Alcohols, Reacts violently with water.
10.6 Hazardous decomposition products
Other decomposition products - no data available
In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity Inhalation: no data available Dermal: no data available LD50 Intravenous - mouse - 32 mg/kg Skin corrosion/irritation no data available Serious eye damage/eye irritation no data available Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity no data available no data available Specific target organ toxicity - single exposure no data available Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available Additional Information RTECS: 0J5585000 Cough, Shortness of breath, Headache, Nausea, Vomiting

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity
no data available
12.2 Persistence and degradability
no data available
12.3 Bioaccumulative potential
no data available
12.4 Mobility in soil
no data available
12.5 Results of PBT and vPvB assessment
PBT/vPvB assessment not available as chemical
safety assessment not required/not conducted
12.6 Other adverse effects
no data available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Product Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and nonrecyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Contaminated packaging Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

DOT (US) UN number: 1409 Class: 4.3 Packing group: I Proper shipping name: Metal hydrides, water reactive, n.o.s. Marine pollutant: No Poison Inhalation Hazard: No IMDG UN number: 1409 Class: 4.3 Packing group: I EMS-No: F-G, S-L Proper shipping name: METAL HYDRIDES, WATER-REACTIVE, N.O.S. (Lithium aluminum-tri-tertbutoxyhydride) Marine pollutant: No IATA UN number: 1409 Class: 4.3 Packing group: I Proper shipping name: Metal hydrides, water-reactive, n.o.s. (Lithium aluminum-tri-tert-butoxyhydride) IATA Passenger: Not permitted for transport

SECTION 15. REGULATORY INFORMATION

SARA 302 Components SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. SARA 311/312 Hazards Reactivity Hazard, Acute Health Hazard Massachusetts Right To Know Components No components are subject to the Massachusetts Right to Know Act. Pennsylvania Right To Know Components Lithium aluminum-tri-tert-butoxyhydride CAS-No. 17476-04-9 **Revision Date** New Jersey Right To Know Components Lithium aluminum-tri-tert-butoxyhydride CAS-No. 17476-04-9 **Revision Date** California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.