



<a href="#">Tetrakis(ethylmethylamino)zirconium(IV)</a>		<a href="#">Pricing &gt;</a>
Linear Formula	Zr[N(CH <sub>3</sub> )(CH <sub>2</sub> CH <sub>3</sub> )] <sub>4</sub>	
Pubchem CID	4446313	
MDL Number	MFCD03427131	
EC No.	N/A	
IUPAC Name	ethyl(methyl)azanide; zirconium(4+)	
Beilstein/Reaxys No.	N/A	
SMILES	CN(CC)[Zr](N(C)CC)(N(C)CC)N(C)CC	
InchI Identifier	InChI=1S/4C3H8N.Zr/c4*1-3-4-2;/h4*3H2,1-2H3;/q4*-1;+4	
InchI Key	SRLSISLWUNZOOB-UHFFFAOYSA-N	
Signal Word	Danger	
Hazard Statements	H225-H261-H315-H319-H335	
Hazard Codes	F,Xi	
Risk Codes	11-14/15-36/37/38	
Safety Statements	16-26-36	
RTECS Number	N/A	
Transport Information	UN 3398 4.3/PG 2	
WGK Germany	3	
GHS Pictograms	<a href="#">GHS07 Exclamation Point</a>  <a href="#">GHS02 Flame</a> 	

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 05/01/2024

Date Revised: 01/15/2022

---

## SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #175923-04-3

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture  
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)  
Flammable liquids (Category 2), H225  
Substances and mixtures, which in contact with water, emit flammable gases (Category 2), H261  
Skin irritation (Category 2), H315  
Eye irritation (Category 2A), H319  
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

2.2 GHS Label elements, including precautionary statements



Pictogram  
Signal word Danger  
Hazard statement(s)  
H225 Highly flammable liquid and Vapor.  
H261 In contact with water releases flammable gases.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
Precautionary statement(s)  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P223 Keep away from any possible contact with water, because of violent

reaction and possible flash fire.

P231 + P232 Handle under inert gas. Protect from moisture.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P335 + P334 Brush off loose particles from skin. Immerse in cool water/ wrap in wet bandages.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P402 + P404 Store in a dry place. Store in a closed container.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms : TEMAZ;

Tetrakis(ethylmethlamino)zirconium(IV)

Formula : C<sub>12</sub>H<sub>32</sub>N<sub>4</sub>Zr

Molecular weight : 323.63 g/mol

CAS-No. : 175923-04-3

Hazardous components

Component Classification Concentration

Tetrakis(ethylmethlamido)zirconium(IV)

Flam. Liq. 2; Water-react. 2;

Skin Irrit. 2; Eye Irrit. 2A;

STOT SE 3; H225, H261,

H315, H319, H335

<= 100 %

---

## SECTION 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

### **5.1 Extinguishing media**

Suitable extinguishing media

Dry powder Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water

### **5.2 Special hazards arising from the substance or mixture**

Carbon oxides, Nitrogen oxides (NO<sub>x</sub>), Zirconium oxides

### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

### **5.4 Further information**

No data available

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation.

Remove all

sources of ignition. Evacuate personnel to safe areas. Beware of Vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in

container for disposal according to local regulations (see section 13). Do not flush with water.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of Vapor or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must

be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage.

Handle under nitrogen, protect from moisture. Store under nitrogen.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 Control parameters

Components with workplace control parameters

Component CAS-No. Value Control  
parameters

Basis

Tetrakis(ethylmethyl  
amido)zirconium(IV)

175923-04-

3

TWA 5.000000

mg/m<sup>3</sup>

USA. Occupational Exposure Limits

(OSHA) - Table Z-1 Limits for Air

Contaminants

TWA 5.000000

mg/m<sup>3</sup>

USA. ACGIH Threshold Limit Values

(TLV)

Remarks Not classifiable as a human carcinogen

STEL 10.000000

mg/m<sup>3</sup>

USA. ACGIH Threshold Limit Values

(TLV)

Not classifiable as a human carcinogen

TWA 5.000000

mg/m<sup>3</sup>

USA. NIOSH Recommended

Exposure Limits

ST 10.000000

mg/m<sup>3</sup>

USA. NIOSH Recommended

Exposure Limits

TWA 5 mg/m<sup>3</sup> USA. Occupational Exposure Limits

(OSHA) - Table Z-1 Limits for Air

Contaminants

TWA 5 mg/m<sup>3</sup> USA. ACGIH Threshold Limit Values (TLV)

Not classifiable as a human carcinogen

STEL 10 mg/m<sup>3</sup> USA. ACGIH Threshold Limit Values (TLV)

Not classifiable as a human carcinogen

TWA 5 mg/m<sup>3</sup> USA. NIOSH Recommended

Exposure Limits

ST 10 mg/m<sup>3</sup> USA. NIOSH Recommended

Exposure Limits

## 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after

use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be

selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose

combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

- a) Appearance Form: liquid  
Colour: yellow
  - b) Odor No data available
  - c) Odor Threshold No data available
  - d) pH No data available
  - e) Melting point/freezing point  
No data available
  - f) Initial boiling point and boiling range  
81 °C (178 °F) at 0.1 hPa (0.1 mmHg)
  - g) Flash point 10 °C (50 °F) - closed cup
  - h) Evaporation rate No data available
  - i) Flammability (solid, gas) No data available
  - j) Upper/lower flammability or explosive limits  
No data available
  - k) Vapor pressure No data available
  - l) Vapor density No data available
  - m) Relative density 1.049 g/cm<sup>3</sup>
  - n) Water solubility No data available
  - o) Partition coefficient: octanol/water  
No data available
  - p) Auto-ignition temperature  
No data available
  - q) Decomposition temperature  
No data available
  - r) Viscosity No data available
  - s) Explosive properties No data available
  - t) Oxidizing properties No data available
- ### 9.2 Other safety information
- No data available
- 

## SECTION 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Vapors may form explosive mixture with air. Reacts violently with water.

### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature



and direct sunlight. Exposure to moisture  
10.5 Incompatible materials  
Strong oxidizing agents Strong oxidizing agents,  
Water, Oxygen  
10.6 Hazardous decomposition products  
Other decomposition products - No data available  
In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

---

## **SECTION 12. ECOLOGICAL INFORMATION**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a

licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number: 3399 Class: 4.3 (3) Packing group: II

Proper shipping name: Organometallic substance, liquid, water-reactive, flammable

(Tetrakis(ethylmethyamido)zirconium(IV))

Poison Inhalation Hazard: No

IMDG

UN number: 3398 Class: 4.3 Packing group: II EMS-

No: F-G, S-N

Proper shipping name: ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE

(Tetrakis(ethylmethyamido)zirconium(IV))

IATA

UN number: 3398 Class: 4.3 Packing group: II

Proper shipping name: Organometallic substance, liquid, water-reactive

(Tetrakis(ethylmethyamido)zirconium(IV))

---

## **SECTION 15. REGULATORY INFORMATION**

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **SARA 311/312 Hazards**

Fire Hazard, Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

### **Pennsylvania Right To Know Components**

Tetrakis(ethylmethyamido)zirconium(IV)  
CAS-No.

175923-04-3

### **Revision Date**

### **New Jersey Right To Know Components**

Tetrakis(ethylmethyamido)zirconium(IV)  
CAS-No.

175923-04-3

### **Revision Date**

### **California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022

AMERICAN ELEMENTS. LICENSED GRANTED TO  
MAKE UNLIMITED PAPER COPIES FOR INTERNAL  
USE ONLY.

---