




[Vanadium\(III\) Chloride
Tetrahydrofuran Complex](#)

[Pricing >](#)

Linear Formula	VC ₄ •3C ₄ H ₈ O
Pubchem CID	6096202
MDL Number	MFCD00145515
EC No.	N/A
IUPAC Name	oxolane; trichlorovanadium
Beilstein/Reaxys No.	N/A
SMILES	C1CCOC1.C1CCOC1.C1CCOC1.Cl[V](Cl)Cl
Inchl Identifier	InChI=1S/3C4H8O.3ClH.V/c3*1-2-4-5-3-1;;;/h3*1-4H2;3*1H;/q;+++++3/p-3
Inchl Key	WWRUFBWWHJODKK-UHFFFAOYSA-K

Signal Word	Danger
Hazard Statements	H228-H302 + H312 + H332-H314
Hazard Codes	C
Precautionary Statements	P210-P280-P305 + P351 + P338-P310
Flash Point	Not applicable
Risk Codes	20/21/22-34
Safety Statements	26-27-28-36/37/39-45
RTECS Number	N/A
Transport Information	UN 2925 8(4.1) / PGII
WGK Germany	3
GHS Pictograms	<p>GHS05 Corrosive</p>  <p>GHS07 Exclamation Point</p>  <p>GHS02 Flame</p> 

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/04/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #19559-06-9

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
GHS05 Corrosion
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
GHS label elements
The substance is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictograms



Signal word Danger
Hazard-determining components of labeling:
Vanadium(III) chloride tetrahydrofuran adduct
Hazard statements
H314 Causes severe skin burns and eye damage.
Precautionary statements
P231 Handle under inert gas.
P222 Do not allow contact with air.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
shower.
P305+P351+P338 If in eyes: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P422 Store contents under inert gas.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)
Health = 4
Fire = 0
Reactivity = 0
HMIS-ratings (scale 0 - 4)
Health = 4
Fire = 0
Reactivity = 0
Other hazards
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances
CAS # / Substance Name
19559-06-9 Vanadium(III) chloride tetrahydrofuran adduct

SECTION 4. FIRST AID MEASURES

Description of first aid measures
General information: Immediately remove any clothing soiled by the product.
If inhaled: In case of unconsciousness place patient stably in side position for transportation.
In case of skin contact: Immediately wash with soap and water; rinse thoroughly.
In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician.
If swallowed: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
Information for doctor:
Most important symptoms and effects, both acute and delayed:
No data available
Indication of any immediate medical attention and special treatment needed
No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment: Mouth respiratory protective device.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Use personal protective equipment. Keep unprotected persons away.

Environmental precautions: No special measures required.

Methods and materials for containment and cleanup:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information

SECTION 7. HANDLING AND STORAGE

Handling:

Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities: Keep cool.

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Recommended storage temperature: Store at temperatures not exceeding -18 °C.
Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see item 7.
Control parameters
Components with limit values that require monitoring at the workplace: Not required.
Additional information: The lists that were valid during the creation were used as basis.
Exposure controls
Personal protective equipment:
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
Breathing equipment:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
respiratory protective device that is independent of circulating air.
Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and
varies from manufacturer to manufacturer.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be

observed.
Eye protection:
Tightly sealed goggles

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Crystalline

Color: Red

Odor: Pungent

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: No data available.

Boiling point/Boiling range: No data available.

Flash point: N/A

Flammability (solid, gas): Product is not flammable.

Ignition temperature:

Decomposition temperature: No data available.

Autoignition: No data available.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: No data available.

Upper: No data available.

Vapor pressure: no data hPa

Density: No data available.

Relative density No data available.

Vapor density N/A

Evaporation rate N/A

Solubility in / Miscibility with

Water: Insoluble.

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Solvent content:

Organic solvents: 0.0 %

VOC content: 0.0 g/l / 0.00 lb/gl

Solids content: 100.0 %

Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous

reactions known.
Conditions to avoid No data available
Incompatible materials: No data available
Hazardous decomposition products: No dangerous
decomposition products known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity:
Primary irritant effect:
on the skin: Caustic effect on skin and mucous
membranes.
on the eye:
Strong caustic effect.
Strong irritant with the danger of severe eye injury.
Sensitization: No sensitizing effects known.
Additional toxicological information:
Swallowing will lead to a strong caustic effect on
mouth and throat and to the danger of perforation of
esophagus
and stomach.
Carcinogenic categories
IARC (International Agency for Research on Cancer)
Substance is not listed.
NTP (National Toxicology Program)
Substance is not listed.
OSHA-Ca (Occupational Safety & Health
Administration)
Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity
Aquatic toxicity: No data available
Persistence and degradability No data available
Behavior in environmental systems:
Bioaccumulative potential No data available
Mobility in soil No data available
Additional ecological information: Must not reach
bodies of water or drainage ditch undiluted or
unneutralized.
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A
Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to enter drains, sewage systems, or other water courses system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA UN1759

UN proper shipping name

DOT, IATA Corrosive solids, n.o.s.

IMDG CORROSIVE SOLID, N.O.S.

Transport hazard class(es)

DOT

Class 8 Corrosive substances

Label 8

IMDG, IATA

Class 8 Corrosive substances

Label 8

Packing group

DOT, IMDG, IATA II

Environmental hazards:

Marine pollutant: No

Special precautions for user Warning: Corrosive substances

EMS Number: F-A,S-B

Stowage Category A

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code N/A

Transport/Additional information:

DOT

Quantity limitations On passenger aircraft/rail: 15 kg

On cargo aircraft only: 50 kg

IMDG

Limited quantities (LQ) 1 kg

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 500 g

UN "Model Regulation": UN 1759 CORROSIVE SOLIDS, N.O.S., 8, II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental

regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labeling:

Vanadium(III) chloride tetrahydrofuran adduct

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P231 Handle under inert gas.

P222 Do not allow contact with air.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance

with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
