

Cesium Oxide		Pricing >
Cesium Oxide Nanoparticle Dispersion		<u>Pricing ></u>
Cesium Oxide Nanoparticles / Nanopowder		<u>Pricing ></u>
Cesium Oxide Particles		Pricing >
Cesium Oxide Pellets		Pricing >
Cesium Oxide Pieces		Pricing >
Cesium Oxide Powder		Pricing >
Cesium Oxide Rotatable Sputtering Target		Pricing >
Cesium Oxide Shot		Pricing >
Cesium Oxide Sputtering Target		Pricing >
Cesium Oxide Tablets		Pricing >
Linear Formula Cs ₂ O		
Pubchem CID	88456	
MDL Number	N/A	
EC No.	243-679-0	
IUPAC Name	Dicesiumoxide	
Beilstein/Reaxys No.	N/A	
SMILES	[Cs+].[Cs+].[O-2]	
Inchl Identifier	InChI=1S/2Cs.O/q2*+1;-2	
Inchl Key	KOPBYBDAPCDYFK-UHFFFAOYSA-N	
Signal Word		N/A
Hazard Statements		N/A
Hazard Codes		N/A
Risk Codes		N/A
Safety Statements		N/A
Transport Information		N/A
Create Printable PDF		

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #20281-00-9

Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: May cause skin irritation and/or dermatitis Principle routes of exposure: Skin Inhalation: May cause irritation of respiratory tract Ingestion: May be harmful if swallowed. Skin contact: May cause allergic skin reaction Eve contact: Avoid contact with eyes Statements of hazard MAY CAUSE ALLERGIC SKIN REACTION. Statement of Spill or Leak - ANSI Label Eliminate all ignition sources. Absorb and/or contain spill with inert materials (e.g., sand, vermiculite). Then place in appropriate container. For large spills, use water spray to disperse vapors, flush spill area. Prevent runoff from entering waterways or sewers.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components CESIUM OXIDE CAS Number 20881-00-9 OSHA Exposure Limits: None

SECTION 4. FIRST AID MEASURES

General advice: In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Inhalation: Move to fresh air. Call a physician immediately. Skin contact: Rinse immediately with plenty of water and seek medical advice Ingestion: Do not induce vomiting without medical advice. Eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Protection of first-aiders: No data available Medical conditions aggravated by exposure: None known

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or "alcohol" foam Specific hazards: Burning produces irritant fumes. Unusual hazards: None known Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear Specific methods: Water mist may be used to cool closed containers. Flash point: No data available Autoignition temperature: No data available NFPA rating: NFPA Health: 1 NFPA Flammability: 1 NFPA Reactivity: 0

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Environmental precautions: Prevent product from entering drains. Methods for cleaning up: Sweep up and shovel into suitable containers for disposal.

SECTION 7. HANDLING AND STORAGE

Storage: ROOM TEMPERATURE Handling: Use only in area provided with appropriate exhaust ventilation. Safe handling advice: Wear personal protective equipment. Incompatible products: Oxidising and spontaneously flammable products

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures: Ensure adequate ventilation. PERSONAL PROTECTIVE EQUIPMENT Respiratory protection: Breathing apparatus only if aerosol or dust is formed. Hand protection: Pvc or other plastic material gloves Skin and body protection: Usual safety precautions while handling the product will provide adequate protection against this potential effect. Eye protection: Safety glasses with side-shields Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Formula: Cs2O Molecular weight: 281.8102 Melting point/range: No data available at this time. Boiling point/range: No Data available at this time. Density: No data available Vapor pressure: No data available Evaporation rate: No data available Vapor density: No data available Solubility (in water): No data available

SECTION 10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions. Polymerization: None under normal processing. Hazardous decomposition products: Thermal decomposition can lead to release of irritating gases and Vapors such as carbon oxides. Materials to avoid: Strong oxidising agents Conditions to avoid: Exposure to air or moisture over prolonged periods.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information Acute toxicity Components CESIUM OXIDE **RTECS Number: Not Available** Selected LD50s and LC50s: No data available Chronic toxicity: Chronic exposure may cause nausea and vomiting, higher exposure causes unconsciousness. Local effects: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Specific effects: May include moderate to severe erythema (redness) and moderate edema (raised skin), nausea, vomiting, headache. Primary irritation: No data is available on the product itself. Carcinogenic effects: No data is available on the product itself. Mutagenic effects: No data is available on the product itself. Reproductive toxicity: No data is available on the product itself.

SECTION 12. ECOLOGICAL INFORMATION

Mobility: No data available Bioaccumulation: No data available Ecotoxicity effects: No data available Aquatic toxicity: May cause long-term adverse effects in the aquatic environment.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority. Residue from fires extinguished with this material may be hazardous. Contaminated packaging: Do not re-use empty containers

SECTION 14. TRANSPORT INFORMATION

DOT (US) Not dangerous goods IMDG Not dangerous goods IATA Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SARA 313 Notification:

The above is your notification as to the SARA 313 listing for this product(s) pursuant to Section 313 of Title III of the Superfund Ammendments and Reauthorization Act of 1986 and 40 CFR Part 372. If you are unsure if you are subject to the reporting requirements of Section 313, or need more information, please call the EPA **Emergency Planning and Community** Right-To-Know Information Hotline: (800) 535-0202 or (202) 479-2499 (in Washington, DC or Alaska). State Notification: The above information is your notice as to the Rightto-Know listings of the stated product(s). Individual states will list chemicals for a variety of reasons including, but not limited to, the compounds toxicity; carcinogenic, tumorigenic and/or reproductive hazards; and the compounds environmental impact if accidentally released.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.