

Mercury Oxide	Pricing >
Mercury Oxide Powder	Pricing >
Mercury Oxide Red	Pricing >
Mercury(II) Oxide Yellow	Pricing >

Linear Formula	HgO
Pubchem CID	30856
MDL Number	MFCD00011045
EC No.	244-654-7
IUPAC Name	oxomercury
Beilstein/Reaxys No.	N/A
SMILES	[Hg]=O
Inchl Identifier	InChI=1S/Hg.O
Inchl Key	UKWHYYKOEPR TIC-UHFFFAOYSA-N
Signal Word	Danger
Hazard Statements	H300 + H310 + H330-H373-H410
Hazard Codes	T+,N
Precautionary Statements	P260-P262-P280-P302 + P352 + P310-P304 + P340 + P310
Flash Point	Not applicable
Risk Codes	26/27/28-33-50/53
Safety Statements	13-28-45-60-61
RTECS Number	OW8750000
Transport Information	UN 1641 6.1 / PGII
WGK Germany	3

GHS Pictograms

[GHS09
Environment](#)



[GHS08 Health
Hazard](#)



[GHS06 Skull and
Crossbones](#)



[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/12/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #21908-53-2

Relevant identified uses of the substance:

Scientific research and development

Supplier details:

American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:

Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 1 H310 Fatal in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.

GHS08 Health hazard

STOT RE 2 H373 May cause damage to the central

nervous system, the kidneys, the reproductive system and the brain through prolonged or repeated exposure.

Route of exposure: Oral, Inhalative.

Hazards not otherwise classified No data available

GHS label elements, including precautionary statements

Hazard pictograms



GHS06 GHS08

Signal word Danger

Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H373 May cause damage to the central nervous system, the kidneys, the reproductive system and the brain through prolonged or repeated exposure.

Route of exposure: Oral, Inhalative.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor

P320 Specific treatment is urgent (see on this label).

P361 Take off immediately all contaminated clothing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

3

0

1

Health (acute effects) = 3

Flammability = 0

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

21908-53-2 Mercury(II) oxide

Identification number(s):

EC number: 244-654-7

Index number: 080-002-00-6

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing has been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed:

No data available

Indication of any immediate medical attention and special treatment needed:

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Toxic metal oxide fume

Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow material to be released to the environment without official permits.
Methods and materials for containment and cleanup:
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: The product is not flammable
Conditions for safe storage, including any incompatibilities
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from reducing agents.
Store away from metal powders.
Store away from halogens.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well-sealed containers.
Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

21908-53-2 Mercury(II) oxide (100.0%)

PEL (USA) Long-term value: 0.1 mg/m^3
as Hg; see OSHA standard interpretation memo

REL (USA) Long-term value: 0.05^* mg/m^3

Ceiling limit value: 0.1 mg/m^3
as Hg; *Vapor; Skin

TLV (USA) Long-term value: 0.025 mg/m^3
as Hg; Skin; BEI

EL (Canada) Long-term value: 0.025 mg/m^3
as Hg; Skin, R

EV (Canada) Long-term value: 0.025 mg/m^3
as Hg, Skin

Ingredients with biological limit values:

21908-53-2 Mercury(II) oxide (100.0%)

BEI (USA) $35 \text{ } \mu\text{g/L}$

Medium: urine

Time: prior to shift

Parameter: Total inorganic mercury (background)
 $15 \text{ } \mu\text{g/L}$

Medium: blood

Time: end of shift at end of workweek

Parameter: Total inorganic mercury (background)

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use self-contained respiratory protective device in emergency situations.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk

assessment should be performed to determine if
airpurifying
respirators are appropriate. Only use equipment
tested and approved under appropriate government
standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

The selection of suitable gloves not only depends on
the material, but also on quality. Quality will vary from
manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480

Glove thickness 0.11 mm

Eye protection: Safety glasses

Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder

Color: Dark orange

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 500 °C (932 °F) (dec)

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas) No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 11.14 g/cm³ (92.963 lbs/gal)

Relative density No data available.

Vapor density N/A

Evaporation rate N/A

Solubility in / Miscibility with

Water at 25 °C (77 °F): 0.053 g/l

Partition coefficient (n-octanol/water): No data
available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No data available

Incompatible materials:

Reducing agents

Metal powders

Halogens

Hazardous decomposition products: Toxic metal oxide fume

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

Fatal if inhaled.

Fatal in contact with skin.

Fatal if swallowed.

Danger through skin absorption.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 18 mg/kg (rat)

Dermal LD50 315 mg/kg (rat)

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

IARC-3: Not classifiable as to carcinogenicity to humans.

ACGIH A4: Not classifiable as a human carcinogen:

Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.

Specific target organ system toxicity - repeated exposure:

May cause damage to the central nervous system, the kidneys, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure:

Oral, Inhalative.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

Ecotoxicological effects:

Remark: Very toxic for aquatic organisms

Additional ecological information:

Do not allow material to be released to the environment without official permits.

Do not allow product to reach groundwater, water courses, or sewage systems, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number
DOT, IMDG, IATA UN1641
UN proper shipping name
DOT Mercury oxide
IMDG, IATA MERCURY OXIDE
Transport hazard class(es)
DOT
Class 6.1 Toxic substances.
Label 6.1
Class 6.1 (T5) Toxic substances
Label 6.1
IMDG, IATA
Class 6.1 Toxic substances.
Label 6.1
Packing group
DOT, IMDG, IATA II
Environmental hazards: Environmentally hazardous
substance, solid
Marine pollutant (IMDG): Yes (PP)
Special precautions for user Warning: Toxic
substances
EMS Number: F-A,S-A
Segregation groups Heavy metals and their salts
(including their organometallic compounds), mercury
and mercury compounds
Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code N/A
Transport/Additional information:
DOT
Marine Pollutant (DOT): Yes (PP)
Remarks: Special marking with the symbol (fish and
tree).
UN "Model Regulation": UN1641, Mercury oxide, 6.1,
II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental
regulations/legislation specific for the substance or
mixture
GHS label elements, including precautionary
statements
Hazard pictograms
GHS06 GHS08
Signal word Danger
Hazard statements
H300+H310+H330 Fatal if swallowed, in contact with
skin or if inhaled.
H373 May cause damage to the central nervous
system, the kidneys, the reproductive system and the

brain through prolonged or repeated exposure.
Route of exposure: Oral, Inhalative.
Precautionary statements
P260 Do not breathe
dust/fume/gas/mist/vapors/spray.
P301+P310 IF SWALLOWED: Immediately call a
POISON CENTER/ doctor
P320 Specific treatment is urgent (see on this label).
P361 Take off immediately all contaminated clothing.
P405 Store locked up.
P501 Dispose of contents/container in accordance
with local/regional/national/international regulations.
National regulations
All components of this product are listed in the U.S.
Environmental Protection Agency Toxic Substances
Control Act Chemical substance Inventory.
All components of this product are listed on the
Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings)
21908-53-2 Mercury(II) oxide
California Proposition 65
Prop 65 - Chemicals known to cause cancer
Substance is not listed.
Prop 65 - Developmental toxicity
21908-53-2 Mercury(II) oxide
Prop 65 - Developmental toxicity, female Substance is
not listed.
Prop 65 - Developmental toxicity, male Substance is
not listed.
Information about limitation of use: For use only by
technically qualified individuals.
Other regulations, limitations and prohibitive
regulations
Substance of Very High Concern (SVHC) according to
the REACH Regulations (EC) No. 1907/2006.
Substance is not listed.
The conditions of restrictions according to Article 67
and Annex XVII of the Regulation (EC) No 1907/2006
(REACH) for the manufacturing, placing on the
market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring
Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety
Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No.
1907/2006 (REACH). The above information is
believed to be correct but does not purport to be all
inclusive and shall be used only as a guide. The
information in this document is based on the present

state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
