

Magnesiu	ım bis(diisopropyl)amide	Pricing >
Linear Formula	$Mg[((CH_3)_2CH)_2N]_2$	
Pubchem CID	10944115	
MDL Number	MFCD03093019	
EC No.	N/A	
IUPAC Name	magnesium; di(propan-2-yl)azanide	
Beilstein/Reaxys No.	N/A	
SMILES	CC(C)[N-]C(C)C.CC(C)[N-]C(C)C.[Mg+2]	
Inchl Identifier	InChI=1S/2C6H14N.Mg/c2*1-5(2)7-6(3)4;/h2*5-6H,1-4H3;/q2*-1;+2	
Inchl Key	XDBOBNVQEBSKFO-UHFFFAOYSA-N	
Signal Word	Danger	
Hazard Statements	H225-H261-H304-H314-H331-H335-H341-H351-H412	
Hazard Codes	F, C, T+	
Precautionary Statements	H225-H261-H302-H304-H314-H331-H335-H341-H351-H412	
Risk Codes	11-14/15-19-35-37-40-52/53-65-68	
Safety Statements	26-36/37/39-43-45-61-62	
RTECS Number	N/A	
Transport Information	UN 3399 4.3/PG II	
WGK Germany	3	
GHS Pictograms	GHS05 Corrosive GHS02 Flame GHS06 Skull and Crossbones GHS08 Health Hazard Skyletic Skyletic Skyle	

Create Printable PDF

### SAFETY DATA SHEET

Date Accessed: 05/05/2024 Date Revised: 01/15/2022

### **SECTION 1. IDENTIFICATION**

**Product Identifiers:** All applicable American Elements product codes for CAS #23293-23-4

#### Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

#### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture GHS02 Flame Flam. Liq. 2 H225 Highly flammable liquid and vapor. Water-react. 1 H260 In contact with water releases flammable gases, which may ignite spontaneously. GHS06 Skull and crossbones Acute Tox. 3 H301 Toxic if swallowed. GHS08 Health hazard Muta. 2 H341 Suspected of causing genetic defects. **GHS05** Corrosion Skin Corr. 1B H314 Causes severe skin burns and eve damage. Eye Dam. 1 H318 Causes serious eye damage. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard Pictograms



Signal word Danger Hazard statement(s) H225 Highly flammable liquid and Vapor. H261 In contact with water releases flammable gases. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H412 Harmful to aquatic life with long lasting effects. Precautionary statement(s) P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P223 Do not allow contact with water.

P231 + P232 Handle under inert gas. Protect from moisture.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P335 + P334 Brush off loose particles from skin. Immerse in cool water/ wrap in wet bandages.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P402 + P404 Store in a dry place. Store in a closed container.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water., May form explosive peroxides.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures Synonyms: Magnesium diisopropylamide Formula: C12H28MgN2 Molecular weight: 224.67 g/mol

Hazardous components Component Classification Concentration

Tetrahydrofuran CAS-No. 109-99-9 EC-No. 203-726-8 Index-No. 603-025-00-0 Registration number 01-2119444314-46-XXXX Flam. Liq. 2; Acute Tox. 4; Eye Irrit. 2A; Carc. 2; STOT SE 3; H225, H302, H319, H335, H351 >=70-<90%

N-(1-Methylethyl)-2-propanamine magnesium salt CAS-No. 23293-23-4 Water-react. 2; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; H261, H302 + H332, H314 >=20-<30%

2-Methyl-2-butene CAS-No. 513-35-9 EC-No. 208-156-3 Flam. Liq. 2; Acute Tox. 4; Skin Irrit. 2; Muta. 2; Carc. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 2; Aquatic Chronic 2; H225, H302, H304, H315, H336, H341, H351, H411 >=1-<5%

Undecane CAS-No. 1120-21-4 EC-No. 214-300-6 Flam. Liq. 4; Asp. Tox. 1; H227, H304 >=1-<5%

Decane CAS-No. 124-18-5 EC-No. 204-686-4 Flam. Liq. 3; Asp. Tox. 1; H226, H304 >=1-<5%

Dodecane CAS-No. 112-40-3 EC-No. 203-967-9 Flam. Liq. 4; Asp. Tox. 1; H227, H304 >=1-<5%

Pentadecane CAS-No. 629-62-9 EC-No. 211-098-1 Asp. Tox. 1; H304 >=1-<5%

Tridecane CAS-No. 629-50-5 EC-No. 211-093-4 Asp. Tox. 1; H304 >=1-<5%

Tetradecane CAS-No. 629-59-4 EC-No. 211-096-0 Asp. Tox. 1; H304 >=1-<5%

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures General advice Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital. If swallowed Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11 Indication of any immediate medical attention and special treatment needed

#### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media Suitable extinguishing media Dry powder Special hazards arising from the substance or mixture No data available Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary. Further information No data available

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of Vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

For personal protection see section 8.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Reference to other sections For disposal see section 13.

#### **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of Vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.

Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and wellventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Never allow product to get in contact with water during storage. Recommended storage temperature 2 -8 °C Handle and store under inert gas. Air and moisture sensitive. Test for peroxide formation periodically and before distillation. Dry residue is explosive. Store under inert gas. Test for peroxide formation periodically and before distillation. Specific end use(s) Apart from the uses mentioned in section 1 no other specific uses are stipulated

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters Components with workplace control parameters Component CAS-No. Value **Control parameters** Basis Tetrahydrofuran 109-99-9 TWA 50.000000 ppm USA. ACGIH Threshold Limit Values (TLV) Remarks Central Nervous System impairment Upper Respiratory Tract irritation Kidney damage Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption STEL 100.000000 ppm USA. ACGIH Threshold Limit Values (TLV) Central Nervous System impairment Upper Respiratory Tract irritation Kidney damage Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption TWA 200.000000 ppm 590.00000 mg/m3 USA. NIOSH Recommended Exposure Limits ST 250.000000 ppm 735.000000 mg/m3 USA. NIOSH Recommended Exposure Limits TWA 200.000000 ppm 590.000000 mg/m3 USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants The value in mg/m3 is approximate. PEL 200 ppm 590 mg/m3 California permissible exposure limits for chemical contaminants (Title 8, Article 107) STEL 250 ppm 735 mg/m3 California permissible exposure limits for chemical contaminants (Title 8, Article 107) Hazardous components without workplace control parameters **Biological occupational exposure limits** Component CAS-No. Parameters Value **Biological specimen** Basis Tetrahydrofuran 109-99-9 Tetrahydrofuran 2.0000 mg/l Urine ACGIH -Biological **Exposure Indices** (BEI) Remarks End of shift (As soon as possible after exposure ceases) Exposure controls Appropriate engineering controls Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling

the product. Personal protective equipment Eye/face protection Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Splash contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 10 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. **Body Protection** Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

environment must be avoided.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance Form: liquid Odor: No data available Odor Threshold: No data available pH: No data available Melting point/freezing point: No data available Initial boiling point and boiling range: No data available Flash point:  $< -25 \degree C (< -13 \degree F)$ Evaporation rate: No data available Flammability (solid, gas): No data available Upper/lower flammability or explosive limits: No data available Vapor pressure: No data available Vapor density: No data available Relative density: 0.871 g/cm3 Water solubility: No data available Partition coefficient: n-octanol/water: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available Viscosity: No data available Explosive properties: No data available Oxidizing properties: No data available Other safety information: No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available Chemical stability Stable under recommended storage conditions. Possibility of hazardous reactions Vapors may form explosive mixture with air.Reacts violently with water. Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight. Exposure to moisture Incompatible materials No data available Hazardous decomposition products Hazardous decomposition products formed under fire conditions. -Carbon oxides, Nitrogen oxides (NOx), Magnesium oxide Other decomposition products-No data available In the event of fire: see section 5

# SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity No data available Inhalation: No data available Dermal: No data available No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity No data available No data available Specific target organ toxicity -single exposure No data available Specific target organ toxicity -repeated exposure No data available Aspiration hazard No data available Additional Information **RTECS:** Not available Stomach-Irregularities-Based on Human Evidence Stomach-Irregularities-Based on Human Evidence (Tetrahydrofuran) Stomach-Irregularities-Based on Human Evidence (Decane)

#### **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted Other adverse effects Harmful to aquatic life with long lasting effects. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Product Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional wastedisposal service to dispose of this material. Contaminated packaging Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

DOT (US) UN number: 3399 Class: 4.3 (3) Packing group: II Proper shipping name: Organometallic substance, liquid, water-reactive, flammable (N-(1-Methylethyl)-2-propanamine magnesium salt, Tetrahydrofuran) **Reportable Quantity** (RQ): 1250 lbs Poison Inhalation Hazard: No IMDG UN number: 3399 Class: 4.3 (3) Packing group: II EMS-No: F-G, S-N Proper shipping name: ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (N-(1-Methylethyl)-2-propanamine magnesium salt, Tetrahydrofuran) ΙΑΤΑ UN number: 3399 Class: 4.3 (3)

Packing group: II Proper shipping name: Organometallic substance, liquid, water-reactive, flammable (N-(1-Methylethyl)-2-propanamine magnesium salt, Tetrahydrofuran)

# SECTION 15. REGULATORY INFORMATION

SARA 302 Components No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. SARA 311/312 Hazards Fire Hazard, Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard Massachusetts Right To Know Components Tetrahydrofuran CAS-No. 109-99-9 **Revision Date** 1993-04-24 2-Methyl-2-butene 513-35-9 1993-04-24 Pennsylvania Right To Know Components Tetrahydrofuran CAS-No. 109-99-9 **Revision Date** 1993-04-24 N-(1-Methylethyl)-2-propanamine magnesium salt 23293-23-4 2-Methyl-2-butene 513-35-9 1993-04-24 Decane 124-18-5 2007-03-01 New Jersey Right To Know Components Tetrahydrofuran CAS-No. 109-99-9 **Revision Date** 1993-04-24 N-(1-Methylethyl)-2-propanamine magnesium salt 23293-23-4 2-Methyl-2-butene 513-35-9

1993-04-24 Undecane 1120-21-4 2007-03-01 Decane 124-18-5 2007-03-01 Dodecane 112-40-3 Pentadecane 629-62-9 Tridecane 629-50-5 Tetradecane 629-59-4 California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.