



<a href="#">Magnesium Ethoxide</a>		<a href="#">Pricing &gt;</a>
Linear Formula	Mg(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	
Pubchem CID	164963	
MDL Number	MFCD00009060	
EC No.	219-323-5	
IUPAC Name	magnesium; ethanolate	
Beilstein/Reaxys No.	3678841	
SMILES	CCO[Mg]OCC	
Inchl Identifier	InChI=1S/2C2H5O.Mg/c2*1-2-3;/h2*2H2,1H3;/q2*-1;+2	
Inchl Key	XDKQUSKHRIUJEO-UHFFFAOYSA-N	
Signal Word	Danger	
Hazard Statements	H251-H319-H402-H412-	
Hazard Codes	F,Xi	
Precautionary Statements	P235 + P410-P264-P273-P280-P305 + P351 + P338-P337 + P313-P407-P410-P413-P420-P501	
Flash Point	no data available	
Risk Codes	N/A	
Safety Statements	N/A	
Transport Information	UN 3205 4.2/PGII	
GHS Pictograms	<p><a href="#">GHS02 Flame</a></p>  <p><a href="#">GHS07 Exclamation Point</a></p> 	

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 08/13/2022

Date Revised: 05/15/2015

## SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #2414-98-4

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture  
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)  
Self-heating substances and mixtures (Category 1), H251  
Eye irritation (Category 2A), H319  
Acute aquatic toxicity (Category 3), H402  
Chronic aquatic toxicity (Category 3), H412  
For the full text of the H-Statements mentioned in this Section, see Section 16.  
GHS Label elements, including precautionary statements  
Pictogram



Signal word: Danger  
Hazard statement(s)  
H251  
Self-heating: may catch fire.  
H319  
Causes serious eye irritation.  
H412  
Harmful to aquatic life with long lasting effects.  
Precautionary statement(s)  
P235 + P410  
Keep cool. Protect from sunlight.  
P264  
Wash skin thoroughly after handling.  
P273  
Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/ attention.

P407

Maintain air gap between stacks/ pallets.

P410

Protect from sunlight.

P413

Store bulk masses greater than .? kg/ .? lbs at temperatures not exceeding .? °C/ .? °F.

P420

Store away from other materials.

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

Synonyms: Magnesium ethylate

Formula: C<sub>4</sub>H<sub>10</sub>MgO<sub>2</sub>

Molecular Weight: 114.43 g/mol

CAS-No.: 2414-98-4

EC-No.: 219-323-5

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

no data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Dry powder

Special hazards arising from the substance or mixture

Carbon oxides, Magnesium oxide

Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

no data available

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas.

Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water.

Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage.

Moisture sensitive.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

impervious clothing, Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance

Form: granular

Colour: light grey

Odour

no data available

Odour Threshold

no data available

pH

no data available

Melting point/freezing point

no data available

Initial boiling point and boiling range

no data available

Flash point

no data available

Evaporation rate

no data available

Flammability (solid, gas)

no data available

Upper/lower flammability or explosive limits

no data available

Vapour pressure

no data available

Vapour density

no data available

Relative density

no data available

Water solubility

no data available

Partition coefficient: n-octanol/water

no data available

Auto-ignition temperature

The substance or mixture is classified as self heating with the category 1.

Decomposition temperature

no data available  
Viscosity  
no data available  
Explosive properties  
no data available  
Oxidizing properties  
no data available  
Other safety information  
no data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
no data available  
Chemical stability  
Stable under recommended storage conditions.  
Possibility of hazardous reactions  
Reacts violently with water.  
Conditions to avoid  
Exposure to moisture.  
Incompatible materials  
Strong acids  
Hazardous decomposition products  
Other decomposition products - no data available  
In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity  
LD50 Oral - rat - > 3,160 mg/kg  
Inhalation:  
no data available  
Dermal:  
no data available  
no data available  
Skin corrosion/irritation  
Serious eye damage/eye irritation  
no data available  
Respiratory or skin sensitisation  
no data available  
Germ cell mutagenicity  
no data available  
Carcinogenicity  
IARC:  
No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
ACGIH:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS:

Not available

Cough, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish

LC50 - Cyprinus carpio (Carp) - 422 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50-Daphnia magna (Water flea)-33 mg/l-48 h

Toxicity to algae

EC50-Desmodesmus subspicatus (green algae)-975 mg/l-72 h

Persistence and degradability

Biodegradability

Bioaccumulative potential

no data available

Mobility in soil

no data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

no data available



---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number: 3205

Class: 4.2

Packing group: II

Proper shipping name:

Alkaline earth metal alcoholates, n.o.s. (Magnesium ethanolate)

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 3205

Class: 4.2

Packing group: II

EMS-No: F-A, S-J

Proper shipping name:

ALKALINE EARTH METAL ALCOHOLATES, N.O.S.  
(Magnesium ethanolate)

Marine pollutant: No

IATA

UN number: 3205

Class: 4.2

Packing group: II

Proper shipping name:

Alkaline earth metal alcoholates, n.o.s. (Magnesium ethanolate)

---

## **SECTION 15. REGULATORY INFORMATION**

SARA 302

Components

SARA 302: No chemicals in this material are subject to the reporting requirements of

SARA Title III, Section 302.

SARA 313

Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312

Hazards

Reactivity Hazard, Acute Health Hazard

Massachusetts Right To Know

Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Components

Magnesium ethanolate

CAS-No. 2414-98-4

Revision Date

New Jersey Right To Know

Components

Magnesium ethanolate

CAS-No. 2414-98-4

Revision Date

California Prop. 65

Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.