

<a href="#">Ruthenium Nitrate</a>	<a href="#">Pricing &gt;</a>
<a href="#">Ruthenium Nitrate Solution</a>	<a href="#">Pricing &gt;</a>
<a href="#">Ruthenium(III) NitrosylNitrate</a>	<a href="#">Pricing &gt;</a>
<a href="#">Ruthenium(III) NitrosylNitrate Solution</a>	<a href="#">Pricing &gt;</a>

<b>Linear Formula</b>	Ru(NO)(NO <sub>3</sub> ) <sub>3</sub>
<b>Pubchem CID</b>	16212391
<b>MDL Number</b>	MFCD00016313
<b>EC No.</b>	N/A
<b>IUPAC Name</b>	Ruthenium(3+) trinitrate
<b>Beilstein/Reaxys No.</b>	N/A
<b>SMILES</b>	[Ru+2].[O-][N+](=[O-])=O.[O-][N+](=[O-])=O
<b>InChI Identifier</b>	InChI=1S/2NO3.Ru/c2*2-1(3)4;/q2*-1;+2
<b>InChI Key</b>	QNAOTDIPTCVNIM-UHFFFAOYSA-N
<b>Signal Word</b>	Danger
<b>Hazard Statements</b>	H314
<b>Hazard Codes</b>	C
<b>Risk Codes</b>	34
<b>Safety Statements</b>	26-36/37/39-45
<b>RTECS Number</b>	N/A
<b>Transport Information</b>	UN 2031 8/PG 2
<b>WGK Germany</b>	2

GHS Pictograms	<a href="#"><u>GHS05</u></a> <a href="#"><u>Corrosive</u></a> 
	<a href="#"><u>GHS07</u></a> <a href="#"><u>Exclamation</u></a> <a href="#"><u>Point</u></a> 
	<a href="#"><u>GHS06</u></a> <a href="#"><u>Skull</u></a> <a href="#"><u>and</u></a> <a href="#"><u>Crossbones</u></a> 

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 04/29/2024

Date Revised: 01/15/2022

---

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #34513-98-9

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

### SECTION 2. HAZARDS IDENTIFICATION

Classification  
This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)  
Corrosive to metals Category 1

Acute Inhalation Toxicity - Vapors Category 3  
Skin Corrosion/Irritation Category 1 B Serious Eye  
Damage/Eye Irritation Category 1  
Specific target organ toxicity (single exposure)  
Category 3  
Target Organs - Respiratory system.  
Label Elements  
Signal Word  
Danger  
Hazard Statements  
May be corrosive to metals  
Toxic if inhaled  
Causes severe skin burns and eye damage  
Causes serious eye damage  
May cause respiratory irritation



#### Precautionary Statements

##### Prevention

Keep only in original container  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area  
Wash face, hands and any exposed skin thoroughly  
after handling  
Wear protective gloves/protective clothing/eye  
protection/face protection

##### Response

Call a POISON CENTER or doctor/physician if you  
feel unwell

##### Inhalation

IF INHALED: Remove victim to fresh air and keep at  
rest in a position comfortable for breathing

##### Skin

IF ON SKIN (or hair): Take off immediately all  
contaminated clothing. Rinse skin with water/shower  
Wash contaminated clothing before reuse  
Immediately call a POISON CENTER or  
doctor/physician

##### Eyes

IF IN EYES: Rinse cautiously with water for several  
minutes. Remove contact lenses, if present and easy  
to do. Continue rinsing

Immediately call a POISON CENTER or  
doctor/physician

##### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce  
vomiting

##### Spills

Absorb spillage to prevent material damage

##### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly  
closed

Store in corrosive resistant polypropylene container  
with a resistant inliner  
Store in a dry place  
Disposal  
Dispose of contents/container to an approved waste  
disposal plant  
Hazards not otherwise classified (HNOC)  
None identified

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component CAS-No Weight %  
Water 7732-18-5 ca 93  
Ruthenium, tris(nitrato-O)nitrosyl- 34513-98-9 5  
Nitric acid 7697-37-2 ca 2

---

### **SECTION 4. FIRST AID MEASURES**

General Advice Immediate medical attention is  
required. Show this safety data sheet to the doctor in  
attendance.

Eye Contact Immediate medical attention is required.  
Rinse immediately with plenty of water, also under the  
eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of  
water for at least 15 minutes. Immediate medical  
attention is required.

Inhalation Move to fresh air. If breathing is difficult,  
give oxygen. Do not use mouth-to-mouth resuscitation  
if victim ingested or inhaled the substance; induce  
artificial respiration with a respiratory medical device.  
Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or  
Poison Control Center immediately.

Most important symptoms/effects Causes burns by all  
exposure routes. Product is a corrosive material. Use  
of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should  
be investigated: Ingestion causes severe swelling,  
severe damage to the delicate tissue and danger of  
perforation

Notes to Physician Treat symptomatically

---

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable Extinguishing Media CO 2, dry chemical, dry  
sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No data available

Flash Point No data available

Method - No data available  
Autoignition Temperature No data available  
Explosion Limits  
Upper No data available Lower No data available  
Sensitivity to Mechanical Impact No data available  
Sensitivity to Static Discharge No data available  
Specific Hazards Arising from the Chemical  
Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.  
Hazardous Combustion Products  
Nitrogen oxides (NOx) Thermal decomposition can lead to release of irritating gases and vapors  
Protective Equipment and Precautions for Firefighters  
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.  
NFPA  
Health  
3  
Flammability  
0  
Instability  
0  
Physical hazards  
N/A

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment. Ensure adequate ventilation.

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological information.

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

Up

---

## **SECTION 7. HANDLING AND STORAGE**

Handling Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment. Do not ingest.

Storage Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure Guidelines:

Component ACGIH TLV OSHA PEL NIOSH IDLH

Nitric acid TWA: 2 ppm

STEL: 4 ppm (Vacated) TWA: 2 ppm (Vacated) TWA:

5 mg/m<sup>3</sup> (Vacated) STEL: 4 ppm (Vacated) STEL: 10

mg/m<sup>3</sup>

TWA: 2 ppm

TWA: 5 mg/m<sup>3</sup> IDLH: 25 ppm TWA: 2 ppm TWA: 5

mg/m<sup>3</sup>

STEL: 4 ppm

STEL: 10 mg/m<sup>3</sup>

Component Quebec Mexico OEL (TWA) Ontario

TWAEV

Nitric acid TWA: 2 ppm

TWA: 5.2 mg/m<sup>3</sup>

STEL: 4 ppm

STEL: 10 mg/m<sup>3</sup> TWA: 2 ppm

TWA: 5 mg/m<sup>3</sup>

STEL: 4 ppm

STEL: 10 mg/m<sup>3</sup> TWA: 2 ppm

STEL: 4 ppm

Legend

ACGIH - American Conference of Governmental

Industrial Hygienists

OSHA - Occupational Safety and Health

Administration

NIOSH IDLH: The National Institute for Occupational

Safety and Health Immediately Dangerous to Life or

Health

Engineering Measures Ensure adequate ventilation,

especially in confined areas. Ensure that eyewash

stations and safety showers are close to the

workstation location.

Personal Protective Equipment

Eye/face Protection Tightly fitting safety goggles.

Face-shield.

Skin and body protection Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator

regulations found in 29 CFR 1910.134 or European

Standard EN 149. Use a NIOSH/MSHA or European

Standard EN 149 approved respirator if exposure

limits are exceeded or if irritation or other symptoms

are experienced.

Hygiene Measures Handle in accordance with good

industrial hygiene and safety practice.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State Liquid  
Appearance Amber  
Odor Odorless  
Odor Threshold No data available  
pH 1.98  
Melting Point/Range No data available  
Boiling Point/Range No data available  
Flash Point No data available  
Evaporation Rate No data available  
Flammability (solid,gas) N/A  
Flammability or explosive limits  
Upper No data available  
Lower No data available  
Vapor Pressure No data available  
Vapor Density No data available  
Relative Density 1.070  
Solubility No data available  
Partition coefficient; n-octanol/water No data available  
Autoignition Temperature No data available  
Decomposition Temperature No data available  
Viscosity No data available  
Molecular Formula N4 O10 Ru  
Molecular Weight 317.09

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactive Hazard None known, based on information available  
Stability No data available.  
Conditions to Avoid Incompatible products. Excess heat.  
Incompatible Materials Organic materials, Powdered metals, Alkali metals, Alcohols, Reducing agents  
Hazardous Decomposition Products Nitrogen oxides (NOx), Thermal decomposition can lead to release of irritating gases and vapors  
Hazardous Polymerization Hazardous polymerization does not occur.  
Hazardous Reactions None under normal processing.

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute Toxicity  
11. Toxicological information  
Product Information  
Oral LD50 Based on ATE data, the classification

criteria are not met. ATE > 2000 mg/kg. Dermal LD50  
Based on ATE data, the classification criteria are not  
met. ATE > 2000 mg/kg. Vapor LC50 Category 3.  
ATE = 2 - 10 mg/l.

#### Component Information

Component LD50 Oral LD50 Dermal LC50 Inhalation  
Nitric acid Not listed Not listed 130 mg/m<sup>3</sup> ( Rat ) 4 h  
67 ppm ( Rat ) 4 h

Toxicologically Synergistic

#### Products

No data available

Delayed and immediate effects as well as chronic  
effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No data available

Carcinogenicity The table below indicates whether  
each agency has listed any ingredient as a  
carcinogen.

Component CAS-No IARC NTP ACGIH OSHA  
Mexico

Water 7732-18-5 Not listed Not listed Not listed Not  
listed Not listed

Ruthenium, tris(nitrato-O)nitrosyl- 34513-98-9 Not  
listed Not listed Not listed Not listed Not listed

Nitric acid 7697-37-2 Not listed Not listed Not listed  
Not listed Not listed

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Mutagenic Effects No data available Reproductive

Effects No data available. Developmental Effects No  
data available. Teratogenicity No data available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

Aspiration hazard No data available

Symptoms / effects, both acute and delayed

Product is a corrosive material. Use of gastric lavage  
or emesis is contraindicated. Possible perforation of  
stomach or esophagus should be investigated:

Ingestion causes severe swelling, severe damage to  
the delicate tissue and danger of perforation

Endocrine Disruptor Information No data available

Other Adverse Effects The toxicological properties  
have not been fully investigated. See actual entry in  
RTECS for complete information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Do not empty into drains.

12. Ecological information

Component Freshwater Algae Freshwater Fish  
Microtox Water Flea  
Nitric acid Not listed 72 mg/L LC50 96 h Not listed Not  
listed  
Persistence and Degradability No data available  
Bioaccumulation/ Accumulation No data available.  
Mobility No data available.  
Component log Pow  
Nitric acid -2.3

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste Disposal Methods  
Chemical waste generators must determine whether a  
discarded chemical is classified as a hazardous  
waste. Chemical waste generators must also consult  
local, regional, and national hazardous waste  
regulations to ensure complete and accurate  
classification.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT  
14. Transport information  
UN-No UN2031  
Proper technical name Ruthenium, tris(nitrato-  
O)nitrosyl-, Nitric acid  
Hazard Class 8  
Packing Group II  
TDG  
UN-No UN2031  
Hazard Class 8  
Packing Group II  
IATA  
UN-No UN3264  
Proper Shipping Name Corrosive liquid, acidic,  
inorganic, n.o.s  
Hazard Class 8  
Packing Group II  
IMDG/IMO  
UN-No UN3264  
Proper Shipping Name Corrosive liquid, acidic,  
inorganic, n.o.s  
Hazard Class 8  
Packing Group II

---

## **SECTION 15. REGULATORY**

## INFORMATION

International Inventories

Component TSCA DSL NDSL EINECS ELINCS NLP

PICCS ENCS AICS IECSC KECL

Water X X - 231-791-2 - X - X X X

Ruthenium, tris(nitrato-O)nitrosyl- X - X 252-068-8 - - -  
- - X

Nitric acid X X - 231-714-2 - X X X X X

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA. F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a

Section 6 risk management rule under TSCA. S -

Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base

Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) N/A

SARA 313

Component CAS-No Weight % SARA 313 - Threshold Values %

Nitric acid 7697-37-2 ca 2 1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes Chronic Health Hazard Yes

Fire Hazard No Sudden Release of Pressure Hazard

No Reactive Hazard No

Clean Water Act

Component CWA - Hazardous

Substances CWA - Reportable

Quantities CWA - Toxic Pollutants CWA - Priority

Pollutants

Nitric acid X 1000 lb - -

Clean Air Act N/A

OSHA Occupational Safety and Health Administration

N/A  
Component Specifically Regulated Chemicals Highly Hazardous Chemicals  
Nitric acid - TQ: 500 lb  
CERCLA  
N/A  
Component Hazardous Substances RQs CERCLA  
EHS RQs  
Nitric acid 1000 lb 1000 lb  
California Proposition 65 This product does not contain any Proposition 65 chemicals  
State Right-to-Know  
Component Massachusetts New Jersey Pennsylvania Illinois Rhode Island  
Water - - X - -  
Ruthenium, tris(nitrato-O)nitrosyl- - X - X -  
Nitric acid X X X X X  
U.S. Department of Transportation  
Reportable Quantity (RQ): N DOT Marine Pollutant N  
DOT Severe Marine Pollutant N  
U.S. Department of Homeland Security  
This product does not contain any DHS chemicals.  
Component DHS Chemical Facility Anti-Terrorism Standard  
Nitric acid 2000 lb STQ  
Other International Regulations  
Mexico - Grade No data available  
Canada  
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR  
WHMIS Hazard Class E Corrosive material  
D2B Toxic materials  
D1A Very toxic materials

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL

USE ONLY.

---